



Eighty-First Annual Report of the Registrar-General for Scotland

1935

Crown Copyright Reserved

WELLCOME INSTITUTE LIBRARY	
Coll.	welMOMec
Call	SLV
No.	WA

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses :
 120 George Street, Edinburgh 2 ; Adastral House, Kingsway, London, W.C. 2 ;
 York Street, Manchester 1 ; 1 St. Andrew's Crescent, Cardiff ;
 80 Chichester Street, Belfast ;
 or through any Bookseller

1936

Price 3s. 6d. Net

CONTENTS.

	PAGE
<i>REPORT.</i>	
Introductory Letter,	v
General Summary,	vi
Population Estimates,	viii
Births,	ix
Marriages,	xi
Deaths,	xiii
Causes of Death,	xvi
<i>APPENDIX I.</i>	
Seventy-first Annual Report on Vaccination (1934),	xxvi
<i>APPENDIX II.</i>	
Additional Marriage Statistics for Year 1934,	xxviii
<i>APPENDIX III.</i>	
Weather Report for Year 1935,	xxxv
<i>APPENDIX IV.</i>	
Re-registration of Births,	xxxix
Entries in Adopted Children Register,	xxxix
Searches and Extracts in General Registry Office,	xl
<i>APPENDIX V.</i>	
Alteration of Boundaries of Burghs, Registration Districts, etc., which became effective during 1935,	xli
<i>APPENDIX VI.</i>	
The decline in the Death-rate from Tuberculosis,	xlvi

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1935.

Table 1. Births, Deaths, and Marriages, 1855 to 1935,	lvii
„ 2. Birth, Death, and Marriage rates, 1855 to 1935,	lviii
„ 3. Quarterly Returns of Births, Deaths, and Marriages, 1925 to 1935,	lix
„ 4. Birth, Death, and Marriage rates in Counties and Large Burghs,	lx
„ 5. Do. do. Small Burghs,	lxii
„ 6. Do. do. Landward Areas,	lxvi
„ 7. Birth-rate among Married and among Unmarried Women,	lxvii

MARRIAGES, 1934.

Table 8. Method of Celebration, etc., of Marriages, 1855-1934.	
Numbers and Percentages,	lxix
„ 9. Regular and Irregular Marriages, 1934,	lxx
„ 10. Church of Celebration of Regular Marriages, 1934,	lxxi
„ 11. Civil Condition and Method of Signature of Persons Marrying, 1934,	lxxii

Contents.

iii

	PAGE
Table 12. Ages of Men at Marriage, 1934,	lxxiv
„ 13. Ages of Women at Marriage, 1934,	lxxvi
„ 14. Ages in Combination of Men and Women at Marriage, 1934,...	lxxviii
„ 15. Ages in Combination of Bachelors and Spinsters at Marriage, 1934,	lxxix
„ 16. Ages in Combination of Bachelors and Widows at Marriage, 1934,	lxxx
„ 17. Ages in Combination of Widowers and Spinsters at Marriage, 1934,	lxxxi
„ 18. Ages in Combination of Widowers and Widows at Marriage, 1934,	lxxxii
„ 18A. Ages in Combination of Divorced Men and of Women at Marriage, 1934	lxxxiii
„ 18B. Ages in Combination of Men and of Divorced Women at Marriage, 1934	lxxxiv

DEATHS, 1935.

Table 19. Ages at Death and Death-rates—Scotland, Large Burghs, Small Burghs and Landward—by Age Groups,	lxxxv
„ 20. Ages at Death, Single Years of Age, and Condition as to Marriage—Males and Females,	lxxxvi
„ 21. Deaths and Death-rates—Age-Groups and Selected Causes— Males and Females,	lxxxviii
„ 22. Deaths and Death-rates from Selected Causes—Scotland, Large Burghs, Small Burghs and Landward,	xc
„ 23. Deaths from Selected Causes and in Age-Groups, 1925-1935,	xcii
„ 24. Death-rates from Selected Causes and in Age-Groups, 1925-1935,	xciii
„ 25. Deaths from Principal Epidemic and certain other Diseases, 1855-1935,	xciv
„ 26. Death-rates from Principal Epidemic and certain other Diseases, 1855-1935,	xcv
„ 27. Deaths and Death-rates from Puerperal Conditions,	xcvi
„ 28. Deaths from Malignant Disease,	xcviii
„ 29. Deaths from Suicide,	c
„ 30. Deaths from Poison, Accidental and Suicidal, and from Secondary Anæsthetics,	ci
„ 31. Deaths of Children of less than One Year from Selected Causes,	cii
„ 32. Deaths of Children of less than One Year from Selected Causes, showing the Month of Registration of Death,	ciii
„ 33. Deaths of Children of less than One Year by Age-periods, with Infantile Mortality Rates—Counties and Large Burghs,	civ

OTHER TABLES.

Table 34. Meteorology of Scotland, and Births, Deaths, Deaths under One Year, and Marriages by Month in 1935,	cvi
„ 35. Weather, and Weekly Death-rates,	cvi
„ 36. Vaccinations in Scotland, 1924-1934, with Percentage of Total Births, and Percentage of Survivors,	cvi
„ 37. Deaths from Small-pox in Scotland, 1855-1934, with Vac- cination Particulars, 1864-1934,	cvi

ABSTRACTS.

General Registration Summary—Births, Deaths, and Marriages in the Counties and Large Burghs in 1935, with Vaccination particulars for 1934,	2-3
--	-----

CAUSES OF DEATH—FULL LIST.

Scotland—Sex and Age,	4
Public Health Districts of Scotland (Large Burghs, &c.)—Both Sexes,	24
Scotland, by Month of Registration—Both Sexes,	42
Public Health Districts—Short List by Sex and Age,	48

STATISTICS OF BURGHs AND LANDWARD AREAS.

In County of Aberdeen,	106
Do. Angus,	107
Do. Argyll,	108
Do. Ayr,	109
Do. Banff,	111
Do. Berwick,	112
Do. Bute,	113
Do. Caithness,	113
Do. Clackmannan,	113
Do. Dunbarton,	114
Do. Dumfries,	115
Do. East Lothian,	116
Do. Fife,	117
Do. Inverness,	119
Do. Kincardine,	120
Do. Kinross,	121
Do. Kirkcudbright,	121
Do. Lanark,	121
Do. Midlothian,	123
Do. Moray,	123
Do. Nairn,	124
Do. Orkney,	125
Do. Peebles,	125
Do. Perth,	125
Do. Renfrew,	127
Do. Ross and Cromarty,	127
Do. Roxburgh,	128
Do. Selkirk,	129
Do. Stirling,	129
Do. Sutherland,	130
Do. West Lothian,	130
Do. Wigtown,	131
Do. Zetland,	131
METEOROLOGICAL ABSTRACTS,	132

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1935.

GENERAL REGISTRY OFFICE OF BIRTHS, &C.,
NEW REGISTER HOUSE,
EDINBURGH, 31st July 1936.

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to transmit with a view to its being laid before Parliament a Report on the Vital Statistics of Scotland for the year 1935.

In addition to the usual Appendices, there is also included in the Report one dealing with the decline in the death-rate from Tuberculosis.

I am, Sir,

Your obedient servant,

A. FROUDE,
Registrar-General.

THE SECRETARY,
DEPARTMENT OF HEALTH FOR SCOTLAND.

REPORT TO THE REGISTRAR-GENERAL

By PETER L. McKINLAY, M.D.,

Superintendent of Statistics.

SUMMARY.

DURING the year 1935 the usual periodical Returns relating to births, deaths and marriages in Scotland have been issued. Incorporated with the Return for the fourth quarter of the year was an Annual Summary which included, in addition to the leading figures for Scotland and for each of the large burghs, a complete analysis of the deaths in Scotland as a whole, showing the classification of cause of death according to the International short list by sex and by age. The more essential features of the Scottish vital statistics for 1935 have thus already been made available in a condensed form, but this is now superseded by the detailed information contained in the present Report.

The principal vital statistical features of the year under review are that infant mortality and mortality from tuberculosis each show the lowest values ever recorded, the trend of the birth-rate being still towards decline, with the proportion of illegitimacy lower than in recent years, and the marriage-rate showing an upward tendency, being in fact the highest for all except the abnormal period during and immediately after the war. The general death-rate in 1935 was slightly higher than that recorded in 1934 and in 1923, but otherwise is appreciably lower than the average. Deaths from the principal epidemic diseases were low and showed very little difference from the year immediately preceding. Although influenza deaths were more frequent, other epidemic diseases declined, the improvement effectively counterbalancing the increase in influenza. The low rate for this group of diseases is principally due to the relative infrequency of measles, but it is also in part attributable to lesser decreases in scarlet fever, diphtheria and cerebro-spinal fever. Whooping-cough and typhoid show slight increases compared with last year. The diseases of later life, malignant disease and affections of the circulatory system, continue to increase steadily. Bronchitis and pneumonia, although showing a slight rise in the number of deaths compared with 1934, a rise probably associated with the increase in influenza, are well below recent average numbers. The number of puerperal deaths continues fairly steady, the number and rate for 1935 being slightly in excess of those for 1934. Violent deaths are appreciably lower, and this applies especially to accidents with motor vehicles.

The total number of births registered during the year was 87,928, being 908 less than in the previous year. The birth-rate,

17.75 per thousand, is practically half of the rate recorded sixty years ago. Illegitimate births show a decrease in numbers, being 5,777 as against 6,119 in the previous year, and constituted 6.57 per cent. of the total births, this proportion being lower than in recent years.

Marriages registered during the year numbered 37,997 as compared with 36,949 and 34,201 in 1934 and 1933 respectively. This is the highest number registered since the abnormal rates immediately following the war period. The marriage-rate was 7.67 per thousand population compared with 7.49 and 6.96 for the two previous years. Marriages terminated during the year by decrees of divorce or of nullity numbered 498, which is 30 more than in 1934.

Deaths from all causes numbered 65,331, which is 1,590 more than in the previous year, the rate being 13.19 compared with 12.92. This rate is higher than in both 1934 and 1923, but is well below the preceding quinquennial average.

Deaths of children under one year of age numbered 6,754 and are 147 fewer than in the previous year. The infant mortality rate per thousand registered live births, 76.8, is the lowest recorded for Scotland, the previous lowest being in 1934.

The death-rate from the principal epidemic diseases was generally more favourable than in recent years. Almost half of the total is attributable to influenza, the numbers being higher than last year, but approximately the same as the decennial average. Mortality from scarlet fever and diphtheria are somewhat lower, but from whooping-cough higher than the corresponding returns for 1934.

Mortality from all forms of tuberculosis and from respiratory forms is the lowest recorded in this country, the respective rates per 100,000 population being 74 and 57. In 1870 the corresponding rates were 404 and 283, since which date the decline has been continuous except for the slight setback towards the end of the war.

Deaths from malignant disease continue to show persistent increase. The rate from this cause, 157 per 100,000, is 4 above that for each of the three preceding years. This cause of death accounts for roughly 12 per cent. of the total. A great part of the increase which has been a feature of the statistics for many years is attributable to the ageing of the population, and perhaps in part also to improved death certification.

Mortality from respiratory disease was somewhat less favourable than in the preceding year, when, however, conditions were very favourable to a low death-rate from these causes. From bronchitis and pneumonia combined, including for this purpose deaths associated with influenza, the rate is the second lowest on record, being well below the average for recent years.

Deaths of mothers from causes peculiar to pregnancy and child-birth numbered 554 and are equivalent to a rate of 6.3 per thousand

births. The corresponding rates for the years 1931–4 were respectively 5·9, 6·3, 5·9 and 6·2 per thousand live births. There is therefore no evidence of recent improvement in this group of causes of death.

Violent deaths numbered 2,705, of which 555 were attributed to accidents with motor vehicles, 467 to suicide, 266 to accidental drowning and 241 to accidental burns, each of these figures being an improvement on those for the previous year.

The principal causes of death in order of frequency are approximately the same as in previous years. In order of importance these are as follows: heart disease, malignant disease, cerebral hæmorrhage and allied conditions, pneumonia, tuberculosis and diseases of early infancy, including malformation. Compared with the list for the previous year, there is an increase in the proportion of deaths attributed to heart disease, malignant tumours, bronchitis and pneumonia, and influenza, and decreases in respect of cerebral hæmorrhage, tuberculosis and violence.

POPULATION.

The estimated population of Scotland as at the middle of 1935 was 4,952,500, of whom 2,385,000 were males and 2,567,500 were females. This represents a net increase over the estimate for the previous year of about 18,000, an increase attributable mainly to the excess of births over deaths. Since 1931 attention has been called each year to the fact that there appeared to be a small inward balance into Scotland in the figures of overseas migration, but in last year's Report it was stated that it was tending to slacken, and this tendency has continued to operate. There still appears to be a small inward balance but, as in the previous year, it is probably less than the numbers being lost through removal to other parts of the United Kingdom. Although for the greater part of the ten years between the Censuses of 1921 and 1931 the population of Scotland was declining on account of emigration, it seems probable that since 1930 this decline has been arrested on account of the cessation of emigration on any large scale. (*Table A.*)

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1935.

GROUPS OF DISTRICTS.	Census 1931 (Resident).			Census 1921 (Enumerated).			Estimated to 30th June 1935.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Large Burghs	2,652,419	1,258,843	1,393,576	2,570,190	1,232,712	1,337,478	2,715,700	1,292,700	1,423,000
Small Burghs	729,202	338,715	390,487	773,285	355,595	417,690	748,600	348,800	399,800
Landward	1,461,359	727,965	733,394	1,539,022	759,335	779,687	1,488,200	743,500	744,700
SCOTLAND	4,842,980	2,325,523	2,517,457	4,882,497	2,347,642	2,534,855	4,952,500	2,385,000	2,567,500

BIRTHS.

The number of living children whose births were registered in Scotland during the year 1935 amounted to 87,928, of whom 44,965 were males and 42,963 were females. The sex ratio was thus 104·7 males to every 100 females, being exactly the same as the five years' average. (*Table 1.*)

Since the year 1876, when the birth-rate reached the highest point recorded since the institution of national registration in Scotland (35·62 per thousand of the total population), the general trend, apart from minor fluctuations, has been steadily downwards, the rates in recent years amounting to little more than half those recorded when the birth-rate was at its maximum. The only major interruptions of this steady decline occurred during the War and immediately thereafter, the rate in 1914 having been 26·11, in 1917 20·26 and in 1920 28·07 per thousand. From 1920 the downward tendency was practically continuous until 1933, when it reached a minimum of 17·62. The birth-rate for 1934 was 18·00, and thus showed a slight increase on that for the previous year, but the rate for 1935 (17·75) showed a decline as compared with that for 1934, although very slightly higher than that for 1933, which thus remains the lowest on record for Scotland. The rate for 1935 was highest in the second quarter of the year (18·8) and lowest in the fourth quarter (16·9). (*Tables 2 and 3.*)

The birth-rate for the year was 18·37 in the large burghs, 16·00 in the small burghs and 17·51 in the landward districts. Of the total number of births, 56·7 per cent. were registered in the large burghs, 13·6 per cent. in the small burghs and 29·7 per cent. in the landward districts. Each of the three groups shows a decline when compared with the rates for the previous year, the decline being most marked in the case of the small burghs, but the proportion which the number of births in each bears to the total for Scotland shows little change. (In the case of births and deaths, but not of marriages, all local rates quoted in this Report have been corrected by transfer to place of usual residence.) (*Table B.*)

The geographical variations of the birth-rate will be seen in

TABLE B.—Birth-rate in Scotland and its Groups of Public Health Districts in 1935.

GROUPS OF DISTRICTS.	Births.					Birth-rate per 1000 of Estimated Population.			Illegitimate Births per 100 Total Births.
	Total.	Legitimate.		Illegitimate.		Total.	Legitimate	Illegitimate.	
		Males.	Females.	Males.	Females.				
Large Burghs .	49,884	24,030	22,845	1,544	1,465	18·37	17·26	1·11	6·03
Small Burghs .	11,979	5,759	5,487	369	364	16·00	15·02	0·98	6·12
Landward .	26,065	12,227	11,803	1,036	999	17·51	16·15	1·37	7·81
SCOTLAND .	87,928	42,016	40,135	2,949	2,828	17·75	16·59	1·17	6·57

Tables 4 to 6. In counties, including burghs, the rate ranged from 20·8 in Wigtown, 19·7 in Lanark, 19·1 in Kirkcudbright and 19·0 in West Lothian, to 11·6 in Zetland, 11·7 in Selkirk, 11·9 in Berwick and 12·7 in Bute and in Peebles. In the large burghs the highest rates were found in Port-Glasgow (22·8), in Hamilton (22·2), in Airdrie (21·4) and in Greenock (21·2), and the lowest in Rutherglen (14·3), in Arbroath (14·9) and in Edinburgh and in Perth (15·3). In small burghs with populations of 5,000 and over this rate ranged from 23·1 in Johnstone, 22·9 in Wick, 21·8 in Buckhaven and Methil and 21·3 in Kilsyth, to 9·4 in Largs, 10·3 in Troon, 10·7 in Helensburgh and 11·2 in Galashiels. In landward areas of counties it ranged from 21·5 in Wigtown, 19·8 in Lanark, 19·5 in Ayr and 19·1 in Fife and in Kirkcudbright, to 11·9 in Bute, in Peebles and in Zetland, 12·3 in Selkirk, 12·4 in Berwick and 13·1 in Argyll.

The monthly birth-rate ranged from 19·4 in April and 19·2 in May, to 16·2 in September and 16·5 in November. (*Table 34.*)

The birth-rate per thousand women aged 15–44 years (estimated to number 1,181,800), in contrast with the rate per thousand of the total population, is highest in the landward areas (80·5) and lowest in the small burghs (67·0), the rate in the large burghs (73·5) being intermediate in value. Among married women aged under 45 years the legitimate birth-rate was 158·1 per thousand, this rate being 156·8 in the large burghs, 146·1 in the small burghs and 167·1 in the landward areas. (*Table C and Table 7.*)

The total number of women who gave birth to living children during the year was 86,860. Of them 85,797 or 98·78 per cent. gave birth to single children, 1,058 or 1·22 per cent. to twins, and 5 or 0·01 per cent. to triplets. (*Table 1.*)

Illegitimate Births.—These numbered 5,777 and constituted 6·57 per cent. of the total. This rate touched its lowest point from 1899 to 1903 inclusive, within which period it never exceeded 6·49, but since that time a lower illegitimate rate than that already quoted for 1935 has been recorded only in 1925, viz., 6·56, being thus only fractionally lower than that for 1935. The lowest

TABLE C.—Birth-rate per 1000 Women aged 15–44, 1935.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15–44.	Births.	Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15–44.	
		Number.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Large Burghs . . .	679,100	49,884	18·37	103·5	73·5	98·8
Small Burghs . . .	178,900	11,979	16·00	90·1	67·0	90·1
Landward . . .	323,800	26,065	17·51	98·6	80·5	108·2
SCOTLAND . . .	1,181,800	87,928	17·75	100·0	74·4	100·0

rate ever recorded for Scotland was 6·21 in 1903. The rate for 1935 was 0·32 less than in the previous year and 0·52 less than the average for the preceding five years. Illegitimate births constituted 6·03 per cent. of the total in the large burghs, 6·12 in the small burghs and 7·81 in the landward districts. (*Table B and Table 2.*)

International Birth-rates.—Compared with the Scottish birth-rate of 17·8 per thousand, that for England and Wales is 14·7, for Northern Ireland 19·2 and for the Irish Free State 19·2. The accompanying Table shows the birth-rates in 1935 for certain countries of the world. The greater portion of these and of the other international rates published in this Report have been kindly furnished by the Secretary-General of the Institut International de Statistique.

BIRTH-RATES.

Chile	34·1	Irish Free State	19·2
Roumania	30·7	Germany	18·9
Portugal	28·3	Scotland	17·8
Bulgaria	26·2	Czecho-Slovakia	17·7
Poland	26·1	New Zealand	16·1
Spain	25·7	Switzerland	16·0
Lithuania	23·4	France	15·2
Italy	23·1	England and Wales	14·7
Hungary	20·8	Norway	14·6
Netherlands	20·2	Sweden	13·8
Northern Ireland	19·2	Austria	13·2

MARRIAGES.

Marriages registered in Scotland during the year 1935 numbered 37,997, which is 1,063 more than in the previous year. The marriage-rate, 7·67 per thousand population, is 0·19 above that for the previous year. With the exception of 1915 and the three years 1919 to 1921, all of which were affected by war conditions, this is the highest annual marriage-rate recorded in Scotland since 1873, and the number of marriages is the highest on record, apart from

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1935.

GROUPS OF DISTRICTS.	Marriages.	Marriage-rate per 1000 of Population.	
	Number.	Rate.	Relative Quantity, Scotland being = 100.
Large Burghs	24,775	9·12	118·9
Small Burghs	5,385	7·19	93·7
Landward	7,837	5·27	68·7
SCOTLAND	37,997	7·67	100·0

the post-war years 1919 to 1921. Except in these three years the marriage-rate has never exceeded 8 per thousand nor has it at any time been less than 6. The number of marriages has shown an increase (as compared with the corresponding quarter of the previous year) in each quarter since early in 1933. (*Tables 2 and 3.*)

The marriage-rate was highest in the aggregate of large burghs (9·12) and lowest in the landward districts (5·27), that for the small burghs being intermediate in value (7·19). (*Table D.*) The relative position of these three aggregates is in conformity with the experience of previous years, but the greater part of the increase has occurred in the large burghs. The variations in individual geographical areas are shown in Tables 4 to 6. As already indicated, the numbers shown in this Table have not been corrected in any way for transfer to place of usual residence. The high rate in the large burghs is to some extent due to the tendency to resort to such areas for the purpose of contracting irregular marriages.

The monthly marriage-rate ranged from 12·1 in July and 10·7 in December, to 3·0 in May and 5·0 in March. (*Table 34.*)

Compared with the Scottish marriage-rate of 7·7 per thousand, that for England and Wales is 8·6, for Northern Ireland 6·8, and for the Irish Free State 4·7. Other marriage-rates include the following :—

MARRIAGE-RATES.			
Germany	9·7	Chile	7·3
Roumania	8·7	Netherlands	7·2
England and Wales	8·6	Norway	7·1
Hungary	8·4	Portugal	7·1
Poland	8·3	Northern Ireland	6·8
Sweden	8·2	France	6·8
New Zealand	8·2	Austria	6·7
Bulgaria	7·8	Italy	6·6
Scotland	7·7	Spain	6·1
Czecho-Slovakia	7·4	Irish Free State	4·7
Switzerland	7·3		

Divorce.—By decrees pronounced in Scotland during the year 494 marriages were terminated by divorce and 4 were declared null.

TABLE E.—Number of Divorces in Scotland, 1855–1935, including Decrees of Nullity of Marriage.

<i>Years.</i>	<i>Annual Average.</i>	<i>Year.</i>	<i>Annual Numbers.</i>
1855–64	= 17	1925	= 451
1865–74	= 14	1926	= 425
1875–84	= 60	1927	= 474
1885–94	= 100	1928	= 504
1895–1904	= 159	1929	= 519
1905–14	= 222	1930	= 469
1915–24	= 458	1931	= 569
1925–34	= 488	1932	= 488
		1933	= 510
		1934	= 468
		1935	= 498

Of these, 438 affected marriages registered in Scotland and 60 related to marriages registered elsewhere. The trend of these figures over the whole period of registration has been upwards, increasing steadily from an annual average of 17 in 1855–1864 and 14 in 1865–1874 to one of 458 in 1915–1924, with a maximum of 829 in 1919. For the ten years 1925–1934 this average shows a small increase to 488, the number in 1935 being thus 10 greater than that average. (*Table E.*)

DEATHS.

Deaths registered during the year numbered 65,331, the annual death-rate per thousand population being 13·19. This rate is 0·27 above that for the previous year, but is 0·05 below the mean of those for the five preceding years. With three exceptions (12·92 in 1934, 13·11 in 1926 and 12·95 in 1923) it is the lowest death-rate ever recorded for Scotland. Apart from slight annual variations the general trend of this rate since the early days of registration has been steadily downwards, death-rates of over 23 per thousand having been recorded in 1864 (23·579), in 1874 and in 1875.

Comparison of the mortality-rates in the three large aggregates of districts shows a direct relationship with urbanisation. When the crude death-rate, i.e. the rate shown only as “corrected for transfer,” is taken as the standard for comparison this association is not quite so marked, but when these rates are adjusted for differences of age and sex constitution of the population the increase in mortality in the urban areas as compared with the rural areas becomes more noticeable. In landward areas the adjusted rate was 11·76 per thousand, in the small burghs 12·40, and in the large burghs 14·34. (*Table F.*)

In the counties, inclusive of burghs, the highest death-rates (adjusted for age and sex) were found in Lanark (14·9), in Renfrew (13·9), in Ayr and in Stirling (13·2) and in Midlothian (13·0), and

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1935.

GROUPS OF DISTRICTS.	Deaths.		Death-rate per 1000 of Population.	
	Registered Number.	Corrected for Transfers.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution.
Large Burghs . . .	39,649	36,498	13·44	14·34
Small Burghs . . .	8,823	10,168	13·58	12·40
Landward . . .	16,859	18,665	12·54	11·76
SCOTLAND . . .	65,331	65,331	13·19	13·19

the lowest in Zetland (9·9), in Orkney (10·1), in Sutherland and in Bute (10·8) and in Perth (10·9). In the large burghs taken individually the rate ranged from 15·7 in Port-Glasgow, 15·6 in Glasgow, 15·2 in Inverness and 15·0 in Greenock and in Kilmarnock, to 11·2 in Perth, 11·9 in Dunfermline, 12·2 in Kirkcaldy and 12·4 in Arbroath. In small burghs with populations of 5,000 and over this rate ranged from 15·9 in Johnstone, 15·5 in Armadale, 15·2 in Lanark and 14·9 in Denny and Dunipace and in Bathgate, to 9·5 in Milngavie, 9·7 in Elgin, 10·5 in St. Andrews, and 10·6 in Burntisland and in Rothesay. In landward areas it ranged from 13·1 in Lanark County, 12·9 in Kirkcudbright, 12·8 in Ayr and 12·7 in Stirling, to 8·9 in Selkirk, 9·7 in Orkney, 9·8 in Zetland and 10·1 in Perth. (*Tables 4 to 6.*)

The monthly death-rate ranged from 16·2 in February, 15·7 in December and 15·5 in January and in March, to 10·5 in August, 10·7 in September and 11·1 in July. (*Table 34.*)

Compared with the Scottish death-rate of 13·2, that for England and Wales is 11·7, for Northern Ireland 14·4 and for the Irish Free State 13·7. Rates for other countries include the following :—

DEATH-RATES.

Chile	25·0	Italy	13·7
Roumania	21·2	Austria	13·6
Portugal	17·0	Czecho-Slovakia	13·4
France	15·7	Scotland	13·2
Spain	15·6	Switzerland	12·1
Hungary	15·2	Germany	11·8
Northern Ireland	14·4	England and Wales	11·7
Bulgaria	14·4	Sweden	11·7
Poland	14·0	Norway	10·2
Lithuania	14·0	Netherlands	8·7
Irish Free State	13·7	New Zealand	8·2

Age and Sex —The death-rates in separate age and sex groups show generally the differences usually found, namely, higher male than female mortality at each age period (except 15–24, in which

TABLE G.—Age-group Death-rates per 1000 of Population from 1911–1935.

YEARS.	MALES.												FEMALES.											
	-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over.	-1	1–	5–	10–	15–	25–	35–	45–	55–	65–	75–	85 and over.
1911–15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	..	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	..
1916–20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	..	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	..
1921–25	104·6	16·0	2·6	1·8	3·2	4·4	6·7	12·6	28·8	66·6	150·1	297·6	78·3	14·5	2·5	1·8	3·2	4·5	6·2	10·5	22·8	51·5	123·8	220·0
1926–30	96·3	12·1	2·6	1·9	3·0	4·0	6·8	12·0	26·4	66·2	152·0	320·2	73·3	10·5	2·4	1·6	2·9	4·0	5·8	10·1	20·8	51·7	126·7	220·0
1931	99·2	10·4	2·6	1·7	3·1	3·6	6·3	11·7	23·9	61·9	151·3	320·3	73·4	9·7	2·3	1·4	2·9	3·6	5·2	9·1	18·9	49·6	129·1	220·0
1932	100·1	10·5	2·7	1·6	3·0	3·8	6·6	11·6	24·1	60·2	142·3	278·3	79·9	9·7	2·3	1·7	2·9	4·0	5·5	9·4	19·8	47·8	119·9	220·0
1933	94·1	8·5	2·4	1·7	3·0	3·9	6·4	12·2	24·9	60·0	139·8	304·0	73·6	7·4	2·1	1·5	2·8	3·7	5·3	9·1	19·4	47·9	118·3	220·0
1934	93·4	9·8	2·9	1·6	2·8	3·8	6·0	11·6	24·0	57·7	136·3	290·8	72·9	8·3	2·5	1·5	2·8	3·6	5·0	8·9	19·2	45·2	111·4	220·0
1935	92·8	7·2	2·4	1·7	2·7	3·5	6·0	11·8	24·3	61·3	146·4	339·5	70·0	6·4	2·0	1·4	2·7	3·4	5·1	9·0	19·4	47·6	120·6	220·0

period the male and the female rates have been equal for the past two years), and the characteristic trend of the mortality-rates with age. From Table G, in which comparison is made of the death-rates at ages in each sex since 1911, will be seen the amount of improvement which has taken place since that date. Apart from the final age-group, for which comparative rates are not complete, mortality throughout this period has fallen in each separate age-group. This change is specially marked among children aged between 1 and 5 years, the mortality in this age-group being in 1935 little more than one-third of the corresponding death-rate in 1911–1915. The improvement in the rate diminishes generally with advancing age, the rates at the highest ages showing only a comparatively small decline.

Infantile Mortality.—Deaths of children aged under one year numbered 6,754, and as births numbered 87,928, the infant mortality-rate is 76·8 per thousand births, that for males being 86·9 and that for females 66·2. The rate for both sexes combined is the lowest hitherto recorded for Scotland, the previous lowest rate being 77·7 in 1934. Up to and including 1915 this rate was invariably over 100, but since that year it has only three times exceeded this figure. Apart from comparatively small year-to-year variations, the tendency has been fairly steadily downward since the beginning of the century. As is usually the case, this rate was highest in the large burghs, where it was 86, that in the small burghs being 65 and in the landward areas also 65. In the large burghs this rate ranged from 98 in Glasgow and in Inverness, 94 in Dumbarton, 93 in Stirling and 92 in Greenock, to 56 in Dunfermline, 60 in Arbroath, 64 in Kirkcaldy and 66 in Motherwell and Wishaw. In Edinburgh it was 70. In the counties, exclusive of large burghs, the rate ranged from 109 in Nairn, 84 in Berwick, 76 in Ayr and in Kincardine and 73 in Clackmannan, to 26 in Orkney, 29 in Bute, 33 in Zetland and 43 in Roxburgh. (*Table 4.*)

The infant mortality-rate ranged from 111 in December, 99 in March, 95 in February and 94 in January, to 51 in August, 55 in July and 58 in September. (*Table 34.*)

Compared with the infant mortality-rate of 77 in Scotland, that in England and Wales was 57, in Northern Ireland 86 and in the Irish Free State 67. Rates for other countries include the following :—

INFANT MORTALITY PER 1000 BIRTHS.

Chile	251	France	69
Roumania	193	Germany	68
Hungary	154	Irish Free State	67
Poland	127	England and Wales	57
Czecho-Slovakia	122	Switzerland	48
Northern Ireland	86	Netherlands	40
Scotland	77	New Zealand	32

Centenarians. — The deaths of 13 reputed centenarians were registered during the year, 3 being males and 10 females. The age was verified as having been at least 100 years in 5 cases and disproved in 6, while in 2 cases no evidence could be obtained. Of those verified all were stated to have been aged 100. The practice of endeavouring to verify the ages of reputed centenarians was commenced in 1910, and since that date 360 such deaths have been registered, 58 being those of males and 302 those of females. Of the 360 cases the age has been verified as being at least 100 years in 187 instances and disproved in 66, while in 107 cases no evidence of age was available.

Certified Deaths.—Of the 65,331 deaths registered in 1935, 65,101 or 99·6 per cent. were certified as to cause of death by a registered medical practitioner or by Procurator Fiscal's report, and 230 or 0·4 per cent. were uncertified. Although the number uncertified is 5 more than in 1934, it is, apart from that year, much the lowest number on record, being 42 less than in 1933, which was the smallest number up to that year. It is in marked contrast to the figure prevailing fifty years ago, when the annual average number of uncertified deaths was over 6,000. (*Table H.*)

CAUSES OF DEATH.

The cause of death was specified in 64,212 cases, or 98·3 per cent. of the total deaths, while in 1,119, or 1·7 per cent., it was either ill-defined or not specified. Of the latter, 1,087 were attributed to sudden death, syncope, heart failure or other ill-defined cause, while in 32 cases the cause was unspecified.

Principal Epidemic Diseases. — Deaths from the principal epidemic diseases (Nos. 1–18 of International List) numbered 3,319 as compared with 3,416 in the previous year. Of these diseases no fewer than 1,459 were attributed to *influenza*. Although this number is 857 more than in the previous year, deaths in the latter year were exceptionally few, and on the whole the number of deaths from influenza in 1935 did not differ greatly from the average

TABLE H.—Deaths from Uncertified Causes, 1881-1935.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881-1890 . .	6061	8·2	1927 . .	481	0·7
1891-1900 . .	3239	4·1	1928 . .	356	0·5
1901-1910 . .	1839	2·4	1929 . .	326	0·5
1911-1920 . .	1239	1·7	1930 . .	340	0·5
1921 . .	716	1·1	1921-1930 . .	499	0·8
1922 . .	675	0·9	1931 . .	333	0·5
1923 . .	573	0·9	1932 . .	303	0·5
1924 . .	608	0·9	1933 . .	272	0·4
1925 . .	498	0·8	1934 . .	225	0·4
1926 . .	418	0·7	1935 . .	230	0·4

for the past ten years. About three-fourths of these deaths occurred in the first four months of the year. Next to influenza the most important cause of death among the epidemic diseases was *whooping-cough*, which caused 567 deaths, being 71 less than the five years' average. The death-rate was 11 per 100,000. A lower rate has been recorded on only three previous occasions. These deaths also occurred principally in the first four months of the year. Deaths from *diphtheria* numbered 513 and are equal to a death-rate of 10 per 100,000, being 1 above the five years' average. *Scarlet fever* was the cause of 199 deaths, the death-rate being 4 per 100,000, or 1 below the five years' average. Deaths from *measles* numbered only 141, which, although much above the exceptionally low number (36) registered in 1933, is the lowest number recorded for any other year. Deaths attributed to *cerebro-spinal fever* numbered 114, being 110 fewer than the five years' average. It is the smallest number of deaths from this cause since 1925. Deaths from *typhoid fever* numbered 31 and from *paratyphoid fevers* 14. The total for these two, while equal to that registered in 1930, is greater than in any other year since 1927. Other diseases in the epidemic group included 166 from *erysipelas* (38 fewer than in 1934), 93 from *lethargic encephalitis* (13 more), 12 from *dysentery* and 10 from *acute poliomyelitis*. Deaths from *syphilis* numbered 102. The "other infectious diseases" referred to on page 7 will be found in detail in Table J. They include 6 deaths from *pink disease*, 4 each from *infective jaundice* and *undulant fever* (and their synonyms) and 1 from *rabies*. The last named is only the second such death in over 30 years, and in each case the infection is understood to have been contracted abroad.

Tuberculosis.—Deaths from all forms of tuberculosis, exclusive of those associated with influenza, numbered 3,646, and once again constitute the lowest number recorded since the institution of national registration. The death-rate of 74 per 100,000 is 1 below that for the previous year and is 9 below the five-yearly average. It is in marked contrast to the mean annual rate of 382 which prevailed in the period 1866–1870. Mortality from this cause was highest in the large burghs (88). In the small burghs the rate was 56 and in the landward areas 57, as against 60 in each case in the previous year. In the large burghs the rate was unchanged. In the individual large burghs the rate ranged from 122 in Clydebank, 108 in Glasgow, 101 in Coatbridge and 99 in Inverness, to 38 in Kirkcaldy, 48 in Ayr, 52 in Dunfermline and 56 in Aberdeen. In Edinburgh this rate was 73. In the counties exclusive of large burghs it ranged from 138 in Zetland, 127 in Sutherland, 110 in Ross and Cromarty and 106 in Inverness, to 0 in Kinross, 27 in Selkirk, 28 in Roxburgh, 37 in Berwick and 39 in Moray. The death-rate for Scotland from the respiratory form of the disease was 57 and from other forms 17. The former is 1 less than in the previous year.

Mortality from tuberculosis has for many years past been steadily declining, both absolutely and relatively. Deaths among males from pulmonary and non-pulmonary forms of the disease accounted thirty years ago for approximately 8·5 and 4·5 per cent. respectively of the total deaths, whereas now the corresponding proportions are 5 and 1·3 per cent. Among females a similar trend is manifest. Formerly about 9 per cent. died from pulmonary forms of tubercle and 4 per cent. from non-pulmonary, proportions which have now fallen to 4 and little more than 1 per cent. respectively.

Malignant Disease.—Deaths from this group of causes numbered 7,793, equal a death-rate of 157 per 100,000 population, and account for 11·9 per cent. of the total deaths. Compared with the previous year these deaths number 232 more and the rate is 4 more. The most frequent sites among males were the digestive system (stomach, intestine, rectum, liver and œsophagus), the genito-urinary system, the respiratory system and the buccal cavity (mouth, tongue, &c.). Among females the sites affected, in order of numerical importance, were the digestive system, breast and genitalia. (*Table 28.*)

Diabetes.—Deaths from this cause numbered 740, a decrease of 22 as compared with 1934. Male deaths numbered 243 and female deaths 497. Compared with the average for the past five years deaths from this cause numbered 59 more. The death-rate, 15 per 100,000, is the same as that for last year. In 1925 deaths from diabetes numbered 457, which was lower than for the immediately preceding years, but since that year the number has generally increased, this being only the second year within the period in which there has been a decline as compared with the preceding

TABLE J.—The Causes of Death shown in the International Headings, Nos. 44 and 69, on pages 7 and 9, consisted of the following (age in brackets) :—

<i>No. 44.</i>	<i>Males.</i>			<i>Females.</i>			<i>Total.</i>
Pink disease . . .	(8 mos.)	(9 mos.)	(4)	(9 mos.)	(10 mos.)	(1)	6
Infective jaundice . . .	(31)	(41)	(46)	(36)			4
Undulant fever . . .	(47)	(68)	(75)	(39)			4
Malignant chickenpox . . .	(2 mos.)			—			1
Thread worms . . .	(5)			—			1
Ascaris lumbricoides . . .	—			(3)			1
Rabies . . .	(41)			—			1
German measles . . .	—			(8 mos.)			1
TOTAL	12			7			19
<i>No. 69.</i>							
Acidosis . . .	(3)	(6)	(3 mos.)	(6 mos.)	(10 mos.)	(2)	6
Hæmolytic jaundice . . .	(35)	(64)		(39)	(46)	(53) (56)	6
Cyclic vomiting . . .	(6)	(13)		(2 mos.)	(10)		4
Diabetes insipidus . . .	(67)			(11)			2
Hæmochromatosis . . .	(40)			(55)			2
Fatty degeneration of liver . . .	—			(21)			1
Obesity . . .	—			(50)			1
Amyloid disease of kidney . . .	—			(69)			1
TOTAL	8			15			23

year. A more detailed examination of the trend of mortality from this cause was given in the Annual Report for 1931.

Other General Diseases.—In addition to the foregoing diseases there were 182 deaths from rheumatic fever (66 fewer than in 1934), 124 from chronic rheumatism, osteo-arthritis, &c. (21 fewer than in 1934), and 346 from anæmia, of which 298 were attributed to pernicious anæmia, these figures showing little change. Deaths from diseases of the thyroid and parathyroid numbered 192, and those from leukæmia and aleukæmia 170. Deaths from pernicious anæmia were more fully dealt with in an appendix to this Report for 1931. The diseases summarised under No. 69 on page 9 are shown in detail in Table J.

Diseases of the Nervous System.—Deaths from this group of diseases numbered 8,160, and are 171 fewer than in the previous year. They include 84 from cerebral abscess and other inflammation of the brain, 213 from meningitis other than tuberculous or cerebro-spinal, 6,070 from cerebral hæmorrhage, apoplexy, embolism, thrombosis and softening, 410 from hemiplegia and other or unspecified forms of paralysis, 100 from general paralysis of the insane, and 53 from locomotor ataxy. (*Page 11.*)

Diseases of the Circulatory System.—Deaths from this group of diseases numbered 13,969, and are 1,151 more than in the previous year. Of them 12,525 were attributed to heart disease, 835 to arterio-sclerosis, 258 to gangrene, 136 to aneurysm, and 49 to diseases of the veins. The increase in the numbers of deaths certified as due to heart disease has been considerable in recent years. Since 1925 they have increased from 7,375 to 12,525. Since 1931 the number of deaths attributed to disease of the coronary arteries (including angina pectoris) has risen from 823 to 1,397. (*Table 23 and page 13.*)

Diseases of the Respiratory System — Deaths from these causes, excluding those associated with influenza and with tuberculosis, numbered 8,591 and are 468 more than in the previous year. Of them 26 were ascribed to diseases of the nose, 39 to diseases of the larynx, 3,079 to bronchitis, 4,602 to pneumonia, of which 1,442 were certified as due to lobar pneumonia, 146 to pleurisy and 699 to other respiratory diseases, of which 426 were ascribed to congestion of the lungs. The deaths from bronchitis and from pneumonia are each slightly more than the very small numbers for 1934, but are well below the average for recent years. If to these deaths there are added those in which influenza was specified as leading to the respiratory condition named, it is found that the death-rate from bronchitis is the lowest on record with the single exception of 1934, and that, subject to the exception of the years 1923 and 1934, the death-rate from pneumonia is the lowest since 1889, a period when many deaths really from pneumonia may have been certified as due to bronchitis. (*Table 26 and page 14.*)

Diseases of the Digestive System.—The total number of deaths ascribed to this group of diseases, apart from malignant disease and tuberculosis, was 3,660. This represents an increase of 127 when compared with the corresponding figure for 1934. Of these deaths those from gastric and duodenal ulcer numbered 626, an increase of 19 as compared with the previous year. Those from diarrhoea and enteritis among children under two years of age numbered 653, an increase of 48, from diarrhoea and enteritis among persons over two years of age 210, a decrease of 10, from ulceration of the intestines 74, an increase of 12, and from appendicitis 480, an increase of 29. Those from diseases of the liver numbered 547, being 14 fewer than in the previous year. They included 160 from cirrhosis of the liver, 112 from gallstones, and 205 from cholecystitis. (*Page 16.*)

Diseases of the Genito-Urinary System.— These collectively numbered 2,813, a decrease of 35 compared with the previous year. Deaths from diseases of the kidney numbered 1,959, a decrease of 167, from urinary calculus and conditions affecting the bladder and urethra 280, an increase of 54, from affections of the male reproductive organs 483, an increase of 71, and from diseases of the female reproductive organs 91, an increase of 7. (*Page 18.*)

Diseases of Pregnancy and Childbirth.— These collectively numbered 554 and are 3 more than in the previous year. Deaths from puerperal sepsis accounted for 227 and are 11 fewer than in the previous year, puerperal hæmorrhage for 79 deaths, which is 11 fewer than in the previous year, albuminuria and convulsions for 77, which is 5 more than in the previous year, abortion not returned as septic for 16, an increase of 2, and phlegmasia alba dolens or embolism for 35, being 5 fewer than in 1934. They are equal to a death-rate of 6·3 per thousand births, that from sepsis alone being 2·6. In the previous year these rates were 6·2 and 2·7 respectively. In the large burghs the rate from all puerperal causes was 6·6, in the small burghs 7·2 and in the landward districts 5·4. The rate is thus slightly above that for the previous year, the rate from sepsis being slightly lower and that from other puerperal causes slightly higher, but considerable differences are observed in comparing the rates for the groups, for the rate in the large burghs increased by 0·7 and that in the small burghs by 0·9, while that in the landward areas decreased by 1·4. As regards sepsis the only important difference is that in the landward areas this rate fell from 2·8 in 1934 to 2·5 in 1935. The increases in the two urban groups are therefore mainly due to deaths from non-septic conditions. The death-rates from septic and from non-septic conditions are shown for each Public Health District in Table 27. A detailed examination of the mortality from diseases and accidents associated with childbirth appeared in the Annual Report for 1931. (*Page 19.*)

In addition to the deaths assigned to puerperal conditions there were 165 deaths associated with pregnancy and parturition, but which were not classified as such. These are shown in Table K. They include 41 from pneumonia, 31 from heart disease, 24 from influenza, and 17 each from tuberculosis (of which 14 were respiratory) and from diseases of the digestive system.

Diseases of the Skin and Cellular Tissue.—The total deaths in this group numbered 285 and are 5 more than in the previous year. Of these deaths 44 were attributed to carbuncle or boil and 167 to cellulitis or acute abscess. (*Page 20.*)

Diseases of the Organs of Locomotion.—These account for 116 deaths and are 26 fewer than in the previous year. Of them 63 were ascribed to acute infective osteomyelitis and 38 to diseases of the joints. (*Page 20.*)

Malformations.—The total deaths assigned to this group, 530, are 46 more than in the previous year. Male deaths accounted for 305 and female deaths for 225. Of the total 56 were attributed to congenital hydrocephalus, 154 to spina bifida or meningocele, 187 to congenital heart disease and 133 to other congenital defects.

TABLE K.—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1935.

Short List No.	CAUSE OF DEATH.	All Ages.	Ages.						
			15–	20–	25–	30–	35–	40–	45 and over.
5	Scarlet fever	2	–	1	–	–	1	–	–
7	Diphtheria	1	–	–	1	–	–	–	–
8	Influenza	13*	2	1	2	1	3	3	–
	Influenza with pneumonia	11	1	1	4	2	1	2	–
10	Tuberculosis of respiratory system	14	–	5	7	–	1	1	–
11	Other tuberculous diseases	3	–	–	1	1	1	–	–
14 (3)	Other infectious and parasitic diseases	1	–	–	–	–	1	–	–
15	Cancer, malignant disease	1	–	–	–	–	1	–	–
18	Diabetes mellitus	1	–	–	–	–	1	–	–
20	Other general dis., chronic poisonings	7	–	1	2	2	1	1	–
22	Cerebral hæmorrhage, &c.	2	–	–	1	–	1	–	–
23	Other diseases of nervous system and sense organs	4	–	–	2	–	–	2	–
24	Heart disease	31	–	4	13	7	6	1	–
25	Other circulatory diseases	2	–	–	–	1	1	–	–
26	Bronchitis	4	–	–	1	1	1	1	–
27	Pneumonia (all forms)	41	1	4	9	10	14	3	–
28	Other respiratory diseases	3	1	1	1	–	–	–	–
30	Appendicitis	5	–	1	2	1	1	–	–
31 (2)	Other diseases of liver, &c.	6	–	1	–	3	1	1	–
32 (2)	Other digestive diseases	6	–	–	1	2	3	–	–
33	Chronic nephritis	3	–	–	2	–	–	1	–
34	Other diseases of genito-urinary system	1	–	–	1	–	–	–	–
37	Diseases of skin and locomotor system	1	–	1	–	–	–	–	–
40	Suicide	1	–	–	–	1	–	–	–
42	Other violence	1	–	–	–	1	–	–	–
	All causes	165*	5	21	50	33	39	16	–

* Including 1 aged 14.

The majority of these deaths occur in the first year of life, 474 being among infants of that age. (*Table L.*)

Diseases of Early Infancy. — Deaths from these causes collectively numbered 2,919 and number 36 more than in the previous year. Of them 746 were ascribed to congenital debility, 1,656 to premature birth, 234 to injury at birth, and 283 to other diseases peculiar to early infancy. (*Page 21.*)

Senility. — Deaths assigned to senility or senile dementia numbered 2,584, and are 97 fewer than in 1934. (*Page 21.*)

Violence. — Deaths from this cause numbered 2,705 and are 118 fewer than in the previous year. Male deaths numbered 1,791 and female deaths 914. Of the total those attributed to suicide numbered 467, a decrease of 65, to homicide 20, a decrease of 2, to war injuries 8, an increase of 3, and to accidental causes 2,210, a decrease of 54. The number of deaths from suicide is the smallest since 1926 (424) and is 65 less than in 1934 (532), which was the largest number in recent years. Of the 467 suicidal deaths, 279 were by poisoning, of which 174 were by coal gas and 69 by lysol. Suicidal deaths by other forms of poisoning numbered 36, including 3 each by carbolic acid and by hydrocyanic acid. (*Page 21.*)

Of the accidental deaths 241 were attributed to burns, 16 to conflagration, 266 to drowning, 1 to food poisoning, 39 to gaseous poisoning (of which 29 were by coal gas), 14 to other acute accidental poisoning, 86 to accidental suffocation, 8 to injury by firearms, 19 to weather agencies, and 8 to electricity (lightning excepted). In addition to the deaths from accidental poisoning there were 152 cases in which death occurred during or after the administration of an anæsthetic for therapeutic purposes and in which the anæsthetic may or may not have been a contributory cause. In 35 of these cases the anæsthetic used was chloroform, in 28 chloroform and ether and in 25 ether alone. The full list of the anæsthetics used and also of

TABLE L —Deaths from Congenital Malformations in 1935.

	Both Sexes.	Males.	Females.	Under 1 day.	1-6 days.	1 week.	2 weeks.	3 and 4 weeks.	1-2 months.	3-5 months.	6-8 months.	9-11 months.	1-4 years.	5-9 years.	10-14 years.	15-24 years.	25 years and over.
Congenital Hydrocephalus . . .	56	30	26	2	8	1	3	1	9	9	10	2	9	1	1
Spina Bifida, Meningocele . .	154	75	79	8	27	34	19	12	22	15	6	4	4	1	1	..	1
Congenital Heart Disease . . .	187	107	80	21	55	11	9	5	26	20	5	4	19	3	4	5	..
Other Congenital Defects . . .	133	93	40	19	29	9	5	4	41	10	8	1	1	1	..	3	2
TOTAL . . .	530	305	225	50	119	55	36	22	98	54	29	11	33	6	6	8	3

downwards, the annual average for 1911 to 1920 being 49 compared with only 18·5 during the period 1921 to 1930, but the number in 1935 as already shown was 20.

Relative Frequency of Causes of Death.—Table O shows, in order of frequency, the causes of death which were the ascribed cause of at least one per cent. of all deaths during 1935, together with corresponding figures for the previous year. The list includes 49,174 deaths or 75·3 per cent. of the total registered during the year. The four most frequent causes were heart disease, malignant tumours, cerebral hæmorrhage and allied conditions, and pneumonia. The list compared with that for the previous year shows increases in the proportion of deaths attributed to heart disease, malignant tumours, bronchitis, pneumonia and influenza, with decreases in cerebral hæmorrhage, tuberculosis, violence, nephritis and diabetes, but in some cases the changes are slight. Apart from causes which tend to fluctuate from year to year, the most marked changes are the increase in heart disease and the decrease in cerebral hæmorrhage and in nephritis.

TABLE N.—Accidents with Motor and Horse-drawn Vehicles, 1911-1935.

	<i>Motors.</i>	<i>Horse-drawn Vehicles.</i>		<i>Motors.</i>	<i>Horse-drawn Vehicles.</i>
1911 . . .	38	81	1924 . . .	239	15
1912 . . .	51	54	1925 . . .	319	22
1913 . . .	32	40	1926 . . .	416	11
1914 . . .	48	34	1927 . . .	448	18
1915 . . .	113	49	1928 . . .	507	18
1916 . . .	118	45	1929 . . .	679	13
1917 . . .	107	51	1930 . . .	747	20
1918 . . .	79	47	1931 . . .	627	15
1919 . . .	141	57	1932 . . .	648	18
1920 . . .	161	36	1933 . . .	662	9
1921 . . .	220	30	1934 . . .	662	14
1922 . . .	213	19	1935 . . .	555	20
1923 . . .	199	19			

TABLE O.—Relative Frequency of Causes of Death.

<i>Causes of Death.</i>	1935.		1934.	
	<i>Number.</i>	<i>Per cent. of Total.</i>	<i>Number.</i>	<i>Per cent. of Total.</i>
Heart disease	12,525	19·17	11,428	17·93
Malignant tumours	7,793	11·93	7,561	11·86
Cerebral hæmorrhage, &c.	6,480	9·92	6,620	10·39
Pneumonia	4,602	7·04	4,533	7·11
Tuberculosis (all forms)	3,646	5·58	3,702	5·81
Diseases of early infancy and mal- formations	3,449	5·28	3,367	5·28
Bronchitis	3,079	4·71	2,735	4·29
Violence	2,705	4·14	2,823	4·43
All nephritis	1,759	2·69	1,922	3·02
Influenza	1,459	2·23	602	0·94
Diarrhœa, &c. (all ages)	937	1·43	887	1·39
Diabetes	740	1·13	762	1·20
	49,174	75·27	46,942	73·64

Infant Deaths.—The most important causes of death under one year of age were congenital causes (more than half the total), all forms of pneumonia, diarrhœa, whooping-cough, bronchitis and convulsions. Deaths from these and other causes at the various stages of life under one year will be found in Table 31. From this Table it will be seen that of the 6,754 children who died at that age, 1,028 did not survive one day, 1,155 others did not survive one week and 1,206 others did not survive one month. The total number who died before attaining the age of three months was 4,374. In Table 32 will be found the month of the year in which these deaths occurred, ranging from 781 in December to 366 in August. Table 33 shows the deaths of infants in each of the Public Health Districts according to age (days, weeks, &c.). (*Tables 31 to 33.*)

Children under Five Years.—Table P shows the deaths from certain causes in children under five years of age. The total deaths in this age period amounted to 8,956, a decrease of 906 compared with the previous year. Excluding deaths of children aged under one year, the diseases to which the greatest number of deaths were attributed (i.e. at ages 1 to 4 inclusive) were pneumonia (all forms), whooping-cough, tuberculosis (all forms), diseases of the digestive system and diphtheria.

TABLE P.—Number of Deaths from Selected Causes among Children aged under Five Years in 1935.

Deaths from	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Total aged under 5 years.
Measles	35	48	16	8	2	109
Scarlet fever	6	24	20	19	20	89
Whooping-cough	295	177	39	21	18	550
Diphtheria	31	37	44	50	65	227
Erysipelas	33	4	1	...	1	39
Tuberculous meningitis	44	53	37	26	13	173
Abdominal tuberculosis	11	13	6	3	3	36
Other tuberculous diseases	31	24	14	12	7	88
Meningitis, not tuberculous	64	23	11	4	4	106
Convulsions	160	22	6	4	...	192
Pneumonia (all forms)	1,135	363	100	50	33	1,681
Bronchitis	244	28	8	1	3	284
Digestive diseases	696	88	47	30	35	896
Congenital causes	3,393	20	5	6	2	3,426
Other causes	576	201	100	82	101	1,060
TOTAL	6,754	1,125	454	316	307	8,956

APPENDIX I.

SEVENTY-FIRST ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND (1934).

This Report deals with the vaccination of children born in Scotland during the year 1934 who in the ordinary course should have been vaccinated during that year or during the first half of the year 1935.

Children whose births were shown in the Vaccination Returns for the year 1934 numbered 88,788, of whom 5,399 died before reaching the age of statutory vaccination (six months), while 83,389 survived at that date, and it is the latter number which more especially falls to be accounted for here. (*Table 36.*)

Of the 83,389 children surviving at the time of statutory vaccination, 38,354 or 45·99 per cent. were either certified to have been successfully vaccinated or reported to be insusceptible to vaccination by reason of previous uncertified vaccination, 1,601 or 1·92 per cent. were certified as insusceptible to vaccination for reasons other than previous vaccination, and 43,434 or 52·09 per cent. were not reported as vaccinated, the majority of these, 38,993 or 46·76 per cent. of the total, being unvaccinated by reason of Declaration of Conscientious Objection on the part of the parents. This is the seventh year in succession in which the last named percentage has shown an increase. (*Table 36.*)

The vaccinated children numbered 38,354, for whom the statutory certificates of vaccination were submitted in respect of 38,184 and certificates of previous vaccination in respect of 170. These 38,354 children constituted 45·99 per cent. of those surviving at the time of statutory vaccination, a rate which is 0·77 less than in the previous year. Prior to the passing of the Vaccination (Scotland) Act, 1907, by which conscientious objection on the part of the parents became a valid reason for avoiding statutory vaccination, over 91 per cent. of the children born in Scotland and surviving at the time of statutory vaccination were successfully vaccinated, but thereafter the proportion fell, being less than 50 per cent. in 1918. In the year 1920, when there was an outbreak of smallpox in Glasgow, this rate rose to 71 per cent., but since then it has steadily declined, reaching the lowest so far recorded of 46 per cent. in the year under review. In the counties, burghs included, the percentage of children surviving at the time of statutory vaccination who were successfully vaccinated ranged from 82·7 in Nairn, 81·1 in Peebles and 79·2 in Kincardine, to 6·4 in Zetland, 12·5 in Orkney, 26·1 in Caithness and 27·9 in Dunbarton. In sixteen counties less than half of the children surviving at the time of statutory vaccination were reported to be successfully vaccinated. In Zetland the births registered during the year

numbered 277, and children surviving at the time of compulsory vaccination numbered 265, of whom only 17 were reported to be vaccinated. In the large burghs the percentage successfully vaccinated ranged from 82·2 in Aberdeen, 62·6 in Perth and 60·7 in Edinburgh, to 20·1 in Greenock, 21·5 in Hamilton and 22·3 in Dumbarton. In Glasgow it was 47·4 and in Dundee 25·8.

Children reported as not vaccinated, or as being constitutionally insusceptible, numbered 45,035, or 54·01 per cent. of the total survivors. In the previous year the number and percentage were 43,149 and 53·23 respectively. Of the 45,035 unvaccinated children 1,601 were certified as constitutionally insusceptible to vaccination, 38,993 were unvaccinated by reason of Statutory Declaration of Conscientious Objection, 1,640 were unvaccinated by reason of postponement of vaccination with medical certificates, and 2,801 were unvaccinated, or presumed to be so, through being lost sight of by removal from the district of registration or otherwise. (*Table 36.*)

Certificates of Constitutional Insusceptibility numbered 1,601, which is 370 fewer than in the previous year. This is the smallest number recorded since 1930, when they amounted to 1,325. In the counties certificates of insusceptibility were relatively frequent in Bute (4·0 per cent.), in Wigtown (3·3), and in Lanark (3·0), but were less than 1 per cent. in 13 counties. In the large burghs this percentage varied from 6·8 in Rutherglen and 3·7 in Glasgow, to less than 1 per cent. in nine burghs.

Children exempted from vaccination by reason of parental conscientious objection numbered 38,993 and constituted 46·76 per cent. of the total surviving at the time of statutory vaccination. This number is 2,339 more than in the previous year and 4,158 more than the mean of those of the preceding five years. The percentage is 1·54 more than that for the previous year and 5·94 more than the mean of the previous five years. It is the highest percentage of children unvaccinated for this reason which has hitherto been recorded. In the counties, burghs included, this percentage ranged from 92·5 in Zetland, 84·9 in Orkney, 67·1 in Dunbarton, 64·6 in West Lothian and 63·5 in Caithness, to 8·6 in Nairn, 14·6 in Peebles and 15·4 in Kincardine. In the large burghs it ranged from 77·0 in Greenock, 76·0 in Dumbarton, 73·8 in Hamilton and 72·0 in Dundee, to 13·3 in Aberdeen, 32·6 in Perth and 33·0 in Edinburgh.

Children who were still unvaccinated at the end of 1935 by reason of postponement on medical grounds numbered 1,640, and constituted 1·97 per cent. of those surviving at the time of statutory vaccination. In the previous year this number was 1,611, and the percentage 1·99. (*Table 36.*)

Children whose vaccinations were unaccounted for through removal from the district of registration or otherwise numbered 2,801 and amounted to 3·36 per cent. of the total surviving. In the previous year the corresponding number and percentage were 2,913 and 3·59 respectively. (*Table 36.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED IN SCOTLAND DURING THE YEAR 1934.

A preliminary statement regarding the marriages registered in Scotland during the year 1934 was incorporated in the Eightieth Annual Report of the Registrar - General dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the report was prepared, the statement was necessarily restricted and dealt only with the number of marriages registered in 1934 and the marriage-rates. It is now supplemented by this detailed report on these marriages, including a statistical account of the method of proclamation, the church of celebration, the ages and conjugal conditions of those marrying, and the method of signing the marriage schedules, by writing or by mark.

In the Eightieth Annual Report it was stated that the marriages registered in Scotland during the year 1934 numbered 36,949 but after complete examination of the registers the adjusted number was found to be 36,934, the provisional figure being in excess by 15. The marriage-rate for the year 1934 which is 7·485 differs but little from the provisional rate which was given as 7·488. The corrected number of marriages is 3,676 more than the mean of the number registered annually during the five preceding years, while the marriage-rate is 0·642 above the mean. (*Table 8.*)

Regular and Irregular Marriages.—Of the 36,934 marriages registered during the year 1934, 32,633 or 88·3 per cent. were regular, i.e. solemnised by a minister of religion after proclamation of banns or after publication of notice at a registrar's office, while 4,301 or 11·7 per cent. were irregular, i.e. contracted without proclamation of banns or publication of notice and not solemnised by a minister of religion. In the previous year also regular marriages constituted 88·3 per cent. of all marriages registered. In the early years of registration irregular marriages were very few, the annual average prior to 1870 being less than 50, but it was 263 between 1871 and 1880, 650 during 1881-90, 1,428 during 1891-1900 and 2,034 during 1901-1910. During the period 1911-1920, which included the years of the Great War, the average number increased to 5,312 but during the period 1921-30 it declined to 4,287, and compared with that average the total for 1934 is more by 14. The proportion which irregular marriages bear to the total has likewise increased. In 1855-60 it was only 0·09 per cent. and in 1861-70 it was 0·18 per cent., but in 1871-80 the decennial average amounted to 1·04 per cent. and thereafter it steadily increased to a maximum of 14·90 per cent.

in 1911-20, with a subsequent decline to 12·74 per cent. in 1921-30. The highest figures for individual years were registered during the war period, the percentages then varying from 16·38 in 1917 to 20·48 in 1915. Almost three-quarters of these irregular marriages are registered in Glasgow and Edinburgh. Of the total marriages registered in the large burghs during 1934, 16·9 per cent. were irregular, while the corresponding proportion for the rest of Scotland was only 1·9 per cent. Of these irregular marriages 4,050 took place in the large burghs and 251 in the remainder of Scotland. The latter number is 74 more than in the previous year and is considerably higher than in any year since 1931. In the large burghs taken individually the percentage of irregular to total marriages ranged from 26·5 in Edinburgh, 23·2 in Dunfermline, 22·8 in Inverness, 20·1 in Perth and 18·9 in Glasgow, to 0 in Clydebank, in Coatbridge and in Port-Glasgow. In counties, all burghs included, the percentage ranged from 23·2 in Midlothian, 23·0 in Dumfries and 15·4 in Inverness, to 0 in East Lothian, in Kinross and in Peebles. Of the 4,301 irregular marriages, 4,299 were registered by Warrant of the Sheriff and 2 on production of Extract Decree of Declarator. (*Tables 9 and 10.*)

Method of Publication. — Of the 32,633 regular marriages registered during the year, 23,281 or 71·3 per cent. of such marriages were solemnised after proclamation of banns in respect of both parties, 8,675 or 26·6 per cent. after publication of notice in respect of both parties and 677 or 2·1 per cent. after proclamation of banns for one and publication of notice for the other party. (*Table Q.*)

Of the regular marriages in large burghs, 12,473 or 62·5 per cent. of such marriages were celebrated after banns, 7,109 or 35·6

TABLE Q.—Regular Marriages in Scotland in 1934, following Proclamation of Banns or Publication of Notice at Registrar's Office.

Church of Celebration.	Number.				Percentage of Total for each Church, &c.			Percentage of Total Regular Marriages.
	Total.	Banns.	Publication of Notice	Banns and Publication.	Banns.	Publication of Notice.	Banns and Publication.	
Church of Scotland	23,476	20,002	3,012	462	85·2	12·8	2·0	71·9
United Free Church (Continuing)	317	239	73	5	75·4	23·0	1·6	1·0
Free	295	162	126	7	54·9	42·7	2·4	0·9
Roman Catholic	4,888	707	4,056	125	14·5	83·0	2·6	15·0
Scottish Episcopal	1,040	655	359	26	63·0	34·5	2·5	3·2
Congregational	1,127	651	468	8	57·8	41·5	0·7	3·5
Baptist	459	320	128	11	69·7	27·9	2·4	1·4
Methodist Church	318	208	107	3	65·4	33·6	0·9	1·0
Jewish Church	75	12	61	2	16·0	81·3	2·7	0·2
All other Regular Marriages	638	325	285	28	50·9	44·7	4·4	2·0
All Regular Marriages	32,633	23,281	8,675	677	71·3	26·6	2·1	100·0

per cent. after publication of notice and 376 or 1·9 per cent. after banns in respect of one and publication of notice in respect of the other party. In the other districts of Scotland 10,808 or 85·3 per cent. were after banns, 1,566 or 12·4 per cent. after publication of notice and 301 or 2·4 per cent. after banns and publication of notice. (*Table 9.*)

Table Q has been constructed to show the frequency and denomination of those married after proclamation of banns and after publication of notice. Marriage after banns was relatively most frequent in the Church of Scotland (85·2 per cent.), in the United Free Church (Continuing) (75·4 per cent.) and in the Baptist Church (69·7 per cent.), while marriage after publication of notice was relatively most frequent in the Roman Catholic Church (83·0 per cent.) and among Jews (81·3 per cent.).

Church of Celebration.—Of the 32,633 regular marriages, 23,476 or 71·9 per cent. were celebrated according to the forms of the Church of Scotland, 4,888 or 15·0 per cent. according to those of the Roman Catholic Church, and the remainder, 4,269 or 13·1 per cent., according to those of other Churches. (*Table Q.*)

The relative frequency of marriage according to the principal denominations in the aggregate of large burghs and other districts is shown in Table R, and in individual burghs and counties in Table 10. A complete list of the religious denominations and communities named in the Marriage Registers for 1934 is given in Table S, from which it will be seen that these numbered 39. In 1933 the corresponding number was 47.

Conjugal Condition of those Marrying.—Of the 36,934 males marrying during the year, 34,381 or 93·1 per cent. were bachelors, 2,313 or 6·3 per cent. were widowers and 240 or 0·6 per cent. had been divorced. Of the 36,934 females marrying, 35,480 or 96·1 per cent. were spinsters, 1,216 or 3·3 per cent. were widows and 238 or

TABLE R.—Regular and Irregular Marriages in 1934.

	Number.			Percentage of Total Marriages.		
	SCOTLAND.	Large Burghs.	Other Districts.	SCOTLAND.	Large Burghs.	Other Districts.
Regular Marriages.						
Church of Scotland . . .	23,476	13,295	10,181	63·6	55·4	78·8
United Free Church . . .						
(Continuing) . . .	317	152	165	0·9	0·6	1·3
Free Church	295	158	137	0·8	0·7	1·1
Roman Catholic Ch. . . .	4,888	3,599	1,289	13·2	15·0	10·0
Scottish Episcopal Ch. . .	1,040	792	248	2·8	3·3	1·9
Other Denominations . . .	2,617	1,962	655	7·1	8·2	5·1
Irregular Marriages . . .	4,301	4,050	251	11·6	16·9	1·9
Total Marriages	36,934	24,008	12,926	100·0	100·0	100·0

0·6 per cent. had been divorced. The combinations of the various conjugal conditions are shown in the following table :—

		Spinsters.	Widows.	Divorced Women.	All Wives.
Bachelors	33,621	606	154	34,381
Widowers	1,665	580	68	2,313
Divorced Men	194	30	16	240
All Husbands	35,480	1,216	238	36,934

From the above table it may be deduced that 97·8 per cent. of the bachelors married spinsters and that 1·8 per cent. married widows; that 72·0 per cent. of the widowers married spinsters and that 25·1 per cent. married widows; that 80·8 per cent. of the divorced men married spinsters, that 12·5 per cent. married widows and that 6·7 per cent. married divorced women. Of the spinsters who married, 94·8 per cent. married bachelors and 4·7 per cent. married widowers; 49·8 per cent. of the widows married bachelors and 47·7 per cent. married widowers; of the divorced women 64·7 per cent. married bachelors, 28·6 per cent. married widowers and 6·7 per cent. married divorced men. (*Table 11.*)

Method of Signature.—Of the 73,868 persons who were married during 1934, 100 (52 men and 48 women) signed the marriage schedule by mark and the remainder in writing. This number is higher than the 76 so recorded in 1933 and the 96 in 1932. The great decrease in this number since the early days of registration

TABLE S.—Marriages in Scotland in 1934 by Denominations, &c. in Order of Frequency.

1. Church of Scotland	23,476	24. Church of God	8
2. Roman Catholic Church	4,888	25. City Mission	5
3. Congregational	1,127	26. New Jerusalem Church	4
4. Scottish Episcopal	1,040	27. Mission Church	4
5. Baptist	459	28. Plantation Tabernacle	3
6. Methodist	318	29. Presbyterian Church of England	3
7. United Free (Cont.)	317	30. Christadelphian	2
8. Free	295	31. Glassites	2
9. Christian Brethren	205	32. Seventh Day Adventists	2
10. Salvation Army	101	33. Free Church of England	1
11. Jews	75	34. Christian Church	1
12. Free Presbyterian Church	59	35. Gospel Temperance Mission	1
13. Original Secession	40	36. Christian Volunteers	1
14. Pentecostal	33	37. Olive Branch Church of God	1
15. Unitarian	31	38. United Church of Canada	1
16. Church of Christ	26	39. Reformed Episcopal Church of England	1
17. Evangelical Union	18		
18. Four Square Gospel Church	18		
19. Apostolic Faith and Apostolic Church	17	All Religious Forms	32,633
20. Gospel Mission	15		
21. Catholic Apostolic	13	Irregular Marriages	4,301
22. Church of England	12		
23. Reformed Presbyterian Church	10	All Marriages	36,934

is noteworthy. In the decade 1861-1870 an annual average number of 7,123 persons signed by mark, but by 1891-1900 this average had fallen to less than 2,000 and by 1911-1920 to a little over 500 per annum. Since 1924 the annual number has always been less than 200, the average being 133. The change in the sex proportions is likewise striking. Whereas prior to 1870 females signing by mark outnumbered males by 2 to 1, towards the end of the century this ratio was 1·5 to 1. In recent years the numbers of males and females assigned to this group have been more nearly equal, while on three occasions males have exceeded females. (*Table 8.*)

The age distribution of persons signing by mark is shown in Table T and the Church of Celebration in Table U. In the former Table it will be observed that, compared with the total marriages registered among persons of a given age, those signing by mark are relatively most frequent at the older ages, 50 years and over. This is more particularly evident in women. In the case of women aged 60 and over the proportion is 5·4 per cent. It may be noted that those signing by mark include a certain number of blind persons. Of the 100 persons who signed by mark, 35 were married according to the forms of the Church of Scotland, 22 according to those of the Roman Catholic Church and 20 according to those of churches of other denominations, while 23 were married irregularly.

Ages of those Marrying.—The average age of all men marrying during the year was 29·3 and of all women 26·4 years. In the aggregate of large burghs the average age at marriage was 29·5 for men and 26·6 for women. In the other districts of Scotland these averages were 29·0 for men and 26·0 for women. The average ages of both men and women at marriage are therefore higher in the large burghs than in the rest of Scotland. In no case do these averages show a difference of more than 0·1 year when compared with those for the previous year. (*Tables 12 and 13.*)

The average age of all bachelors marrying during the year was 28·0 years, of those marrying spinsters 27·8 years, and of those marrying widows 37·7 years. Compared with the previous year the average age of all bachelors and of those marrying spinsters is in

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1934.

Age Group.	Numbers.			Percentage who signed by Mark at each Age Group.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Under 20	3	1	2	0·05	0·11	0·04
20-29	24	14	10	0·05	0·06	0·04
30-39	21	10	11	0·14	0·11	0·19
40-49	13	7	6	0·43	0·38	0·50
50-59	17	7	10	1·32	0·78	2·57
60 and over	22	13	9	3·36	2·66	5·39
All Ages	100	52	48	0·14	0·14	0·13

each case 0·1 more and that of those marrying widows is 0·4 more. The average age of all widowers was 47·6 years, being 0·2 more than in the previous year, of those marrying spinsters 45·6 years, being the same as in the previous year, and of those marrying widows 53·1, being 0·3 more than in the previous year. The average age of all spinsters marrying was 25·7 years, of those marrying bachelors 25·2 years and of those marrying widowers 35·6 years. In each case this age is 0·1 more than in the previous year. The average age of all widows who married during the year was 42·5 years, of those marrying bachelors 38·3 years and of those marrying widowers 47·1 years. The first-named is 0·2 higher than in the previous year, the second is 0·9 higher and the third is the same. The average age at marriage of all divorced men is 38·3 years, being 0·9 less than in the previous year, while the average age of all divorced women is 36·4 years, being 0·9 more. The average age of divorced men who married spinsters was 37·3 years, of those who married widows 42·2 years and of those who married divorced women 44·0 years. The average age of divorced women who married bachelors was 33·9 years, of those who married widowers 41·4 years and of those who married divorced men 38·7 years. Tables 14 to 18*b* show in combination the ages of those who married, together with their conjugal condition before marriage. The ages of divorced men and of divorced women are published this year for the first time in Tables 18*a* and 18*b*, but without differentiation to show the conjugal condition of the other spouse, although the results have been tabulated. (*Tables 14–18b.*)

The difference between the average ages of bridegrooms and brides is 2·9 years. Bachelors marrying spinsters showed an

TABLE U.—Church, &c., of Celebration of Persons Marrying who Signed by Mark in 1934.

Church, &c.	Entries in which Mark was Used by			Persons Using Mark.		
	Man only.	Woman only.	Both.	Men.	Women.	Total.
Church of Scotland . .	16	9	5	21	14	35
Roman Catholic Church .	10	6	3	13	9	22
Episcopal „ . .	1	2	...	1	2	3
Congregational „ . .	1	3	...	1	3	4
Baptist „ . .	1	...	1	2	1	3
Free „ . .	1	1	...	1
Methodist „ . .	1	1	...	1
Jews	1	1	1
Salvation Army	2	2	2	4
Christian Brethren . .	1	1	...	1
Church of Christ	1	1	1	2
Irregular Marriages . .	8	15	...	8	15	23
TOTAL . . .	40	36	12	52	48	100

excess of 2·6 years, widowers marrying spinsters an excess of 10·0 years, and widowers marrying widows an excess of 6·0 years, but the average age of bachelors marrying widows is less by 0·6 year. (*Tables 14–18.*)

The average age for each spouse in cases where either or both had been divorced is as follows :—

			<i>Husband.</i>	<i>Wife.</i>
Divorced Man marrying Spinster	37·3	30·0
Divorced Man marrying Widow	42·2	40·8
Bachelor marrying Divorced Woman	35·4	33·9
Widower marrying Divorced Woman	49·8	41·4
Divorced Man marrying Divorced Woman	44·0	38·7
All Cases			38·3	36·4

The average age of men at marriage ranged in the counties, inclusive of burghs, from 33·6 in Ross and Cromarty, 32·4 in Argyll, 32·3 in Nairn and 32·2 in Sutherland, to 28·1 in Fife and in West Lothian and 28·3 in Ayr. The average age of women marrying during the year ranged from 28·8 in Ross and Cromarty, 28·0 in Argyll and in Zetland and 27·9 in Peebles and in Sutherland, to 25·1 in West Lothian, 25·3 in Banff, 25·4 in Caithness and 25·5 in Clackmannan and in Orkney. In the large burghs the average age among males ranged from 31·9 in Inverness, 31·0 in Perth, 30·3 in Stirling and 30·2 in Arbroath, to 27·9 in Coatbridge and in Airdrie and 28·0 in Rutherglen and in Port-Glasgow. In Glasgow this average was 29·7, in Edinburgh 29·9, in Dundee 29·0 and in Aberdeen 29·6. Among females the average age in the large burghs ranged from 27·9 in Perth, 27·7 in Inverness, 27·5 in Arbroath and 27·1 in Edinburgh and in Stirling, to 24·7 in Port-Glasgow, 25·1 in Airdrie and 25·5 in Motherwell and Wishaw, in Falkirk and in Dumbarton. In Glasgow it was 26·6, in Dundee 26·5 and in Aberdeen 26·6. (*Tables 12 and 13.*)

The youngest bridegrooms of the year were three bachelors aged 16, two of whom married brides aged 17 and 18 respectively. The youngest brides were 159 aged 16, all of whom except one married bachelors, whose ages ranged from 17 to over 40. The remaining bride married a widower who was aged over 35. (*Tables 14–18.*)

The oldest men marrying were 4 aged over 80, one of whom was over 85. All of them were widowers and they married women whose ages were between 55 and 75. The oldest women married were two over 75 years of age, each of whom married a man of rather less than her own age. Three girls aged 17 married men aged over 45 and four aged under 25 married men aged from 60 to over 75 years. One bachelor of 18 married a spinster aged over 30 and one bachelor of 19 married a widow aged over 35. The youngest divorced men married were two aged under 25 and the oldest were three of over 65. The youngest divorced women were six aged under 25 and the two oldest were aged over 60. All of these married bachelors. (*Tables 14–18b.*)

APPENDIX III.

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR ENDING 31st DECEMBER 1935.

Supplied by the Meteorological Office, Edinburgh.

Under the heading of " Meteorological Notes " a descriptive account of the weather is given in the " Monthly Returns " published by authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations. (Pp. 133–137.)

General.—The outstanding features of the year are indicated in the course of the report. The most notable were, perhaps :—

- (1) The low temperatures and snowstorm of the middle week of May, and the dryness of May generally.
- (2) The gale of October 18th–19th.
- (3) The excess of sunshine in May and December.
- (4) The low temperatures of December, particularly those of the 23rd and 24th.

Pressure and Winds.—Barometric pressure was 0·06 inch below normal for the year as a whole. It was very variable from month to month till August, after which the monthly pressure means were persistently below normal by about 0·2 inch or more. January with 0·31 inch excess and February with 0·37 inch defect were the months of biggest departures from the mean.

Winds in January were dominantly from between south-west and north-west; only the gale of 24th–26th was general and severe. The normal gradient for south-westerly winds was much increased in February so that gales were both frequent and widespread. In March when pressure was again above average the wind circulation was easterly between 7th and 15th but south-westerly elsewhere. Though there was a deficiency of mean pressure in April due to a succession of depressions passing across Scotland between the 6th and 23rd the only day of widespread gale was 10th–11th; the remainder of the month was comparatively quiet. Conditions in May were generally anticyclonic over or to the north-west of Scotland, so that pressure was above average and winds were predominantly from north-east or east. Associated with an extensive and persistent low pressure system over the country, pressure was below normal in June but winds were mainly light and variable.

A period of high pressure from 6th–16th July occurred between two spells of disturbed weather accompanying a succession of depressions to the north, but in August an anticyclone over or to the south of Scotland and low pressure to the north maintained a persistent westerly flow of air from the Atlantic. From September till the end of the year monthly means of pressure remained below normal. September and October were characterised by a frequency of intense and active depressions which passed across or to the north of Scotland; winds in both months were strong and gales were general and frequent. In contrast November was quiet except in the last six days, when westerly winds were strong; until the 21st easterly winds associated with slow moving depressions to the south of Scotland were the dominant feature. Low pressure in the north in the first half of December gave south to south-west winds to be succeeded by an anticyclonic quiet period till the 24th, after which winds were from south to south-east in association with low pressure to the north-west.

Noteworthy Gales.—In January the most widespread gale was that of the 24th–26th; 100 m.p.h. was recorded in a gust at Butt of Lewis on the 25th, and mean hourly speeds of 60 m.p.h. and 59 m.p.h. were recorded at Butt of Lewis and Bell Rock respectively. In February there were strong gales throughout Scotland on the 1st and 2nd, 18th and 25th; 89 m.p.h. was recorded at Lerwick and 88 m.p.h. at Butt of Lewis on the 2nd. High winds were general on 25th and 31st of March, and on 10th–11th April a gust of 76 m.p.h. was recorded both at Renfrew and at Bell Rock in a widespread gale. May to August were quiet months but in September a general gale occurred on the 19th, an exceptional one for the season; 82 m.p.h. was recorded at Bell Rock. The gale of 18th–19th October was also exceptional. The anemometer on Bell Rock (130 feet above sea level) registered 101 miles per hour—the highest of the year in Scotland; 92 m.p.h. at Renfrew and 86 m.p.h. at Butt of Lewis were other high records in this gale. A mean hourly wind of 68 m.p.h. was recorded at Bell Rock on the 19th. November and December were relatively quiet months.

Temperature.—Mean temperature in all months except May, October and December was above normal, the net excess for the year being 0.7°F . The first three months were unusually mild, and the first three days of the year were particularly so. In this period a maximum temperature of 58°F . was reached at Arbroath, and many other places in central and eastern districts registered 55° – 57°F . April was 0.4°F . over normal. May was a month of extremes, for the middle period was the coldest for that time of year since at least 1865, while towards the end maxima over 70° were reached in central and southern districts. Though August was the warmest month with a mean temperature of 2.7°F . above normal, some of the highest temperatures of the year were recorded in the third

week of June. 84°F. at Dunbar and Kelso on the 22nd was only equalled as the highest temperature of the year at Liberton on July 13th and at Gordon Castle on August 20th. This last high temperature occurred in the second of two very warm spells in August, the first reaching its peak on 6th–7th and the second between 20th and 24th. September, October and November were all not more than 0·5° from normal, but December was 3·3° below normal and was noteworthy for the severely cold spell from 17th–24th, the coldest of the year. On the 24th many places recorded screen temperatures below 15°F., the extremes being 4°F. at Braemar, 7°F. at Balmoral and 8°F. at Peebles and West Linton.

Rainfall.—As in 1934 the general rainfall for 1935 represented 109 per cent. of the normal, October with 183 per cent. being the wettest month and May with 48 per cent. being the driest. Over most of central and southern districts January rainfall was not more than one-half normal, but except in the north and along most of the east coast February rains were above normal. March was dry except in the extreme south, but rainfall in April was more than twice the average at many places in the east and south though fairly dry in the north-west. May was very dry everywhere in Scotland. June was noteworthy not only for its large total rainfall but also for the number of rain days, which at many places numbered 24. Many heavy falls occurred locally in thunderstorms. Apart from the northern islands, west highlands and locally around Aberdeen, July had a deficiency of rain as also had August, though in this latter month there was a wide range between north and west districts as compared with localities in the south. For Inverness the month's aggregate was 183 per cent. of the normal, while places in Wigtownshire had only about 40 per cent. Both September and October were wet months generally. Except for eastern and border counties the totals for October were almost everywhere more than double the average. With a total of 22·92 inches it was the wettest month experienced at Inveraray since records began in 1881. The north-west was fairly dry in November but rainfall in the east and south was well above normal, places in Fife and Dumfriesshire having twice the normal. December was a comparatively dry month everywhere except locally in the north-east.

Snow.—The total snowfall for the year was perhaps less than normal, but its incidence was unusual in that one of the heaviest falls occurred in the middle of May. In January snow was general from the 11th to 13th and again from 25th to 27th, so that at the end of the month the greater part of the country was covered. Snowfalls were again widespread on February 2nd and 3rd but even more so around the 24th, when again most of the country was covered and many roads were blocked. In March and April snow or sleet fell on isolated days, but except on the 4th and 5th of the latter month, when snow lay generally and 7½ inches were measured

at Balmoral, the total amount was small. Snow was general between the 13th and 17th May and most of Scotland was covered on the 17th. It was 6 inches deep at Wolfelee. A shower of sleet fell at Kirkwall at midday on July 18th. At the end of the year snowfall did not become appreciable till November 30th when most of the country was snow covered, and the December falls occurred mostly in the first six days from the 14th to 25th. Snow lay to a depth of 6 inches at Braemar on the 1st, 6–8 inches at Newcastleton on the 4th, and 8 inches at Achnashellach from 22nd to 24th.

Thunder.—Thunder occurred in some locality each month, the most widespread storms being those of April 20th–22nd and June 23rd–24th. The thunderstorm of April 21st was particularly severe in western districts; in Glencoe it lasted for four hours. On June 24th damage was caused by lightning in Glasgow and Falkirk. The thunderstorms on September 2nd, 13th and 15th were widespread only over southern districts.

Flooding.—The torrential rain which followed the thunderstorm of June 24th caused local flooding in Aberfeldy, Perth, Linlithgow and Lanark.

Sunshine.—The totals of bright sunshine were nearly normal for the year as a whole but individual months in all districts varied widely. October was the dullerest month over the country generally, and July was the sunniest. January, May and December were all exceptionally sunny in the west. The May total for Eskdalemuir was the greatest of any month since records began in 1909, and it was the sunniest December at Stornoway since 1881.

Fog.—Though fogs occurred in some locality every month few were widespread or persistent. Sea fogs were most frequent from April to July, that of June 23rd–26th penetrating inland especially on the east coast. In November and December fogs were frequent, particularly in valleys and industrial districts. Those of December 5th to 7th and 18th to 23rd were fairly widespread.

Aurora.—Aurora was observed in each month except May, June and July; it was most frequent in October and November. The displays on the nights of October 20th and 21st were visible over most of the country.

[*For Statistical Tables, see page 133.*]

APPENDIX IV.

RE-REGISTRATION OF BIRTHS.

REGISTRATION OF BIRTHS, &C. (SCOTLAND) (AMENDMENT) ACT, 1934.

This Act, which came into force on 1st January 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents, and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

During the year 1935, after examination of the applications received in the General Registry Office, authority was issued by the Registrar-General for the re-registration of the births of 1,259 children. In over one-third of the cases the paternity of the child had not been originally registered as acknowledged or found by Decree, and the prior sanction of the Sheriff for the re-registration was accordingly required in terms of the proviso to Section 2 of the Act. It is too early to speak with any certainty as to the normal number of applications to be expected in future years; but it is apparent that the facilities for re-registration have been received with general satisfaction, and it is anticipated that as they become more widely known fuller advantage will be taken of the new provisions.

ADOPTED CHILDREN REGISTER.

ADOPTION OF CHILDREN (SCOTLAND) ACT, 1930.

This enactment provides for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. This Register is open for search and Extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if such date is recorded in the relative entry. The Act came into operation on 1st October 1930, and the following Table shows the number of Adoptions recorded in each year :

<i>Year.</i>		<i>No.</i>	<i>Year.</i>		<i>No.</i>
1930	...	3	1933	...	437
1931	...	347	1934	...	602
1932	...	492	1935	...	683

SEARCHES AND EXTRACTS.

The principal records maintained in the General Registry Office, Edinburgh, are the duplicate Registers of Births, Deaths and Marriages for every Registration District in Scotland, kept under the provisions of the Scottish Registration Acts, 1854-1910, and the Parochial Registers of Births and Baptisms, Proclamations of Banns and Marriages, and Deaths and Burials kept prior to 1855 in the respective parishes under the administration of the Church of Scotland. The earlier Census records in the custody of the Registrar-General, including those relating to the decennial censuses from 1841 to 1871 inclusive, have also been made available for search and extract purposes under prescribed conditions.

The following Table shows the number of searches made and extracts issued during each of the past ten years :—

YEAR.	Total Searches.	Official Searches.	Paid Searches.	Extracts.	Total Fees received.		
					£	s.	d.
1926 . .	54,096	39,506	14,590	11,215	2,108	4	7
1927 . .	65,006	49,083	15,923	12,786	2,341	11	7
1928 . .	48,239	34,351	13,888	10,863	2,084	11	5
1929 . .	38,691	24,304	14,387	11,805	2,190	7	7
1930 . .	92,926	79,362	13,564	12,599	2,168	12	9
1931 . .	40,355	28,184	12,171	8,907	1,727	15	7
1932 . .	35,188	22,608	12,580	8,930	1,751	3	4
1933 . .	33,199	20,535	12,664	8,767	1,739	4	0
1934 . .	32,817	19,823	12,994	8,505	1,750	0	2
1935 . .	34,725	21,084	13,641	9,528	1,885	1	1

Of the 21,084 official searches made in 1935, 17,931 (including 4,614 searches in the Census Returns) were for the purposes of Widows, &c. Contributory Pensions Acts, 2,130 (including 195 Census searches) for those of the Old Age Pensions Acts, and 1,023 for other public purposes. The number of Extracts shown for 1935 includes 863 Abbreviated Certificates of Birth issued under Section 4 of the Registration (Scotland) Amendment Act, 1934.

APPENDIX V.

ALTERATIONS OF BOUNDARIES OF BURGHES, LANDWARD AREAS, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1935.

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
I. BURGHS—							
Turriff - - -	Extension within the Civil Parish of Turriff.	2,298	1,026	1,272	2,378	1,059	1,319
Cockenzie and Port Seton	Extension within the Civil Parish of Tranent.	2,526	1,237	1,289	2,540	1,244	1,296
Stornoway - - -	Extension within the Civil Parish of Stornoway.	3,770	1,732	2,038	4,275	1,976	2,299
Aberdeen - - -	Extension within the Civil Parishes of Newhills and Peterculter in Aberdeen County, and Banchory Devenick (no population) and Nigg in Kincardine County—						
	Entire Burgh	167,258	76,861	90,397	169,803	78,054	91,749
	Aberdeen County portion .	154,835	71,002	83,833	156,718	71,882	84,836
	Kincardine do.	12,423	5,859	6,564	13,085	6,172	6,913
Stranraer - - -	Extension within the Civil Parishes of Inch and Leswalt.	6,527	3,034	3,493	6,635	3,078	3,557
Johnstone - - -	Extension (no population) within the Civil Parish of Paisley.
Fort-William - - -	Extension within the Civil Parish of Kilmallie.	2,524	1,297	1,227	2,580	1,325	1,255
Peebles - - -	Extension within the Civil Parish of Peebles.	5,853	2,510	3,343	5,915	2,535	3,380
Prestonpans - - -	Extension (no population) within the Civil Parish of Prestonpans.
Troon - - -	Extension within the Civil Parish of Dundonald.	8,544	3,750	4,794	8,903	3,909	4,994
Ayr - - -	Extension within the Civil Parishes of Ayr and Maybole.	36,783	17,220	19,563	38,905	18,217	20,688
Kilmarnock - - -	Extension within the Civil Parishes of Kilmaurs, Riccarton and Kilmarnock.	38,100	18,012	20,088	38,681	18,307	20,374
Tranent - - -	Extension (no population) within the Civil Parish of Tranent.
Milngavie - - -	Extension within the Civil Parish of New Kilpatrick.	5,057	2,306	2,751	5,105	2,320	2,785
Kilsyth - - -	Extension within the Civil Parish of Kilsyth.	7,551	3,829	3,722	7,642	3,879	3,763
Port-Glasgow - - -	Extension within the Civil Parish of Kilmacolm.	19,581	9,850	9,731	19,588	9,854	9,734
Gourock - - -	Extension within the Civil Parish of Inverkip.	8,845	4,021	4,824	8,853	4,025	4,828

APPENDIX V—continued.

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
II. LANDWARD AREAS—							
Aberdeen County -	Extension of the Burghs of Turriff and Aberdeen.	107,423	53,021	54,402	105,460	52,108	53,352
Kincardine County -	Extension of Aberdeen Burgh.	19,219	9,613	9,606	18,557	9,300	9,257
East Lothian - -	Extension of the Burghs of Cockenzie and Port Seton, Prestonpans and Tranent.	25,240	12,644	12,596	25,226	12,637	12,589
Ross and Cromarty County	Extension of Stornoway Burgh.	51,964	24,902	27,062	51,459	24,658	26,801
Wigtown County -	Extension of Stranraer Burgh.	18,678	9,077	9,601	18,570	9,033	9,537
Renfrew County - -	Extension of the Burghs of Johnstone, Port-Glasgow and Gourock.	54,509	25,175	29,334	54,494	25,167	29,327
Inverness County -	Extension of Fort-William Burgh.	55,934	28,916	27,018	55,878	28,888	26,990
Peebles County - -	Extension of Peebles Burgh.	6,839	3,244	3,595	6,777	3,219	3,558
Ayr County - - -	Extension of the Burghs of Troon, Ayr and Kilmarnock.	124,981	62,225	62,756	121,919	60,774	61,145
Dunbarton County -	Extension of Milngavie Burgh.	52,525	25,507	27,018	52,477	25,493	26,984
Stirling County - -	Extension of Kilsyth Burgh.	79,529	40,594	38,935	79,438	40,544	38,894
III. COUNTIES—							
Lanark - - - -	} Part of Renfrew Burgh in Lanark County transferred to Renfrew County.	1,586,047	775,122	810,925	1,586,032	775,116	810,916
Renfrew - - - -		288,586	138,320	150,266	288,601	138,326	150,275
IV. CIVIL PARISHES -	None.
V. REGISTRATION DISTRICTS—							
372 Lethendy and Kinloch	} United under name of “Blairgowrie.”	387
335 Blairgowrie and Rattray		5,843
335 Blairgowrie - -	See above.	6,230
644 Glasgow—	Entire area re-divided into nineteen Registration Districts.						
(1) Shettleston -	Parts of Bridgeton, Camlachie and Dennistoun annexed. Part transferred to Provan.	43,841	79,287
(2) Bridgeton - -	Part of Calton annexed. Part transferred to Shettleston.	52,286	70,213
(3) Camlachie - -	Parts of Calton and Dennistoun annexed. Part transferred to Shettleston.	56,747	69,429

APPENDIX V—*continued*.

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
7. REGISTRATION DISTRICTS— <i>contd.</i> —							
644 Glasgow— <i>contd.</i> —							
(4) Provan - -	New District. Parts of Dennistoun, Garngadhill, Springburn and Shettleston.	67,181
(5) Springburn -	Part transferred to Provan.	34,151	22,729
(6) Townhead - -	New District. Parts of Dennistoun and St. Rollox.	39,488
(7) College - - -	New District. Parts of Calton, Dennistoun, St. Rollox and Blythswood.	11,666
(8) Blythswood -	Part transferred to College.	18,469	12,930
(9) Kelvingrove -	New District. Whole of Anderston and part of Hillhead.	59,810
(10) Milton - - -	Part of Kelvin annexed.	39,229	41,330
(11) Possilpark -	Parts of Garngadhill, Kelvin and Maryhill annexed. Part transferred to Maryhill.	39,796	46,889
(12) Maryhill - -	Parts of Possilpark and Kelvin annexed. Part transferred to Possilpark.	32,874	69,950
(13) Hillhead - -	Part of Partick annexed. Part transferred to Kelvingrove.	35,433	51,889
(14) Partick - - -	Whole of Scotstoun and Yoker annexed. Part transferred to Hillhead.	52,855	80,160
(15) Gorbals - - -	Whole of Hutchesontown and part of Govanhill annexed. Part transferred to Tradeston and Pollok.	53,804	85,682
(16) Tradeston - -	New District. Parts of Gorbals, Pollokshields and Plantation.	87,458
(17) Govan - - - -	Part of Plantation annexed.	32,203	46,813
(18) Pollok - - - -	New District. Whole of Eastwood and parts of Gorbals, Pollokshields and Cathcart.	75,878
(19) Cathcart - - -	Part of Govanhill annexed. Part transferred to Pollok.	63,318	81,264
<i>Suppressed Districts—</i>							
Calton - - - - -	Merged in Bridgeton, Camlachie and College.	52,810
Dennistoun - - -	Merged in Shettleston, Camlachie, Provan, Townhead and College.	44,080
Garngadhill - - -	Merged in Provan and Possilpark.	38,430
St. Rollox - - - -	Merged in Townhead and College.	33,652
Anderston - - - -	Merged in Kelvingrove.	47,141
Kelvin - - - - -	Merged in Milton, Possilpark and Maryhill.	44,727
Hutchesontown - -	Merged in Gorbals.	46,220
Govanhill - - - -	Merged in Gorbals and Cathcart.	41,949

APPENDIX V—continued.

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
V. REGISTRATION DISTRICTS— <i>contd.</i> —							
644 Glasgow— <i>contd.</i> — <i>Suppressed Districts— contd.</i> —							
Pollokshields - -	Merged in Tradeston and Pollok.	54,476
Plantation - -	Merged in Tradeston and Govan.	57,299
Scotstoun and Yoker	Merged in Partick.	56,430
Eastwood - -	Merged in Pollok.	27,826
Entire Glasgow Registration Area.		1,100,046	1,100,046
597 Kilmarnock -	Village of Crookedholm detached and united to Registration District of Hurlford.	36,394	35,731
611 (2) Hurlford -	See above. District named "Hurlford and Crookedholm."	3,875	4,538
255 Dunnottar -	} United under name of "Stonehaven."	1,987
258 (1) Fetteresso -		3,622
255 Stonehaven -	See above.	5,609

APPENDIX VI.

THE DECLINE OF THE DEATH-RATE FROM
TUBERCULOSIS.

At the present day, tuberculosis has lost its prime position among causes of death, but it still remains an important one, and certainly takes high place among the preventable causes of loss of life. In the three years 1931–33 tuberculosis accounted for 6·3 per cent. of the total deaths in Scotland, pulmonary for 4·6 and non-pulmonary for 1·7 per cent. In the five years ending 1930 the proportion of deaths attributed to tuberculosis was 7·1 per cent. Sixty years ago, however, between 15 and 16 per cent. of all deaths were due to this cause. Since, as is well known, general mortality, irrespective of cause, greatly improved during that period, it follows that the rate of decline in tuberculosis has been much greater than that from all other causes taken together. Thus, considering the two quinquennial periods 1871–75 and 1926–30, the reduction in mortality from tuberculosis was 74 per cent., whereas from causes other than tuberculosis the reduction amounted to only 33 per cent. In other words, mortality from tuberculosis is now only a quarter, whereas that from other causes is still two-thirds, of the rates prevailing sixty or seventy years ago. This method of statement, while flattering to those particularly interested in tuberculosis prevention and treatment, is not quite fair, since we are taking no account of the changes in the population which have occurred over that period, particularly with reference to its changing age distribution. Tuberculosis is principally an adult cause of death and the proportion of the total population at these ages has not changed very greatly, whereas general mortality is highest in the

TABLE I.—Death-rates from Tuberculosis, 1911–15 to 1931–33.

PERIOD.	Deaths from Tuberculosis (all Forms) per cent. of Deaths from All Causes.	Death-rate per 100,000.				Death-rate per cent. of corresponding rate for 1911-15.			
		Tuberculosis.			All Causes other than Tuber- culosis.	Tuberculosis.			All Causes other than Tuber- culosis.
		All Forms.	Pul- monary.	Other Forms.		All Forms.	Pul- monary.	Other Forms.	
1911-15	10·8	169	110	59	1399	100	100	100	100
1916-20	9·8	147	99	48	1354	87	90	81	97
1921-25	8·4	117	81	36	1269	69	74	61	91
1926-30	7·1	96	68	28	1267	57	62	47	91
1931-33	6·3	84	61	23	1249	50	55	39	89

later age periods of life, and there is now in the present-day population an appreciably greater proportion than in former times of persons of advanced years. If allowance were made for these changes in the constitution of the population at risk, the discrepancy in the rates of decline from tuberculosis and from other causes would be minimised, although certainly not effaced. It is undoubtedly true that the decline in tuberculosis mortality is surpassed in magnitude by only a few causes such as enteric fever, typhus and smallpox, which are now virtually eliminated as causes of death, and in such other acute infectious diseases as scarlet fever, diphtheria and infantile diarrhoea. In Table I are shown the changes in the death-rates from tuberculosis compared with other causes in more recent years since 1911. Here the death-rates are also expressed as percentages of the respective values in 1911–15, and from this it is clear that tuberculosis, both pulmonary and non-pulmonary, is still declining more quickly than are other causes of death. This may also be illustrated by the proportion which tuberculosis bears to all causes of death. In 1911–15 the percentage was 10·8, and it declined progressively to 9·8, 8·4 and 7·1 in the three succeeding quinquennia, and still further to 6·3 per cent. for the recent triennium 1931–33.

Pulmonary forms of tuberculosis are, of course, predominant, and the proportion to all forms has not greatly altered. Thus in the years 1871–75 pulmonary accounted for 69·6 per cent. of all deaths from tuberculosis, and in 1926–30 for 70·7 per cent. The very slight change which has occurred is in the direction of *increasing* the relative importance of pulmonary tuberculosis. In other words the rate of improvement in non-pulmonary is very slightly greater than in the pulmonary causes of the disease.

Sex and Age. — Although at the present time tuberculosis accounts for roughly 6 per cent. of all deaths in Scotland, the relative importance of the disease in the total death-rate varies widely at different periods of life. In infancy, for example, tuberculosis accounts for only 2 per cent. of all deaths; in pre-school life for 10 per cent.; and the proportion rapidly increases until in the age-group 15–25 years nearly 40 per cent., and at 25–35 years about 30 per cent. of all deaths are ascribed to tuberculosis. In later ages its importance rapidly declines. In most age-groups a greater proportion of the total male than of the total female deaths are ascribed to tuberculosis. Pulmonary tuberculosis shows its greatest relative importance in each sex during adult life, 10–45 years, but chiefly at 15–35 years, at which ages about one-third of all deaths in each sex are from phthisis. Non-pulmonary tuberculosis accounts for its maximum proportion, about 15 per cent., in the years of school life.

The death-rates at ages for pulmonary and other forms of tuberculosis in each of the three triennial periods 1911–13, 1921–23 and

The differences in the death-rates of the two sexes are instructive. (*Table III.*) Although, irrespective of age, mortality for both pulmonary and non-pulmonary forms is higher in males, a heavier male than female death-rate is not a constant feature in individual age-groups. For pulmonary causes the principal sex differences are that in early life the female exceed the male rates, but at adult ages the position is reversed. The exact ages at which this female excess is shown differ slightly in the three triennia under consideration. In 1911-13 the female exceeded the male rate at ages over 5 and under 35, in 1921-23 at ages over 5 and under 25 only, and in 1931-33 the female exceeds the male death-rate at all ages up to 25 years. The greatest relative excess in females compared with males is found in the second half of school life, 10-15 years, when mortality among girls is twice or three times as high as in boys. After this age the sex ratio changes steadily, a relative excess among males being found at ages over 25 years, becoming progressively greater in amount with advancing age and showing in the oldest age-group a mortality twice as high as the corresponding rate in females.

In non-pulmonary tuberculosis a higher mortality is found in males than in females in the first two age-groups, 0-1 and 1-5 years, where in both sexes the death-rate from this cause is heaviest. At subsequent ages there are no consistent or regular differences in the rates for the two sexes.

During the last twenty years mortality from pulmonary tuberculosis for the sexes combined and irrespective of age between 1911-13 and 1921-23 fell by 25 per cent. and in 1931-33 the rates had fallen by 45 per cent. In non-pulmonary forms mortality in 1921-23 and 1931-33 was respectively 40 and 63 per cent. lower than in 1911-13. In females the improvement for pulmonary tuberculosis over this period was slightly greater than in males. Thus in males the rates in 1921-23 and 1931-33 were respectively 24·3 and 40·5 per cent. lower than in 1911-13, the corresponding figures for females being 27·7 and 48·7 per cent, respectively. In non-pulmonary forms the difference between the sexes in the rate of

TABLE III.—Percentage of Male to Female Death-rates in each Age-Group, 1911-1913 to 1931-33.

	PERIOD.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-
Pulmonary Tuberculosis.	1911-13	107	106	117	57	50	82	98	116	174	186	203
	1921-23	112	125	128	70	35	80	110	125	171	206	216
	1931-33	124	89	89	68	38	74	109	168	242	220	207
Other forms of Tuberculosis.	1911-13	117	147	120	97	84	103	102	84	100	140	100
	1921-23	117	130	129	102	59	77	110	103	98	113	114
	1931-33	118	116	124	106	113	97	108	144	146	104	85

improvement is negligible, the rates for both males and females in 1921-23 and 1931-33 being 40 and 63 per cent. lower than those for 1911-13. At different periods of life quite striking differences in the rates of decline are revealed. The principal point to be stressed from inspection of Table II is that for *both* forms of tuberculosis and in *each* sex and at *each* separate period of life the death-rates in 1921-23 are lower than in 1911-13, and those of 1931-33 lower than in 1921-23. In other words, improvement in mortality is a feature of every age and in each sex and has been steadily progressive throughout these last twenty years. In Table IV the death-rates for 1931-33 are expressed as percentages of the corresponding rates in 1911-13 for each age-period and for the sexes separately.

In pulmonary tuberculosis the death-rate in males has shown the greatest relative improvement at ages under 15 years, mortality being roughly one-third of what it was in 1911-13. At subsequent ages the percentage improvement is less, the decline in the several age-groups of adult life amounting to between 40 and 50 per cent. and showing no regular change with age. In females the decline in mortality is greatest in the years of school life, least in young adult life (15-35 years), and particularly 15-25 years, and is again fairly extensive at later ages. Comparison of the percentage changes of mortality in the two sexes shows that in only two important age-groups, 10-15 and 15-25 years, do females show less improvement than males. In the latter age-group, moreover, the difference is not

TABLE IV.—Death-rates in each Age-Group in 1921-23 and in 1931-33 expressed as a percentage of equivalent Death-rates in 1911-13.

MALES.												
	PERIOD.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65 and over.
Pulmonary Tuberculosis.	1911-13	100	100	100	100	100	100	100	100	100	100	100
	1921-23	75·70	55·82	79·02	72·26	46·04	75·63	80·03	73·12	66·82	72·73	80·73
	1931-33	59·49	48·06	39·16	37·23	29·50	57·55	59·06	60·45	56·51	52·98	56·26
Other forms of Tuberculosis.	1911-13	100	100	100	100	100	100	100	100	100	100	100
	1921-23	59·74	41·65	69·76	55·48	70·79	75·07	74·34	69·95	76·08	74·07	84·94
	1931-33	37·69	26·23	36·36	38·63	54·95	61·62	52·08	64·32	49·76	52·31	63·25
FEMALES.												
Pulmonary Tuberculosis.	1911-13	100	100	100	100	100	100	100	100	100	100	100
	1921-23	72·28	47·32	71·84	58·68	65·30	77·48	71·18	67·96	67·94	65·59	75·96
	1931-33	51·26	56·78	51·43	30·99	38·64	63·32	52·95	41·68	40·67	44·69	55·29
Other forms of Tuberculosis.	1911-13	100	100	100	100	100	100	100	100	100	100	100
	1921-23	59·50	47·09	64·95	52·93	63·07	83·33	69·11	56·69	77·14	92·21	74·70
	1931-33	37·30	33·27	35·20	35·51	40·66	64·94	52·90	27·40	33·81	70·78	74·10

very great. In infancy and pre-school ages, where mortality is low, the decline among males is also greater than among females. At all other ages, in adult life and old age, and particularly between 35 and 65 years of age, the female death-rates have shown greater improvement relatively than the male.

In non-pulmonary tuberculosis, on the other hand, there are no very constant differences in the degree of improvement manifest in the two sexes. This would seem to indicate that the factors responsible for the improvement have operated equally on the sexes.

Geographical Distribution.—Before dealing with the actual geographical variations in the several county areas, there are one or two statistical points of interest which require mention.

(1) Prior to 1911 no attempt was made in the General Registry Office to distribute deaths from the place of occurrence to the place of usual residence. This can cause a big difference in the recorded and in the real distribution of a usually chronic disease such as tuberculosis. Particularly so would this apply in former times when hospital accommodation was more limited than it is at present. Cases suitable for hospital treatment would be more liable then than now to be transferred to an institution outwith the geographical area of residence and, consequently, the real geographical variation would be obscured. With increasing hospitalisation geographical statistics would, with the passage of time, be further distorted if accommodation showed no change. Since, however, accommodation has been substantially extended for this, as well as other diseases, and since most Local Authority areas have their own institutions, the tendency would be rather for the distortion to be progressively minimised. The important point, however, is that in diseases of a chronic nature and in which the terminal event frequently occurs in hospital, statistics of mortality prior to the date mentioned must be accepted with considerable reserve when geographical distribution is the factor under consideration. It is difficult to estimate how much distortion is actually introduced by this lack of redistribution, but some idea of that is obtained by comparing the geographical distribution of pulmonary tuberculosis for the years 1908–10 with that for 1911–13. For this purpose death-rates uncorrected for transfer were used for 1908–10, and that this lack of re-allocation of deaths is certainly not unimportant in any such discussion will be evident from the fact that there is a less close correspondence in the local distribution of the death-rates for these two adjacent triennia than there is for 1911–13 and twenty years later in 1931–33.

(2) The second point is the effect of age variation in the population of different counties. Especially in diseases affecting the extremes of life, the areal differences in the ages of the people are so gross as to make the crude rates of mortality quite misleading. It makes less difference, however, in a disease concentrating less on the extremes of life, and this is what is actually found for pulmonary

tuberculosis. Allowance for differences in age makes slightly more, but still not very great, difference in mortality from non-pulmonary forms. In the former the greatest divergence between crude and corrected rates is only of the order of 7 per cent., whereas for non-pulmonary there is as much as 20 per cent. difference in isolated cases.

(3) A third point may be mentioned, namely, migration within the country. This factor is, however, not accurately measureable, but if there is any truth in the suggestion of the selective action of migration, its influence on rates of mortality may be quite appreciable. The ultimate effect can only be guessed at, since with tuberculosis, as with other infectious diseases, any favourable selection of immigrants to urban from rural areas may be offset in part or in whole by the lack of immunity on the part of many of the migrants.

As regards geographical distribution, reference will only be made to the years 1911-13 and 1931-33 and the decline between these two periods. The reasons for omitting the 1921-23 results from any detailed discussion is a result of the dislocation of the normal Census procedure in 1921. Usually the Census enumeration is made at the beginning of the second, or the end of the first, quarter of the year when the *de facto* population most closely approximates the *de jure* population. In 1921, however, as a result of the stoppage in the coal industry, the actual enumeration had to be postponed until June, with the result that the enumerated population in many areas required serious adjustment owing to holiday movements. Scrutiny of rates of mortality for these areas based upon the enumerated population in years around this Census is sufficient to justify the omission of their detailed discussion in the present paper. The distortion naturally is principally evident in the smaller communities such as the County of Bute, wherein the enumerated grossly exceeded the probable actual resident population, but in other adjacent areas, although the effect is not so striking, yet the rates show deviations from the trend which are probably misleading.

In the years 1911-13 the death-rates per 100,000 population corrected for age and sex showed a range of 69 from the highest value of 136 in Inverness to the lowest of 67 in Peebles. The highest death-rates at this period were, in descending order, the counties of Inverness, Lanark, Zetland, Angus, Dumfries, and Ross and Cromarty, all with rates of 123 or more per 100,000. The most favourable mortality rates were in Peebles, Fife, East Lothian, Roxburgh and Berwick. (*Table V.*)

In 1931-33 the range was 79, from 100 in Ross and Cromarty to 21 in Selkirk. The six counties with outstandingly heavy rates are in order—Ross and Cromarty, Zetland, Sutherland, Inverness, Lanark and Midlothian. The lowest rates are found in the counties of Selkirk, Peebles, Perth and Kinross, Roxburgh, West Lothian, Banff and Kincardine.

TABLE V.—Death-rates from Tuberculosis in each County in Scotland, 1911–1913 and 1931–33.

COUNTY.	Average Crude Rates per 100,000.				Standardised Rates per 100,000.				Standardised 1931 Rates as percentage of 1911.		Rates per 100,000, 1921-23.*				Standardised 1921 Rates as percentage of 1911.	
	Pulmonary.		Other Forms.		Pulmonary.		Other Forms.		Pulmonary.	Other Forms.	Crude.		Standardised.		Pulmonary.	Other Forms.
	1911-13.	1931-33.	1911-13.	1931-33.	1911-13.	1931-33.	1911-13.	1931-33.			Pulmonary.	Other Forms.				
Aberdeen	94.2	52.9	46.6	20.9	97.45	53.90	46.15	20.58	55.3	44.6	78.3	26.8	81.1	27.0	83.2	58.5
Angus	125.9	55.9	69.3	18.5	125.47	56.46	73.28	18.95	45.0	25.9	83.4	35.2	83.3	37.0	66.4	50.5
Argyll	110.5	55.5	40.0	19.6	108.80	55.46	45.92	21.21	51.0	46.2	72.9	15.6	72.2	17.1	66.4	37.2
Ayr	92.0	41.6	49.7	20.5	94.13	41.90	48.19	20.23	44.5	42.0	58.3	30.1	59.1	28.8	62.8	59.8
Banff	103.7	38.9	43.4	18.8	107.35	41.65	42.47	18.12	38.8	42.7	59.9	27.9	64.6	27.3	60.1	64.3
Berwick	87.7	48.9	25.9	10.0	85.20	48.72	28.85	10.65	57.2	36.9	70.8	26.0	70.0	27.5	82.2	95.3
Bute	99.0	47.8	40.3	15.9	97.84	49.13	46.96	17.51	50.2	37.3	34.6	12.9	34.8	13.0	35.6	27.7
Caitness	88.5	58.5	45.8	39.0	94.02	61.06	46.97	40.05	64.9	85.2	80.1	46.0	85.0	48.7	90.4	103.7
Clackmannan	107.1	49.0	65.3	11.5	106.43	49.39	69.11	11.64	46.4	16.8	78.9	37.9	79.3	37.6	74.5	54.4
Dunbarton	105.4	58.7	75.6	23.0	105.59	57.97	72.07	22.87	54.9	31.7	72.5	35.8	72.5	34.6	68.7	48.0
Dumfries	124.0	64.2	59.0	29.2	123.52	65.23	63.96	29.84	52.8	46.7	99.5	31.8	100.5	32.5	81.3	50.8
East Lothian	81.7	45.8	33.1	25.3	81.76	45.94	33.44	25.55	56.2	76.4	58.3	22.5	58.8	22.3	71.9	66.7
Fife	78.4	42.0	58.6	17.0	78.97	42.27	57.44	17.10	53.5	29.8	55.5	29.9	55.9	29.3	70.8	51.0
Inverness	134.4	81.6	31.3	20.3	135.73	82.57	35.09	21.37	60.8	60.9	110.4	25.5	112.3	28.4	82.7	80.9
Kincardine	83.7	40.1	30.9	23.4	88.60	41.72	29.67	22.89	47.1	77.1	58.2	31.9	60.7	31.4	68.5	105.8
Kirkcudbright	112.2	54.9	47.8	14.3	111.16	55.76	50.98	14.78	50.0	29.0	78.9	38.6	79.5	40.7	71.5	79.8
Lanark	127.3	75.6	76.3	27.4	126.59	75.16	72.57	26.51	59.4	36.5	94.1	43.4	93.6	41.6	73.9	57.3
Midlothian	115.6	67.6	55.7	19.4	111.76	65.92	59.18	20.39	59.0	34.5	84.1	40.1	81.8	42.9	73.2	72.5
Moray and Nairn	101.7	46.2	43.6	16.3	104.31	48.12	45.91	16.75	46.1	36.5	72.8	36.4	76.1	36.8	73.0	30.2
Orkney	101.7	43.8	36.0	21.1	103.54	44.30	40.25	23.10	42.8	57.4	82.9	19.4	85.9	21.2	83.0	52.7
Peebles	69.9	26.6	30.6	11.1	66.50	26.27	35.53	11.91	39.5	33.5	65.2	26.1	63.1	32.3	94.9	90.9
Perth and Kinross	92.8	37.7	40.4	15.6	91.35	37.24	44.55	16.91	40.8	38.0	62.2	25.5	62.2	28.7	68.1	64.4
Renfrew	111.7	64.0	70.9	23.7	110.47	64.19	70.41	23.27	58.1	33.0	90.4	43.5	89.6	42.2	81.1	59.9
Ross and Cromarty	121.1	95.0	31.9	18.0	122.98	99.67	35.77	19.25	81.0	53.8	138.4	33.9	142.5	36.0	115.9	100.6
Roxburgh	86.2	38.6	45.9	17.5	81.98	39.14	54.05	19.45	47.7	36.0	71.1	36.3	69.1	42.1	84.3	77.9
Selkirk	96.2	22.1	35.2	25.1	99.99	20.94	42.18	28.15	23.3	66.7	66.4	32.4	63.5	35.9	70.6	85.1
Stirling	99.8	47.3	62.7	23.4	101.89	46.90	58.98	22.85	46.0	38.7	62.5	45.3	63.4	43.8	62.2	74.3
Sutherland	112.3	80.7	36.3	24.8	115.52	82.62	42.47	26.80	71.5	63.1	129.2	18.7	131.4	21.2	113.7	49.9
West Lothian	84.4	39.7	56.1	18.0	88.23	41.14	48.71	16.98	46.6	34.9	53.2	36.9	55.3	33.1	62.7	68.0
Wigtown	93.8	43.2	34.4	34.1	96.14	44.23	34.72	34.07	46.0	98.1	61.7	33.6	63.7	33.8	66.3	97.3
Zetland	123.0	87.1	38.2	54.5	126.05	89.69	43.57	63.42	71.2	145.6	139.8	35.3	139.9	40.9	111.0	93.9

* For reasons explained on page li, the County rates for 1921–23 should be used with caution.

The rate of decline as measured by the ratio of the death-rate in 1931–33 to the corresponding rate in 1911–13, was least in the Highlands and Islands counties of Inverness, Caithness, Ross and Cromarty, Sutherland and Zetland, and in the two central industrial counties of Lanark and Midlothian. The greatest improvement occurred in the geographically widely separated counties of Selkirk, Banff, Peebles, Perth and Kinross, Orkney and Ayr.

In non-pulmonary tuberculosis the rates in 1911–13 ranged from a maximum of 73·3 in Angus to 28·9 in Berwick. The highest rates were recorded in Angus, Clackmannan, Dunbarton, Lanark, Renfrew and Dumfries; the lowest in Berwick, Kincardine, East Lothian, Wigtown, Inverness, Peebles and Ross and Cromarty. In 1931–33 the range was from 63 in Zetland to 11 in Berwick, the counties with the highest rates being Zetland, Caithness, Wigtown, Dumfries and Selkirk, the lowest Berwick, Clackmannan, Peebles, Kirkcudbright and Moray and Nairn.

The rate of decline in non-pulmonary tuberculosis was greatest in Clackmannan, Angus, Kirkcudbright and Fife, and least of all in Zetland (where there was an actual increase), Wigtown, Caithness, Kincardine, East Lothian, Selkirk and Sutherland.

For a broader view of the state of affairs the county figures have been aggregated into four regions, Highlands and Islands, East Central, West Central and the Borders, and in Table VI the rates are given for pulmonary and non-pulmonary deaths in 1911–13 and 1931–33.

The points emerging are these :—

(1) As regards pulmonary tuberculosis, in 1911–13 the regions are arranged in the following order from highest to lowest—West Central, Highlands and Islands, East Central and Borders. In spite of the differences in the rate of decline which took place within the succeeding twenty years, the order of each of these regions from highest to lowest remains the same in 1931–33 as in 1911–13; West Central shows the worst, Borders the best rates of mortality. The relative improvement was least in the Highlands and greatest in the Borders, with the industrial belt intermediate.

(2) Non-pulmonary tuberculosis in 1911–13 was highest in the industrial belt, in the West Central and then East Central. Borders and Highlands and Islands have in this group relatively favourable death-rates. Between then and 1931–33 the relative positions of these four aggregates are appreciably altered. Highlands and Islands from being lowest are now second lowest, and East Central from being second highest is now lowest of all. The rate of decline over the last twenty years is most evident in the East and West Central regions, the rates there being now only one-third of what they were primarily, the Borders showing a decline just over 50 per cent., and in the Highlands and Islands the rate of mortality has improved by about 44 per cent.

This broader regional comparison shows, perhaps more easily

TABLE VI.—Death-rates from Tuberculosis, 1911-13 to 1931-33, in Geographical Areas of Scotland.

PULMONARY TUBERCULOSIS.																					
AREA.	1911-13.								1921-23.								1931-33.				
	Crude Deaths, 1911-13.	Expected Annual No.	Population.	Crude Rate.	Expected Rate.	Correcting Factor.	Standardised Rate.	Crude Deaths, 1921-23.	Expected Annual No.	Population.	Crude Rate.	Expected Rate.	Correcting Factor.	Standardised Rate.	Crude Deaths, 1931-33.	Expected Annual No.	Population.	Crude Rate.	Expected Rate.	Correcting Factor.	Standardised Rate.
Highlands and Islands	1570	521·6	473,404	110·54	110·18	1·0078	111·40	1288	373	459,319	93·47	81·21	1·0060	94·03	799	256·2	421,459	63·19	60·80	1·0104	63·85
West Central	8299	2609·9	2,348,931	117·77	111·11	0·9994	117·70	6348	2043	2,483,910	85·19	82·25	0·9933	84·62	5029	1537·0	2,492,864	67·23	61·66	0·9963	66·98
East Central	5199	1862·0	1,678,685	103·23	110·92	1·0011	103·34	3730	1376	1,684,786	73·80	81·67	1·0004	73·83	2734	1026·6	1,677,879	54·31	61·18	1·0041	54·53
Border .	792	293·6	259,884	101·58	112·97	0·9829	99·84	601	210	254,482	78·72	82·52	0·9900	77·93	363	153·1	250,778	48·25	61·06	1·0061	48·54
OTHER FORMS OF TUBERCULOSIS.																					
Highlands and Islands	527	258·3	473,404	37·11	£4·56	1·1158	41·41	363	151	459,319	26·34	32·87	1·1168	29·42	272	89·4	421,459	21·51	21·21	1·0759	23·14
West Central	5022	1490·6	2,348,931	71·27	63·46	0·9593	68·37	3059	938	2,483,910	41·05	37·76	0·9722	39·91	1913	583·9	2,492,864	25·58	23·42	0·9744	24·93
East Central	2767	1006·2	1,678,685	54·94	59·94	1·0157	55·80	1705	601	1,684,786	33·73	35·67	1·0292	34·71	960	377·6	1,677,879	19·07	22·50	1·0142	19·34
Border .	345	143·2	259,884	44·25	55·10	1·1049	48·89	251	83	254,482	32·88	32·62	1·1254	37·00	168	54·4	250,778	22·33	21·69	1·0521	23·49

Note.—The East Central Area consists of the Counties of Nairn, Moray, Banff, Aberdeen, Kincardine, Angus, Fife, Clackmannan, West Lothian, Midlothian and East Lothian. The West Central Area consists of the Counties of Clackmannan, Stirling, Lanark, Dunbarton, Renfrew and Bute. The Highlands and Islands Area consists of all Counties (including Kinross) lying to the North and West of these Central Counties and the Border Area of those lying to the South and East.

than does detailed scrutiny of the figure for individual counties, the following general propositions regarding the geographical history since 1911 :—

(a) In pulmonary tuberculosis, although there has been a great change in the actual death-rates and wide differences in the rate of improvement in individual areas, the distribution of the disease at present is, in the main, very similar to what it was twenty years ago.

(b) In non-pulmonary tuberculosis the geographical distribution in 1911–13 was quite different from that observed in

TABLE VII.—Death-rates per 100,000 from Tuberculosis by Sex and Age in Geographical Areas of Scotland, 1931–33.

PULMONARY TUBERCULOSIS.															
Age.	BOTH SEXES.					MALES.					FEMALES.				
	Scotland.	Highlands and Islands.	West Central.	East Central.	Border.	Scotland.	Highlands and Islands.	West Central.	East Central.	Border.	Scotland.	Highlands and Islands.	West Central.	East Central.	Border.
-1	17	6	20	17	-	16	-	17	21	-	18	12	23	14	-
1-	12	4	15	9	6	11	8	13	10	4	13	-	17	9	8
5-	6	2	8	6	5	5	2	6	3	9	8	2	9	8	-
10-	15	16	17	13	5	8	16	8	6	3	21	17	25	19	7
15-	86	93	102	64	61	73	80	88	53	50	98	107	116	73	71
25-	100	127	102	91	93	105	134	107	95	105	96	122	99	88	83
35-	89	102	96	80	63	114	121	127	99	70	68	86	68	64	57
45-	76	71	80	74	61	111	100	119	106	73	46	47	44	47	51
55-	63	46	71	59	53	88	71	98	82	60	40	25	43	39	46
65-	39	37	39	40	36	55	58	60	51	32	27	20	22	32	39
75-	21	19	21	24	11	29	35	27	29	26	16	8	17	21	-
85-	3	-	9	-	-	-	-	-	-	-	4	-	13	-	-
All Ages.	61	64	67	54	48	68	72	75	60	50	55	56	60	49	46
OTHER FORMS OF TUBERCULOSIS.															
-1	135	119	144	121	153	145	100	157	123	183	125	138	130	113	121
1-	81	59	89	72	86	90	67	98	79	112	72	52	81	64	59
5-	27	20	31	23	26	28	16	35	20	24	27	24	28	25	28
10-	21	12	26	15	13	22	12	29	15	10	20	13	23	16	17
15-	22	30	26	17	12	22	31	26	15	15	23	29	25	19	10
25-	14	22	15	12	14	15	23	15	12	19	14	21	14	12	8
35-	11	15	11	10	21	14	16	14	12	24	9	15	8	8	19
45-	9	8	9	8	14	10	10	9	12	15	7	6	9	4	14
55-	11	17	10	11	12	12	16	11	11	23	11	17	9	11	10
65-	11	11	11	11	18	11	11	10	14	9	11	11	12	9	25
75-	10	9	11	9	11	7	6	12	3	-	12	12	10	13	18
85-	6	-	-	7	4	9	-	-	-	121	4	-	-	10	-
All Ages.	23	21	26	19	22	25	22	28	20	26	21	21	23	18	10

1931-33; there is, in fact, no great correlation between the two series except that the West Central rate remains the highest.

(c) There is only very slight correlation between the distribution of pulmonary and non-pulmonary tuberculosis. This applies to each of the periods under review. There is a small positive correlation between them, but the statistical significance is doubtful.

(d) There is no relationship geographically between the rate of decline in the pulmonary and in the non-pulmonary forms, i.e. areas showing greatest improvement in pulmonary show a great just as often as a small improvement in non-pulmonary.

(e) In every county mortality from both pulmonary and non-pulmonary tuberculosis is more favourable in 1931-33 than it was in 1911-13, with the isolated exception of mortality for non-pulmonary tuberculosis in Zetland.

The age distribution of the death-rate from pulmonary tuberculosis in these different regions is interesting. (*Table VII.*) In males, the rural regions, Highlands and Islands, and Borders, show their maximum mortality at ages 25-35 years—the young adult type, whereas in the two areas of the industrial belt the maximum is at 35-45 in the West Central and 45-55 in the East Central. The striking feature in males is the heavy death-rate in young adult males in these rural regions, where mortality is higher than in the industrial belt. At older ages the greatest mortality is in the West Central.

Among females the highest rates for all ages under 15 are shown in the West Central and the East Central areas, but at ages between 25 and 45 the rates for the Highlands and Islands are highest, and at ages over 45 the highest rates generally are found in the East Central and the Border areas.

TABLE 1.—Population, Births, Deaths, and Marriages in Scotland, 1855-1935.
Quinquennial averages.

YEAR	Estimated Mid-Year Popula- tion.	BIRTHS.						MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births.		Total.	Males.	Fem.	Under 1 Year.	
1855-60	3,018,000	102,462	52,655	49,807	8,953	1,282	*16	20,645	62,644	31,139	31,505	12,250	39,818
1861-65	3,127,000	109,764	56,336	53,428	10,742	1,298	13	22,013	69,265	34,380	34,885	13,166	40,499
1866-70	3,276,000	114,394	58,676	55,718	11,270	1,393	*13	22,832	71,974	35,823	36,151	13,971	42,420
1871-75	3,441,000	120,376	61,964	58,412	10,941	1,416	13	25,754	77,988	38,961	39,027	15,314	42,388
1876-80	3,629,000	126,086	64,648	61,438	10,711	1,430	14	24,956	74,801	37,463	37,338	14,921	51,285
1881-85	3,799,000	126,409	64,805	61,604	10,453	1,417	14	26,176	74,396	37,041	37,355	14,864	52,013
1886-90	3,944,000	123,977	63,674	60,303	9,973	1,378	13	25,702	74,320	36,729	37,591	14,943	49,657
1891-95	4,122,000	125,800	64,558	61,242	9,326	1,420	13	27,962	78,350	38,797	39,553	15,896	47,450
1896-1900	4,345,000	130,209	66,554	63,655	8,870	1,465	16	31,771	78,021	39,070	38,951	16,857	52,188
1901-05	4,536,000	132,399	67,565	64,834	8,609	1,599	*17	31,838	77,313	38,716	38,597	15,881	55,036
1906-10	4,680,000	128,987	65,811	63,176	9,125	1,609	*14	31,811	75,534	37,596	37,938	14,501	53,453
1911-15	4,748,000	120,654	61,607	59,047	8,698	1,538	15	33,857	74,466	37,253	37,213	13,604	46,188
1916-20	4,820,000	109,750	56,269	53,481	8,315	1,491	*10	37,437	72,365	36,455	35,910	10,869	37,385
1921	4,882,497	123,201	63,075	60,126	8,757	1,596	8	39,243	66,210	33,085	33,125	11,130	56,991
1922	4,898,000	115,085	58,826	56,259	7,881	1,498	11	34,375	72,905	36,244	36,661	11,664	42,180
1923	4,888,000	111,902	57,332	54,570	7,477	1,491	9	35,200	63,283	31,682	31,601	8,825	48,619
1924	4,862,000	106,900	54,919	51,981	7,086	1,400	13	32,328	70,357	35,168	35,189	10,446	36,543
1925	4,867,000	104,137	53,426	50,711	6,831	1,309	7	32,456	65,507	33,036	32,471	9,430	38,630
1926-30	4,880,000	112,245	57,516	54,729	7,606	1,459	10	34,720	67,652	33,843	33,809	10,299	44,593
1926	4,864,000	102,449	52,362	50,087	7,046	1,279	*12	31,244	63,780	32,021	31,759	8,514	38,669
1927	4,853,000	96,672	49,314	47,358	6,978	1,237	9	32,553	65,830	33,097	32,733	8,576	30,842
1928	4,848,000	96,822	49,584	47,238	7,158	1,201	15	32,948	65,271	32,577	32,694	8,299	31,551
1929	4,832,000	92,880	47,769	45,111	7,165	1,157	12	32,967	70,917	35,386	35,531	8,061	21,963
1930	4,828,000	94,549	48,069	46,480	6,950	1,265	9	33,315	64,285	32,448	31,837	7,852	30,264
1931	4,845,000	96,674	49,419	47,255	7,059	1,228	11	32,605	66,017	33,106	32,911	8,260	30,657
1931	4,842,980	92,220	46,972	45,248	6,661	1,117	15	32,652	64,229	32,238	31,991	7,544	27,991
1932	4,883,000	91,000	46,579	44,421	6,456	1,106	17	33,157	66,045	32,743	33,302	7,840	24,955
1933	4,912,000	86,546	44,767	41,779	5,964	1,067	10	34,201	64,848	32,593	32,255	7,019	21,698
1934	4,934,000	88,836	45,414	43,422	6,119	1,034	15	36,934	63,741	32,093	31,648	6,901	25,095
1935	4,952,500	87,928	44,965	42,963	5,777	1,058	5	37,997	65,331	32,822	32,509	6,754	22,597

* Including one case of quadruplets.

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1935.
Quinquennial averages.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Total Births.	Male Births per cent. of Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Births.
	Birth- rate.	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).				
			Total.	Males.	Fem.					
1855-60	34.104	6.839	20.750	21.72	19.84	13.36	8.74	105.7	1.26	119.6
1861-65	35.096	7.046	22.139	23.16	21.21	12.96	9.79	105.4	1.21	119.9
1866-70	34.911	6.971	21.969	22.96	21.06	12.94	9.85	105.3	1.24	122.1
1871-75	34.974	7.482	22.655	23.67	21.67	12.32	9.09	106.1	1.20	127.2
1876-80	34.758	6.882	20.617	21.49	19.81	13.94	8.49	105.2	1.16	118.3
1881-85	33.275	6.891	19.582	20.21	18.98	13.69	8.27	105.2	1.15	117.6
1886-90	31.444	6.515	18.843	19.26	18.42	12.60	8.04	105.6	1.13	120.5
1891-95	30.522	6.784	19.014	19.48	18.58	11.51	7.41	105.4	1.15	126.4
1896-1900	29.970	7.310	17.949	18.53	17.40	12.02	6.81	104.6	1.15	129.5
1901-05	29.193	7.020	17.050	17.58	16.56	12.14	6.50	104.2	1.24	119.9
1906-10	27.569	6.800	16.144	16.56	15.75	11.43	7.07	104.2	1.27	112.4
1911-15	25.415	7.131	15.683	16.17	15.23	9.73	7.21	104.3	1.30	112.8
1916-20	22.757	7.761	15.014	15.72	14.36	7.74	7.58	105.2	1.39	99.0
1921	25.233	8.037	13.561	14.09	13.07	11.67	7.11	104.9	1.32	90.3
1922	23.496	7.018	14.885	15.39	14.41	8.61	6.85	104.6	1.33	101.4
1923	22.892	7.201	12.946	13.48	12.45	9.95	6.68	105.1	1.36	78.9
1924	21.986	6.649	14.470	15.05	13.93	7.52	6.63	105.7	1.34	97.7
1925	21.396	6.663	13.459	14.13	12.84	7.94	6.56	105.4	1.28	90.6
1921-25	23.001	7.114	13.864	14.43	13.34	9.14	6.78	105.1	1.33	91.8
1926	21.061	6.423	13.112	13.70	12.57	7.95	6.88	104.5	1.28	83.1
1927	19.919	6.707	13.564	14.20	12.98	6.35	7.22	104.1	1.31	88.7
1928	19.971	6.796	13.463	14.02	12.95	6.51	7.39	105.0	1.28	85.7
1929	19.220	6.822	14.675	15.28	14.12	4.54	7.71	105.9	1.27	86.8
1930	19.583	6.900	13.314	14.01	12.67	6.27	7.35	103.4	1.37	83.0
1926-30	19.951	6.730	13.626	14.24	13.06	6.32	7.30	104.6	1.30	85.4
1931	19.042	6.742	13.262	13.86	12.71	5.78	7.22	103.8	1.24	81.8
1932	18.636	6.790	13.525	13.94	13.14	5.11	7.09	104.9	1.25	86.2
1933	17.618	6.962	13.201	13.79	12.66	4.42	6.89	107.2	1.26	81.1
1934	18.004	7.485	12.918	13.51	12.37	5.09	6.89	104.6	1.20	77.7
1935	17.754	7.672	13.191	13.76	12.66	4.56	6.57	104.7	1.23	76.8

TABLE 3.—Births, Deaths and Marriages in Scotland, 1925 to 1935.

	Numbers.					Rates.				
	Births.		Marriages.	Deaths.		Per 1000 of Estimated Population.			Illegit. Births per cent. of Total Births.	Deaths under One Year per 1000 Births.
	Total.	Illegitimate.		All Ages.	Under One Year.	Births.	Marriages.	Deaths		
1st Quarter 1925 .	25,230	1,628	7,644	18,350	2,723	21·0	6·4	15·3	6·5	108
2nd „ „ .	27,909	1,769	8,014	15,911	2,246	23·0	6·6	13·1	6·3	81
3rd „ „ .	25,595	1,785	9,137	13,450	1,861	20·9	7·4	11·0	7·0	73
4th „ „ .	25,403	1,649	7,661	17,796	2,600	20·7	6·2	14·5	6·5	102
Year 1925 .	104,137	6,831	32,456	65,507	9,430	21·4	6·7	13·5	6·6	91
1st Quarter 1926 .	26,170	1,778	7,819	17,928	2,520	21·8	6·5	15·0	6·8	96
2nd „ „ .	26,996	1,783	7,682	17,008	2,158	22·3	6·3	14·0	6·6	80
3rd „ „ .	24,821	1,749	8,408	12,866	1,588	20·8	6·9	10·5	7·0	64
4th „ „ .	24,462	1,736	7,335	15,978	2,248	20·0	6·0	13·0	7·1	92
Year 1926 .	102,449	7,046	31,244	63,780	8,514	21·1	6·4	13·1	6·9	83
1st Quarter 1927 .	24,775	1,738	7,348	19,437	2,728	20·7	6·1	16·2	7·0	110
2nd „ „ .	25,116	1,812	7,931	15,812	1,949	20·7	6·5	13·1	7·2	78
3rd „ „ .	23,496	1,741	9,093	13,641	1,566	19·2	7·4	11·1	7·4	67
4th „ „ .	23,285	1,687	8,181	16,940	2,333	19·0	6·7	13·8	7·2	100
Year 1927 .	96,672	6,978	32,553	65,830	8,576	19·9	6·7	13·6	7·2	89
1st Quarter 1928 .	24,252	1,764	7,383	19,387	2,593	20·1	6·1	16·1	7·3	107
2nd „ „ .	25,723	1,895	7,905	16,567	2,112	21·3	6·6	13·7	7·4	82
3rd „ „ .	23,444	1,805	9,236	13,458	1,610	19·2	7·6	11·1	7·7	69
4th „ „ .	23,403	1,694	8,424	15,859	1,984	19·2	6·9	13·0	7·2	85
Year 1928 .	96,822	7,158	32,948	65,271	8,299	20·0	6·8	13·5	7·4	86
1st Quarter 1929 .	23,449	1,827	6,727	26,386	3,011	19·6	5·6	22·1	7·8	128
2nd „ „ .	24,380	1,903	8,117	15,895	1,842	20·2	6·7	13·1	7·8	76
3rd „ „ .	23,053	1,802	9,686	13,283	1,437	18·9	7·9	10·9	7·8	62
4th „ „ .	21,998	1,633	8,437	15,353	1,771	18·0	6·9	12·6	7·4	81
Year 1929 .	92,880	7,165	32,967	70,917	8,061	19·2	6·8	14·7	7·7	87
1st Quarter 1930 .	23,686	1,798	7,297	19,055	2,600	19·8	6·1	15·9	7·6	110
2nd „ „ .	24,822	1,846	8,285	15,889	1,823	20·5	6·9	13·2	7·4	73
3rd „ „ .	22,954	1,731	9,528	13,356	1,358	18·8	7·8	10·9	7·5	59
4th „ „ .	23,087	1,575	8,205	15,985	2,071	18·9	6·7	13·1	6·8	90
Year 1930 .	94,549	6,950	33,315	64,285	7,852	19·6	6·9	13·3	7·4	83
1st Quarter 1931 .	23,558	1,769	7,071	20,189	2,652	19·7	5·9	16·9	7·5	113
2nd „ „ .	24,130	1,753	8,153	15,916	1,867	20·0	6·8	13·2	7·3	77
3rd „ „ .	22,659	1,669	9,348	13,244	1,353	18·6	7·7	10·9	7·4	60
4th „ „ .	21,873	1,470	8,080	14,880	1,672	17·9	6·6	12·2	6·7	76
Year 1931 .	92,220	6,661	32,652	64,229	7,544	19·0	6·7	13·3	7·2	82
1st Quarter 1932 .	23,069	1,573	7,686	19,634	2,573	19·0	6·3	16·2	6·8	112
2nd „ „ .	24,245	1,720	7,877	16,407	1,976	20·0	6·5	13·5	7·1	81
3rd „ „ .	22,033	1,625	9,337	13,192	1,396	18·0	7·6	10·7	7·4	63
4th „ „ .	21,653	1,538	8,257	16,812	1,895	17·6	6·7	13·7	7·1	88
Year 1932 .	91,000	6,456	33,157	66,045	7,840	18·6	6·8	13·5	7·1	86
1st Quarter 1933 .	21,785	1,474	7,052	20,750	2,359	18·0	5·8	17·1	6·8	108
2nd „ „ .	23,211	1,639	8,178	15,127	1,706	19·0	6·7	12·4	7·1	73
3rd „ „ .	21,135	1,462	10,252	13,088	1,343	17·1	8·3	10·6	6·9	64
4th „ „ .	20,415	1,389	8,719	15,833	1,611	16·5	7·0	12·8	6·8	79
Year 1933 .	86,546	5,964	34,201	64,848	7,019	17·6	7·0	13·2	6·9	81
1st Quarter 1934 .	22,744	1,630	7,692	17,406	2,097	18·7	6·3	14·3	7·2	92
2nd „ „ .	23,247	1,641	8,852	16,730	1,803	18·9	7·2	13·6	7·1	78
3rd „ „ .	21,301	1,475	10,760	13,300	1,211	17·1	8·7	10·7	6·9	57
4th „ „ .	21,544	1,373	9,630	16,305	1,790	17·3	7·7	13·1	6·4	83
Year 1934 .	88,836	6,119	36,934	63,741	6,901	18·0	7·5	12·9	6·9	78
1st Quarter 1935 .	21,978	1,468	7,697	19,177	2,111	18·0	6·3	15·7	6·7	96
2nd „ „ .	23,259	1,419	9,108	16,205	1,655	18·8	7·4	13·1	6·1	71
3rd „ „ .	21,566	1,433	11,284	13,461	1,180	17·3	9·0	10·8	6·6	55
4th „ „ .	21,125	1,457	9,908	16,488	1,808	16·9	7·9	13·2	6·9	86
Year 1935 .	87,928	5,777	37,997	65,331	6,754	17·8	7·7	13·2	6·6	77

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Counties and Large Burghs in 1935.

COUNTIES AND LARGE BURGHS.	Estimated Population 1935.	RATES PER 1000 OF POPULATION.															Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	DEATH-RATE.														
				(Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.										
								*Total.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Influenza.	Bronchitis and Pneumonia.				
SCOTLAND	4,952,510	17·8	7·7	13·2	13·2	0·74	0·57	0·67	0·03	0·04	0·11	0·10	0·29	1·55	6·6	77		
LARGE BURGHS	2,715,684	18·4	9·1	13·4	14·3	0·88	0·70	0·68	0·03	0·03	0·16	0·09	0·27	1·85	6·0	86		
SMALL BURGHS	748,624	16·0	7·2	13·6	12·4	0·56	0·43	0·63	0·02	0·05	0·05	0·15	0·29	1·21	6·1	65		
LANDWARD	1,488,202	17·5	5·3	12·5	11·8	0·57	0·40	0·67	0·03	0·05	0·07	0·10	0·34	1·18	7·8	65		
ABERDEEN COUNTY †	322,124	18·4	8·0	13·5	12·6	0·51	0·33	0·80	0·10	0·09	0·05	0·19	0·27	1·63	9·4	82		
Aberdeen Burgh	175,373	18·0	10·0	13·5	13·7	0·56	0·40	0·74	0·16	0·06	0·04	0·18	0·20	1·82	6·4	91		
Remainder of County	146,751	18·9	5·7	13·4	11·6	0·45	0·25	0·88	0·03	0·13	0·07	0·20	0·35	1·41	12·9	72		
ANGUS COUNTY.	273,573	16·6	8·0	13·4	12·5	0·77	0·60	0·55	0·05	0·05	0·08	0·15	0·15	1·30	7·5	67		
Arbroath Burgh	17,988	14·9	9·1	15·0	12·4	0·72	0·61	0·50	—	0·06	—	0·06	0·33	1·61	7·1	60		
Dundee Burgh	173,157	17·9	8·9	13·2	13·2	0·89	0·67	0·40	0·07	0·01	0·07	0·09	0·10	1·45	7·5	68		
Remainder of County	77,428	14·0	5·7	13·6	11·3	0·52	0·45	0·90	0·01	0·17	0·14	0·30	0·21	0·88	7·4	65		
ARGYLL COUNTY	61,786	13·9	4·5	16·4	12·1	0·65	0·55	0·57	0·02	0·03	0·06	—	0·37	1·00	10·8	52		
AYR COUNTY	289,442	18·0	6·8	12·8	13·2	0·55	0·40	0·77	0·00	0·06	0·06	0·23	0·32	1·25	6·0	76		
Ayr Burgh	39,935	16·9	7·8	12·9	13·3	0·48	0·30	0·38	—	0·08	0·03	0·13	0·13	1·55	7·1	67		
Kilmarnock Burgh	39,751	18·8	7·6	13·9	15·0	0·63	0·50	1·13	—	0·10	0·15	0·23	0·53	1·64	4·3	82		
Remainder of County	209,756	18·1	6·5	12·6	12·8	0·55	0·40	0·78	0·00	0·05	0·05	0·25	0·31	1·12	6·2	76		
BANFF COUNTY.	55,218	18·8	5·3	13·2	11·8	0·67	0·43	0·62	0·02	0·04	0·02	0·04	0·47	1·39	12·1	66		
BERWICK COUNTY	26,882	11·9	4·8	13·3	11·3	0·37	0·30	0·26	—	—	0·04	—	0·19	0·93	7·2	84		
BUTE COUNTY	16,302	12·7	4·5	15·2	10·8	0·49	0·43	0·49	—	—	0·06	0·12	0·12	0·80	7·2	29		
CAITHNESS COUNTY	25,969	18·7	6·3	16·0	12·0	0·46	0·42	0·85	—	—	—	0·08	0·77	1·16	10·9	72		
CLACKMANNAN COUNTY	32,388	16·1	7·3	12·6	12·5	0·59	0·49	0·71	—	0·03	—	0·12	0·43	1·42	5·4	73		
DUNBARTON COUNTY	153,516	17·2	6·1	11·9	12·7	0·80	0·66	0·59	0·01	0·03	0·14	0·10	0·26	1·26	5·1	75		
Clydebank Burgh	48,449	18·7	7·5	11·6	14·4	1·22	1·01	0·43	—	0·02	0·02	0·14	0·17	1·30	3·9	76		
Dumbarton Burgh	22,001	18·0	4·8	12·5	13·1	0·59	0·59	0·91	—	—	0·45	0·14	0·32	1·32	6·1	94		
Remainder of County	83,066	16·1	5·7	11·9	11·8	0·61	0·48	0·59	0·02	0·04	0·12	0·07	0·30	1·22	5·7	69		
DUMFRIES COUNTY	81,883	16·6	8·3	14·0	12·7	0·61	0·43	0·38	—	—	0·05	0·09	0·20	1·14	11·5	75		
Dumfries Burgh	23,352	17·6	9·2	14·3	14·1	0·81	0·69	0·26	—	—	0·04	0·09	0·09	1·37	10·0	83		
Remainder of County	58,531	16·1	7·9	13·8	12·2	0·53	0·32	0·43	—	—	0·05	0·09	0·24	1·04	12·2	72		
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)		

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
EAST LOTHIAN COUNTY	47,935	17.0	5.6	11.6	11.5	0.60	0.40	0.48	—	0.05	0.06	0.07	0.04	0.06	0.03	0.04	61
FIFE COUNTY	282,169	16.9	7.1	11.9	11.9	0.43	0.33	0.59	0.05	0.06	0.07	0.06	0.03	0.06	0.03	0.06	63
Dunfermline Burgh	36,212	15.7	9.6	11.7	11.9	0.52	0.44	0.52	—	—	—	0.06	0.03	0.03	0.03	5.6	63
Kirkcaldy Burgh	44,622	15.8	8.9	12.1	12.2	0.38	0.31	0.43	0.02	0.02	0.02	0.03	0.02	0.04	0.02	4.0	56
Remainder of County	201,335	17.4	6.2	11.9	11.9	0.42	0.32	0.64	0.07	0.04	0.07	0.08	0.04	0.07	0.08	6.4	64
INVERNESS COUNTY	81,700	15.5	5.7	15.8	12.2	1.04	0.76	0.79	0.06	0.06	0.02	0.02	0.02	0.06	0.02	7.9	63
Inverness Burgh	23,196	16.3	12.7	17.4	15.2	0.99	0.56	0.73	0.09	0.04	0.09	—	0.04	0.09	—	9.0	98
Remainder of County	58,594	15.2	3.0	15.2	11.2	1.06	0.84	0.82	0.05	0.02	0.05	0.03	0.02	0.05	0.03	7.4	48
KINCARDINE COUNTY †	26,894	16.6	5.7	13.9	11.3	0.48	0.30	0.82	0.04	0.11	0.04	0.26	0.11	0.04	0.26	9.4	76
KINROSS COUNTY	7,306	17.2	6.3	15.3	12.5	—	—	0.14	—	0.14	—	—	—	—	—	7.1	71
KIRKCUDBRIGHT COUNTY	30,487	19.1	6.4	15.6	12.9	0.62	0.49	0.69	—	—	—	0.30	—	—	0.30	12.2	62
LANARK COUNTY	1,625,880	19.7	8.8	13.2	14.9	0.95	0.74	0.76	0.01	0.03	0.21	0.10	0.03	0.21	0.10	5.7	89
Airdrie Burgh	26,609	21.4	8.4	17.9	13.6	0.60	0.34	0.53	—	0.04	0.11	0.11	0.04	0.11	0.11	4.4	75
Coatbridge Burgh	43,743	21.0	6.9	12.9	14.5	1.01	0.69	1.07	—	0.07	0.27	0.02	0.07	0.27	0.02	5.2	76
Glasgow Burgh	1,119,414	19.7	9.6	13.9	15.6	1.08	0.86	0.78	0.01	0.03	0.24	0.11	0.03	0.24	0.11	5.0	98
Hamilton Burgh	58,428	22.2	7.7	12.2	13.9	0.81	0.65	1.01	0.03	0.03	0.26	0.16	0.03	0.26	0.16	5.9	85
Motherwell and Wishaw Burgh	66,254	19.6	6.6	11.5	13.7	0.71	0.59	0.65	0.08	0.03	0.15	0.06	0.03	0.15	0.06	5.4	66
Rutherglen Burgh	25,973	14.3	9.8	12.2	13.4	0.73	0.62	0.58	—	—	0.19	0.12	—	0.19	0.12	5.7	67
Remainder of County	305,459	19.6	6.5	11.6	13.2	0.55	0.39	0.70	0.02	0.03	0.08	0.09	0.03	0.08	0.09	5.0	66
MIDLOTHIAN COUNTY	550,646	15.5	8.9	13.0	13.0	0.70	0.55	0.56	0.02	0.01	0.08	0.04	0.01	0.08	0.04	6.7	68
Edinburgh Burgh	460,877	15.3	9.3	13.3	13.2	0.73	0.57	0.57	0.02	0.01	0.08	0.03	0.01	0.08	0.03	6.9	70
Remainder of County	89,769	16.8	6.6	11.3	11.9	0.59	0.42	0.50	0.01	0.01	0.06	0.11	0.01	0.06	0.11	5.8	60
MORAY COUNTY	41,058	17.3	6.8	13.9	11.6	0.39	0.24	0.58	—	0.02	0.02	0.05	0.02	0.02	0.05	10.4	61
NAIRN COUNTY	8,227	16.8	5.8	15.9	12.1	0.61	0.49	0.85	—	—	—	—	—	—	—	8.7	109
ORKNEY COUNTY	22,056	13.7	5.9	14.9	10.1	0.59	0.36	0.68	0.05	0.05	0.14	—	0.05	0.14	—	5.6	26
PEEBLES COUNTY	14,541	12.7	6.2	13.5	11.4	0.55	0.41	0.48	—	—	0.07	—	—	0.07	—	6.5	54
PERTH COUNTY	120,799	14.6	6.3	13.0	10.9	0.54	0.41	0.36	0.01	0.02	0.04	0.03	0.02	0.04	0.03	7.5	57
Perth Burgh	35,353	15.3	10.7	12.0	11.2	0.68	0.59	0.45	—	—	0.08	0.03	—	0.08	0.03	7.7	72
Remainder of County	85,446	14.3	4.4	13.3	10.7	0.48	0.33	0.33	0.01	0.02	0.02	0.04	0.02	0.02	0.04	7.5	50
RENFREW COUNTY	391,704	18.2	6.9	13.0	13.9	0.70	0.60	0.65	0.03	0.04	0.15	0.08	0.04	0.15	0.08	4.3	82
Greenock Burgh	79,980	21.2	7.3	13.9	15.0	0.85	0.76	0.79	0.04	0.03	0.33	0.08	0.03	0.33	0.08	5.2	92
Paisley Burgh	59,198	17.7	8.2	13.5	14.6	0.73	0.65	0.57	—	0.04	0.07	0.10	0.04	0.07	0.10	3.7	88
Port Glasgow Burgh	19,637	22.8	9.6	14.0	15.7	0.76	0.71	0.92	0.20	—	0.36	0.15	—	0.36	0.15	2.9	88
Remainder of County	112,889	15.7	5.1	11.9	12.5	0.55	0.43	0.56	0.01	0.04	0.04	0.06	0.04	0.04	0.06	4.2	67
ROSS AND CROMARTY COUNTY	62,047	14.0	3.9	16.1	11.3	1.10	0.84	0.56	0.03	0.05	0.02	0.02	0.05	0.02	0.02	8.2	50
ROXBURGH COUNTY	46,294	14.1	6.2	12.6	11.2	0.28	0.15	0.41	0.02	—	0.04	0.02	—	0.04	0.02	6.9	43
SELKIRK COUNTY	22,611	11.7	6.1	13.8	12.1	0.27	0.18	0.44	0.04	—	0.09	0.09	—	0.09	0.09	4.2	64
STIRLING COUNTY	171,532	18.0	6.9	12.3	13.2	0.61	0.45	0.73	0.02	0.10	0.06	0.20	0.10	0.06	0.20	6.1	74
Falkirk Burgh	87,813	16.3	7.6	12.5	13.8	0.74	0.63	0.66	—	0.05	0.05	0.08	0.05	0.05	0.08	3.7	67
Stirling Burgh	23,369	18.9	9.3	14.3	14.3	0.64	0.48	0.73	—	0.09	—	0.26	0.09	—	0.26	6.3	93
Remainder of County	110,350	18.4	6.1	11.8	12.7	0.55	0.40	0.76	0.03	0.13	0.07	0.24	0.13	0.07	0.24	6.7	71
SUTHERLAND COUNTY	15,745	15.7	3.1	16.9	10.8	1.27	1.14	1.21	—	—	—	0.06	—	—	0.06	6.9	53
WEST LOTHIAN COUNTY	82,893	19.0	7.1	11.3	12.9	0.53	0.39	0.70	0.11	0.13	0.07	0.10	0.13	0.07	0.10	4.1	59
WIGTOWN COUNTY	29,770	20.8	7.5	14.5	12.9	0.57	0.37	0.67	—	0.13	0.07	0.20	0.13	0.07	0.20	16.7	70
ZETLAND COUNTY	21,043	11.6	5.4	15.3	9.9	1.38	1.05	0.57	0.52	—	—	—	—	—	—	6.6	33

* Includes the following in addition to those indicated:—International Long List Nos. 1, 2, 3-6, 12-17, 18.

† Including for this purpose the entire Burgh of Aberdeen, part of which is in Kincardine County.

‡ Excluding for this purpose the portion of Aberdeen Burgh in Kincardine County.

TABLE 5.—Birth-, Death-, and Marriage-rates in the Small Burghs of Scotland in 1935.

SMALL BURGHS.	Estimated Population 1935.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate Infantile Mortality. per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.						
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Respiratory System.	*Principal Epidemic Diseases.		
ABERDEEN COUNTY—										
Ballater	1,245	16·9	6·4	14·5	10·8	—	—	—	4·8	95
Ellon	1,374	19·7	21·1	15·3	11·0	0·73	0·73	—	7·4	74
Fraserburgh	10,229	20·1	8·2	11·8	12·8	0·39	—	1·08	7·8	78
Huntly	3,929	17·8	10·9	15·0	11·2	0·25	—	2·04	12·9	57
Inverurie	4,640	17·2	7·1	11·4	9·8	—	—	0·65	15·0	50
Kintore	783	20·4	10·2	7·7	5·7	—	—	—	18·8	—
Old Meldrum	1,010	26·7	5·0	20·8	13·8	—	—	—	11·1	148
Peterhead	13,021	19·3	6·8	12·7	12·8	0·61	0·15	0·77	7·2	92
Rosehearty	1,156	17·3	6·9	18·2	13·6	—	—	1·73	5·0	100
Turriff	2,475	17·0	9·3	15·8	11·9	—	—	0·81	9·5	48
ANGUS COUNTY—										
Brechin	6,891	13·2	6·2	14·9	10·9	0·29	0·29	0·73	7·7	88
Carnoustie	4,813	8·7	3·5	15·2	10·8	0·62	0·42	0·83	7·1	—
Forfar	9,817	14·5	10·8	16·0	13·5	0·61	0·51	0·92	5·6	63
Kirriemuir	3,382	12·7	10·9	16·0	10·4	0·30	0·30	0·30	2·3	70
Monifieth	3,118	8·0	5·1	13·8	12·0	0·32	0·32	0·32	—	80
Montrose	10,265	12·5	5·9	16·3	12·5	0·88	0·78	0·78	7·8	78
ARGYLL COUNTY—										
Campbeltown	6,484	19·3	6·9	15·6	13·8	0·77	0·62	0·77	16·8	80
Dunoon	7,842	13·4	4·8	17·6	12·1	0·64	0·51	0·26	10·5	95
Inveraray	464	12·9	8·6	12·9	9·9	—	—	2·16	—	—
Lochgilphhead	1,059	17·9	2·8	15·1	10·8	2·83	2·83	0·94	5·3	—
Oban	5,888	13·8	8·0	14·4	12·9	0·34	0·17	0·34	9·9	37
Tobermory	770	14·3	5·2	18·2	12·4	—	—	—	—	91
AYR COUNTY—										
Ardrossan	7,302	20·1	5·8	10·4	11·4	0·41	0·27	0·55	6·1	75
Cumnock and Holmhead	3,899	22·8	10·0	11·5	10·9	0·26	—	1·28	5·6	101
Darvel	3,272	11·9	9·8	17·1	16·6	1·22	1·22	1·22	—	103
Galston	4,835	12·6	9·3	12·8	13·7	0·21	—	1·03	8·2	82
Girvan	5,219	17·1	6·7	16·1	14·0	0·96	0·96	0·57	13·5	90
Irvine	12,619	17·7	6·0	12·0	13·1	0·55	0·32	0·79	3·6	85
Kilwinning	5,444	18·7	9·9	11·4	12·6	0·55	0·55	0·55	5·9	78
Largs	5,527	9·4	5·2	15·6	11·0	0·18	—	0·72	—	38
Maybole	4,444	22·5	6·3	14·9	14·7	0·45	0·23	0·68	7·0	130
Newmilns and Greenholm	3,936	11·2	6·1	12·7	12·1	0·25	0·25	0·25	2·3	114
Prestwick	8,791	15·0	4·0	15·6	12·9	1·02	1·02	0·46	6·1	68
Salcoats	10,130	17·0	8·2	10·9	11·0	0·39	0·39	0·99	5·2	47
Stewarton	2,825	17·7	9·9	17·0	15·8	0·71	0·71	0·71	—	100
Troon	8,630	10·3	3·8	13·6	13·4	1·39	1·16	0·70	4·5	34
BANFF COUNTY—										
Aberchirder	889	25·9	6·7	16·9	11·6	2·25	2·25	1·12	21·7	—
Banff	3,471	15·3	11·2	15·3	12·3	1·15	0·58	0·29	5·7	170
Buckie	8,856	19·9	7·1	12·3	12·4	0·45	0·34	0·79	9·1	74
Charlestown of Aberlour	1,167	9·4	6·0	17·1	17·4	—	—	—	18·2	—
Cullen	1,753	14·3	1·1	10·8	8·9	0·57	—	1·71	4·0	80
Dufftown	1,452	19·3	3·4	12·4	8·4	—	—	—	10·7	36
Findochty	1,742	13·8	5·7	10·3	11·8	0·57	—	1·15	4·2	—
Keith	4,482	18·7	5·6	15·6	13·2	1·12	0·89	1·34	17·9	71
Macduff	3,362	23·5	4·2	13·1	10·7	1·19	0·89	0·89	15·2	63
Portknockie	1,632	19·0	4·3	15·3	15·2	1·23	0·61	0·61	3·2	129
Portsoy	1,730	20·2	7·5	13·3	10·0	0·58	0·58	0·58	14·3	86

* See footnote Table 4.

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1935.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.	
		Birth-rate.	Marriage-rate.	Death-rate.							
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.			
BERWICK COUNTY—											
Coldstream	1,256	6·4	6·4	16·7	12·7	—	—	—	12·5	—	
Duns	1,839	10·9	3·3	14·1	10·5	—	—	—	—	100	
Eyemouth	2,250	12·9	5·8	11·1	10·7	—	—	—	3·4	—	
Lauder	627	6·4	4·8	22·3	16·1	—	—	—	—	—	
BUTE COUNTY—											
Millport	1,547	9·7	1·3	14·2	10·7	0·65	0·65	1·94	6·7	133	
Rothsay	7,926	14·0	6·1	14·8	10·6	0·50	0·50	0·38	9·9	9	
CAITHNESS COUNTY—											
Thurso	3,065	13·4	7·8	14·7	11·9	0·65	0·65	0·33	7·3	171	
Wick	7,683	22·9	12·2	16·3	14·4	0·26	0·13	0·65	8·0	74	
CLACKMANNAN COUNTY—											
Alloa	13,385	16·7	8·7	13·4	14·1	0·90	0·75	1·12	4·0	80	
Alva	3,892	14·4	8·2	14·9	12·9	0·77	0·77	0·77	5·4	71	
Dollar	1,486	6·1	4·7	12·1	9·2	—	—	—	22·2	—	
Tillicoultry	3,044	13·8	6·9	15·4	13·5	0·66	0·66	0·66	7·1	143	
DUNBARTON COUNTY—											
Cove and Kilcreggan	877	3·4	2·3	18·2	12·2	1·14	1·14	1·14	—	—	
Helensburgh	8,814	10·7	4·1	13·3	11·5	0·57	0·45	0·45	3·2	53	
Kirkintilloch	12,445	19·0	7·6	13·1	14·3	0·48	0·48	1·12	3·8	76	
Milngavie	5,650	14·2	5·0	9·9	9·5	0·88	0·71	0·18	7·5	63	
DUMFRIES COUNTY—											
Annan	3,995	13·3	9·3	12·0	11·0	0·50	0·50	0·25	9·4	75	
Langholm	2,432	11·1	3·3	20·1	14·9	—	—	—	11·1	37	
Lochmaben	1,058	16·1	2·8	18·0	13·8	—	—	—	23·5	59	
Lockerbie	2,636	11·0	6·4	17·8	15·9	—	—	0·76	13·8	103	
Moffat	2,004	10·5	3·5	17·0	12·6	—	—	1·00	—	48	
Sanquhar	1,819	19·2	10·4	11·0	10·4	—	—	0·55	14·3	29	
EAST LOTHIAN COUNTY—											
Cockenzie and Port Seton	2,684	14·9	6·7	10·8	12·3	—	—	—	7·5	50	
Dunbar	3,782	18·8	7·4	15·3	13·0	0·26	0·26	0·26	9·9	42	
East Linton	918	18·5	7·6	9·8	6·4	—	—	—	—	—	
Haddington	4,690	16·0	5·1	13·2	11·6	0·43	0·21	0·64	2·7	40	
North Berwick	3,262	8·3	4·9	14·7	12·0	1·23	0·31	1·23	11·1	37	
Prestonpans	2,628	24·7	7·2	13·3	14·9	—	—	0·76	—	62	
Tranent	4,932	21·5	8·5	11·2	12·9	1·62	1·01	0·81	0·9	65	
FIFE COUNTY—											
Auchtermuchty	1,244	6·4	6·4	22·5	15·2	0·80	0·80	0·80	—	125	
Buckhaven and Methil	18,205	21·8	7·5	10·7	12·8	0·49	0·44	0·77	5·3	53	
Burntisland	5,441	14·3	3·5	11·4	10·6	0·37	0·37	0·55	7·7	51	
Cowdenbeath	12,693	18·6	6·6	9·8	11·7	0·79	0·55	0·24	5·5	38	
Crail	1,054	6·6	12·3	16·1	9·6	0·95	0·95	—	28·6	—	
Culross	536	14·9	13·1	13·1	10·9	—	—	1·87	—	125	
Cupar	4,818	14·1	10·4	14·5	11·4	0·42	0·21	0·83	2·9	74	
Elie and Earlsferry	983	3·1	9·2	12·2	7·7	1·02	1·02	—	—	—	
Falkland	874	20·6	9·2	16·0	11·6	1·14	1·14	1·14	—	56	
Inverkeithing	3,348	15·2	4·2	10·8	11·0	1·19	1·19	0·30	—	98	
Kilrenny and Anstruther	3,357	9·8	6·3	17·6	13·5	—	—	0·30	6·1	30	
Kinghorn	1,947	12·8	6·7	10·3	9·8	—	—	1·03	—	40	
Ladybank and Monkston	1,176	13·6	0·9	9·4	7·2	—	—	—	12·5	—	

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1935.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.	
		Birth-rate.	Marriage-rate.	Death-rate.							
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.			
FIFE COUNTY— <i>contd.</i> —											
Leslie	2,497	13·6	9·6	14·0	12·9	—	—	0·80	2·9	29	
Leven	7,932	16·1	5·4	11·0	10·8	—	—	0·50	7·0	55	
Lochgelly	9,416	16·6	8·3	9·7	11·5	0·32	0·32	1·17	5·1	64	
Markinch	2,169	17·1	10·1	11·5	11·1	0·92	—	0·92	8·1	54	
Newburgh	2,202	13·6	4·5	15·4	12·0	1·36	1·36	0·45	—	33	
Newport	3,287	7·6	4·6	16·7	11·7	—	—	—	4·0	40	
Pittenweem	1,649	11·5	5·5	12·1	9·7	0·61	0·61	0·61	—	53	
St. Andrews	8,566	11·4	5·4	11·8	10·5	0·35	0·23	0·35	4·1	—	
St. Monance	1,685	7·7	2·4	14·8	12·5	0·59	0·59	—	—	—	
Tayport	3,319	16·0	5·7	17·8	14·8	0·30	—	0·60	3·8	75	
INVERNESS COUNTY—											
Fort-William	2,706	17·4	11·5	12·2	12·3	1·11	0·74	—	2·1	—	
Kingussie	1,023	12·7	8·8	14·7	11·8	0·98	0·98	0·98	7·7	—	
KINCARDINE COUNTY—											
Banchory	1,715	11·7	8·2	19·2	13·7	—	—	0·58	—	100	
Inverbervie	1,012	10·9	16·8	15·8	12·8	—	—	—	—	—	
Laurencekirk	1,347	15·6	6·7	24·5	14·3	—	—	2·23	4·8	238	
Stonehaven	4,166	10·3	7·0	15·4	10·5	0·96	0·48	0·72	7·0	93	
KINROSS COUNTY—											
Kinross	2,518	17·5	7·5	15·9	13·9	—	—	0·40	9·1	68	
KIRKCUDBRIGHT COUNTY—											
Castle-Douglas	3,114	22·2	8·0	18·6	16·2	—	—	0·64	7·2	87	
Dalbeattie	3,090	18·1	9·1	13·9	11·4	1·29	0·97	—	12·5	36	
Gatehouse	879	17·1	9·1	19·3	11·8	2·28	2·28	—	6·7	—	
Kirkcudbright	2,335	18·4	8·1	15·4	12·1	0·86	0·86	1·28	4·7	47	
New Galloway	337	8·9	5·9	14·8	10·5	—	—	—	—	—	
LANARK COUNTY—											
Biggar	1,283	7·0	7·8	21·8	15·2	—	—	1·56	11·1	—	
Lanark	6,157	14·0	8·6	16·6	15·2	0·49	0·49	0·16	3·5	47	
MIDLOTHIAN COUNTY—											
Bonnyrigg and Lasswade	4,982	19·5	5·0	13·4	12·9	0·40	0·20	1·20	2·1	62	
Dalkeith	7,670	16·9	7·4	12·6	12·6	0·78	0·65	0·39	7·7	69	
Loanhead	4,068	19·9	8·6	13·0	14·8	0·25	0·25	0·49	1·2	99	
Musselburgh	17,452	14·9	7·4	12·0	13·3	0·86	0·69	0·40	3·8	62	
Penicuik	3,946	20·8	6·8	12·9	11·6	0·51	0·51	0·76	1·2	—	
MORAY COUNTY—											
Burghead	1,302	14·6	1·5	18·4	15·2	1·54	1·54	0·77	5·3	—	
Elgin	9,004	15·2	12·4	11·3	9·7	—	—	0·44	8·0	36	
Forres	4,348	16·1	10·8	17·2	13·3	1·15	1·15	0·46	11·4	114	
Grantown-on-Spey	1,487	14·1	5·4	14·8	11·8	—	—	—	4·8	—	
Lossiemouth	4,010	19·5	6·7	12·2	11·4	—	—	0·50	9·0	90	
Rothies	1,270	21·3	7·1	18·9	14·4	3·15	1·57	0·79	11·1	74	
NAIRN COUNTY—											
Nairn	4,278	15·4	10·3	16·4	12·1	0·70	0·47	1·17	9·1	106	
ORKNEY COUNTY—											
Kirkwall	3,584	12·0	9·5	14·2	10·0	0·28	0·28	0·84	2·3	47	
Stromness	1,573	12·7	7·0	19·1	13·8	1·27	—	—	5·0	—	
PEEBLES COUNTY—											
Innerleithen	2,333	12·4	6·4	17·1	14·1	—	—	2·14	6·9	69	
Peebles	5,843	13·5	7·0	13·3	11·0	0·68	0·68	—	5·1	63	

TABLE 5—continued.

SMALL BURGHS.	Estimated Population 1935.	RATES PER 1000 OF POPULATION.							Illegitimate Births per cent. of Total Births.	Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.						
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	Principal Epi- demic Diseases.		
PERTH COUNTY—										
Aberfeldy	1,527	11·1	8·5	9·8	7·1	—	—	—	—	59
Abernethy	601	8·3	6·7	23·3	15·2	—	—	—	20·0	—
Alyth	1,720	14·0	4·7	19·2	12·5	0·58	0·58	—	4·2	83
Auchterarder	2,254	13·8	6·7	17·8	12·7	—	—	—	—	97
Blairgowrie and Rattray	4,764	16·6	7·8	17·0	11·9	0·42	0·42	—	6·3	38
Callander	1,522	13·8	3·3	22·3	18·1	0·66	0·66	1·31	9·5	95
Coupar-Angus	1,970	17·3	5·6	14·7	10·7	—	—	1·02	17·6	88
Crieff	5,269	14·0	7·4	16·9	13·1	1·14	1·14	—	2·7	14
Doune	839	9·5	14·3	15·5	12·6	—	—	—	—	—
Dunblane	2,749	12·7	6·9	15·6	11·2	0·36	—	0·36	5·7	114
RENFREW COUNTY—										
Barrhead	12,494	18·7	7·3	10·9	12·2	0·48	0·40	0·96	4·3	81
Gourock	8,767	13·1	3·8	13·2	12·9	0·57	0·46	0·57	8·7	87
Johnstone	13,533	23·1	8·1	14·6	15·9	0·89	0·52	0·67	5·8	64
Renfrew	15,717	16·6	5·4	10·8	12·7	0·70	0·64	0·89	3·1	77
ROSS AND CROMARTY COUNTY—										
Cromarty	840	11·9	3·6	17·9	12·1	—	—	1·19	20·0	—
Dingwall	2,711	15·1	10·3	18·8	14·9	—	—	0·37	7·3	49
Fortrose	841	3·6	3·6	14·3	8·3	—	—	—	—	—
Invergordon	1,409	9·9	1·4	12·1	10·6	—	—	—	7·1	—
Stornoway	4,333	15·5	6·2	11·1	9·0	1·15	0·92	0·23	3·0	45
Tain	1,435	11·1	16·7	21·6	14·9	3·48	2·09	1·39	12·5	125
ROXBURGH COUNTY—										
Hawick	17,283	13·5	6·4	13·3	12·8	0·29	0·12	0·23	3·9	64
Jedburgh	3,309	21·5	7·0	13·0	12·9	0·30	—	—	11·3	28
Kelso	3,873	13·2	5·4	14·2	11·1	—	—	0·77	5·9	20
Melrose	2,093	9·6	4·3	9·6	6·9	0·48	—	0·48	—	50
SELKIRK COUNTY—										
Galashiels	13,170	11·2	6·6	14·7	13·1	0·38	0·30	0·76	3·4	75
Selkirk	5,692	12·6	7·2	14·4	11·9	0·18	—	—	4·2	83
STIRLING COUNTY—										
Bridge-of-Allan	2,903	10·7	4·8	12·7	9·9	—	—	0·69	—	32
Denny and Dunipace	5,751	18·8	7·7	12·7	14·9	1·22	1·04	1·22	9·3	46
Grangemouth	12,644	16·5	7·0	11·0	12·3	0·63	0·32	0·87	3·4	53
Kilsyth	8,281	21·3	7·0	10·5	12·4	0·12	0·12	1·21	5·1	68
SUTHERLAND COUNTY—										
Dornoch	709	9·9	8·5	8·5	6·9	—	—	1·41	—	—
WEST LoTHIAN COUNTY—										
Armadale	5,311	18·5	8·8	12·6	15·5	1·13	0·75	0·56	2·0	71
Bathgate	10,314	17·6	9·2	12·6	14·9	0·19	0·19	0·19	3·8	66
Borrowstounness	10,273	18·7	10·8	11·0	13·0	0·58	0·49	0·49	4·7	63
Linlithgow	3,615	17·2	7·7	14·7	14·7	0·83	0·55	0·55	1·6	81
Queensferry	1,877	25·0	10·1	13·3	14·1	0·53	0·53	0·53	4·3	43
Whitburn	2,985	27·8	6·0	11·7	13·6	1·68	0·67	0·67	—	60
WIGTOWN COUNTY—										
Newton-Stewart	1,978	17·7	9·6	16·7	13·8	—	—	—	11·4	—
Stranraer	6,971	20·4	9·3	14·5	13·3	0·86	0·86	0·57	10·6	56
Whithorn	980	16·3	7·1	25·5	18·0	—	—	1·02	12·5	63
Wigtown	1,297	20·0	7·7	15·4	11·6	—	—	0·77	11·5	154
ZETLAND COUNTY—										
Lerwick	4,100	10·2	10·0	13·7	10·5	1·71	1·71	0·24	11·9	24

TABLE 6.—Birth-, Death-, and Marriage-rates in the Landward Areas of Scotland in 1935.

COUNTY LANDWARD AREAS.	Estimated Population 1935.	RATES PER 1000 OF POPULATION.								Illegitimate Births per cent. of Total Births.	Infantile Mortality. Rate per 1000 Births.
		Birth-rate.	Marriage-rate.	Death-rate.							
				Crude (Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Re- spiratory System.	*Principal Epi- demic Diseases.			
Aberdeen	106,889	18·8	4·8	13·5	11·5	0·49	0·31	0·87	14·3	70	
Angus	39,142	15·7	4·1	11·7	10·5	0·46	0·41	1·07	8·3	64	
Argyll	39,279	13·1	3·4	16·7	12·0	0·64	0·56	0·61	10·1	41	
Ayr	122,883	19·5	6·3	12·1	12·8	0·50	0·32	0·81	6·7	75	
Banff	24,682	19·0	4·1	12·7	11·5	0·53	0·32	0·36	13·2	53	
Berwick	20,910	12·4	4·8	13·0	11·2	0·48	0·38	0·33	8·1	97	
Bute	6,829	11·9	3·4	15·8	11·0	0·44	0·29	0·29	3·7	37	
Caithness	15,221	17·6	3·0	16·1	11·0	0·53	0·53	1·05	13·4	56	
Clackmannan . . .	10,581	18·1	5·8	9·8	10·2	0·19	0·09	0·28	5·7	52	
Dunbarton	55,280	16·8	5·6	11·6	11·7	0·62	0·45	0·52	6·3	70	
Dumfries	44,587	17·1	8·3	13·3	11·9	0·65	0·38	0·43	12·3	75	
East Lothian . . .	25,039	16·6	4·6	10·4	10·8	0·56	0·44	0·36	8·2	72	
Fife	102,937	19·1	5·8	11·7	12·2	0·39	0·27	0·69	6·4	76	
Inverness	54,865	15·2	2·4	15·4	11·2	1·06	0·84	0·86	7·7	52	
Kincardine	18,654	18·8	4·6	12·2	10·7	0·48	0·32	0·80	10·8	66	
Kinross	4,788	17·1	5·6	15·0	11·9	—	—	—	6·1	73	
Kirkcudbright . .	20,732	19·1	5·5	15·3	12·9	0·53	0·39	0·77	14·1	65	
Lanark	298,019	19·8	6·4	11·4	13·1	0·55	0·39	0·70	5·0	66	
Midlothian	51,651	16·7	6·2	10·4	11·0	0·52	0·33	0·46	7·3	60	
Moray	19,637	18·2	3·9	14·1	11·6	0·25	0·05	0·71	12·0	59	
Nairn	3,949	18·2	1·0	15·4	12·0	0·51	0·51	0·51	8·3	111	
Orkney	16,899	14·2	5·1	14·6	9·7	0·59	0·41	0·71	6·3	25	
Peebles	6,365	11·9	5·3	12·3	10·6	0·63	0·31	0·31	7·9	39	
Perth	62,231	14·3	3·5	12·0	10·1	0·48	0·29	0·37	8·1	47	
Renfrew	62,378	13·6	4·1	11·6	11·7	0·45	0·35	0·37	3·4	59	
Ross and Cromarty .	50,478	14·2	3·0	16·4	11·4	1·15	0·89	0·59	8·5	50	
Roxburgh	19,736	14·0	6·2	12·0	10·4	0·30	0·25	0·56	9·1	33	
Selkirk	3,749	12·3	2·4	9·6	8·9	—	—	—	6·5	—	
Stirling	80,771	18·6	5·8	11·9	12·7	0·56	0·41	0·67	7·3	77	
Sutherland	15,036	16·0	2·9	17·3	11·0	1·33	1·20	1·20	7·1	54	
West Lothian . . .	48,518	18·8	5·6	10·6	12·0	0·43	0·33	0·89	4·7	55	
Wigtown	18,544	21·5	6·5	13·6	12·3	0·59	0·27	0·75	19·8	75	
Zetland	16,943	11·9	4·3	15·6	9·8	1·30	0·89	0·65	5·4	35	

* See footnote Table 4.

TABLE 7.—Birth-rate among Married and among Unmarried Women in Scotland, 1935.

	Estimated Number of Women aged 15-44.			Births.			Birth-rates.		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
SCOTLAND .	1,181,800	519,800	662,000	87,928	82,151	5,777	74·4	158·1	8·7
LARGE BURGHS .	679,100	299,000	380,100	49,884	46,875	3,009	73·5	156·8	7·9
SMALL BURGHS .	178,900	77,000	101,900	11,979	11,246	733	67·0	146·1	7·2
LANDWARD .	323,800	143,800	180,000	26,065	24,030	2,035	80·5	167·1	11·3
ABERDEEN Co.* .	76,500	33,500	43,100	5,925	5,367	558	77·4	160·4	13·0
Aberdeen Burgh .	45,100	19,500	25,700	3,157	2,956	201	69·9	151·9	7·8
Remainder of Co.	31,400	14,000	17,400	2,768	2,411	357	88·2	172·4	20·5
ANGUS Co. .	67,200	27,900	39,200	4,547	4,208	339	67·7	150·7	8·6
Arbroath B. .	4,200	1,700	2,500	268	249	19	63·7	144·7	7·6
Dundee B. .	45,400	19,100	26,300	3,195	2,955	240	70·4	154·6	9·1
Remainder of Co.	17,600	7,100	10,500	1,084	1,004	80	61·7	141·9	7·6
ARGYLL Co. .	13,300	4,800	8,500	861	768	93	64·8	161·5	10·9
AYR Co. .	69,700	31,100	38,600	5,212	4,898	314	74·7	157·3	8·1
Ayr B. .	10,200	4,400	5,800	675	627	48	66·4	143·5	8·3
Kilmarnock B. .	10,200	4,600	5,600	748	716	32	73·3	155·5	5·7
Remainder of Co.	49,400	22,200	27,200	3,789	3,555	234	76·8	160·4	8·6
BANFF Co. .	11,600	5,200	6,400	1,038	912	126	89·1	173·8	19·7
BERWICK Co. .	6,000	2,700	3,400	320	297	23	53·1	110·9	6·9
BUTE Co. .	3,700	1,300	2,400	207	192	15	56·1	144·7	6·4
CAITHNESS Co. .	5,400	2,200	3,200	485	432	53	90·1	197·7	16·6
CLACKMANNAN Co.	7,800	3,500	4,300	523	495	28	66·8	141·6	6·5
DUNBARTON Co. .	36,400	16,100	20,400	2,641	2,506	135	72·5	156·1	6·6
Clydebank B. .	11,400	5,600	5,800	906	871	35	79·2	154·3	6·0
Dumbarton B. .	4,900	2,300	2,600	395	371	24	80·6	162·3	9·2
Remainder of Co.	20,100	8,100	12,000	1,340	1,264	76	66·7	155·5	6·4
DUMFRIES Co. .	18,900	8,300	10,600	1,357	1,201	156	71·8	145·6	14·7
Dumfries B. .	6,100	2,600	3,500	412	371	41	67·8	143·2	11·8
Remainder of Co.	12,800	5,700	7,200	945	830	115	73·7	146·6	16·1
EAST LOTHIAN Co.	10,900	5,000	6,000	817	767	50	74·7	154·7	8·4
FIFE Co. .	64,800	31,600	33,300	4,780	4,511	269	73·7	142·9	8·1
Dunfermline B. .	9,000	4,300	4,700	569	546	23	62·9	126·9	4·9
Kirkcaldy B. .	10,900	5,000	5,900	704	659	45	64·6	131·5	7·6
Remainder of Co.	44,900	22,300	22,600	3,507	3,306	201	78·1	148·5	8·9
INVERNESS Co. .	17,200	6,400	10,800	1,269	1,169	100	73·8	182·5	9·3
Inverness B. .	5,800	2,300	3,500	377	343	34	65·2	159·8	9·7
Remainder of Co.	11,400	4,100	7,300	892	826	66	78·2	200·0	9·1

* See footnote Table 4.

TABLE 7—continued.

	Estimated Number of Women aged 15-44.			Births.			Birth-rates.		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
KINCARDINE Co.*	5,700	2,400	3,300	446	404	42	78·3	165·2	12·9
KINROSS Co.	1,600	700	1,000	126	117	9	76·9	172·1	9·4
KIRKCUDBRIGHT Co.	6,800	2,900	3,900	583	512	71	85·8	177·2	18·2
LANARK Co.	394,100	181,100	212,900	32,100	30,273	1,827	81·5	167·1	8·6
Airdrie B.	6,100	3,000	3,100	570	545	25	92·3	180·2	8·0
Coatbridge B.	9,400	4,800	4,500	919	871	48	98·0	180·0	10·6
Glasgow B.	280,300	125,900	154,400	22,106	20,791	1,315	78·9	165·2	8·5
Hamilton B.	8,700	4,400	4,400	854	804	50	98·2	184·8	11·5
Motherwell and Wishaw B.	14,800	7,500	7,300	1,299	1,229	70	87·8	163·8	9·6
Rutherglen B.	6,400	2,700	3,700	371	350	21	57·7	129·8	5·6
Remainder of Co.	68,300	32,800	35,500	5,981	5,683	298	87·5	173·2	8·4
MIDLOTHIAN Co.	141,000	57,800	83,200	8,548	7,975	573	60·6	138·0	6·9
Edinburgh B.	121,100	48,100	73,000	7,037	6,551	486	58·1	136·2	6·7
Remainder of Co.	19,900	9,700	10,200	1,511	1,424	87	76·0	146·6	8·5
MORAY Co.	9,000	3,800	5,200	709	635	74	78·4	165·6	14·2
NAIRN Co.	1,800	700	1,100	138	126	12	76·0	185·6	10·6
ORKNEY Co.	4,500	1,800	2,700	303	286	17	66·8	154·8	6·3
PEEBLES Co.	3,500	1,400	2,100	184	172	12	52·1	121·5	5·7
PERTH Co.	28,300	11,200	17,100	1,763	1,630	133	62·3	145·0	7·8
Perth B.	9,100	3,700	5,300	542	500	42	59·9	134·9	7·9
Remainder of Co.	19,300	7,500	11,700	1,221	1,130	91	63·4	149·9	7·8
RENFREW Co.	73,800	32,000	41,900	5,493	5,259	234	74·4	164·5	5·6
Greenock B.	18,100	8,800	9,400	1,693	1,605	88	93·5	183·2	9·4
Paisley B.	22,900	9,700	13,200	1,582	1,524	58	69·2	156·9	4·4
Port Glasgow B.	4,300	2,100	2,200	447	434	13	102·9	205·0	5·8
Remainder of Co.	28,500	11,400	17,100	1,771	1,696	75	62·2	149·2	4·4
ROSS & CROMARTY Co.	13,000	4,400	8,600	866	795	71	66·7	182·0	8·2
ROXBURGH Co.	11,400	4,400	6,900	651	606	45	57·3	136·7	6·5
SELKIRK Co.	5,600	2,200	3,300	265	254	11	47·6	113·1	3·3
STIRLING Co.	39,500	18,600	20,900	3,087	2,900	187	78·2	155·9	9·0
Falkirk B.	9,000	4,400	4,600	616	593	23	68·8	135·7	5·0
Stirling B.	5,700	2,500	3,100	442	414	28	77·7	162·9	8·9
Remainder of Co.	24,800	11,700	13,100	2,029	1,893	136	81·7	162·0	10·3
SUTHERLAND Co.	3,200	1,100	2,100	247	230	17	77·3	204·3	8·2
WEST LOTHIAN Co.	17,800	9,200	8,700	1,575	1,511	64	88·4	165·1	7·4
WIGTOWN Co.	6,800	2,900	3,900	618	515	103	91·1	176·9	26·6
ZETLAND Co.	4,800	1,600	3,200	244	228	16	51·1	144·5	5·0

* See footnote Table 4.

TABLE 8.—Method of Celebration, etc. of Marriages in Scotland, 1855-1934.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Forms of the							IRREGULAR MARRIAGES.	SIGNED BY MARK.	
	Number.	Proportion per 1000 of Population.	Church of Scotland.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Scottish Episcopal Church.	Other Forms.	Form not stated.		Men.	Women.
DECENNIAL AVERAGES.												
1855-1860	20645	6·840	9586	4747	2872	1846	383	1058	135	19	2335	4804
1861-1870	22422	7·004	9929	5278	3214	2071	464	1324	101	41	2387	4736
1871-1880	25355	7·172	11549	5649	3305	2286	646	1633	25	263	2150	4321
1881-1890	25939	6·700	11971	5277	3011	2558	732	1728	12	650	1381	2572
1891-1900	29866	7·054	13497	5638	3292	2934	899	2179	0	1428	740	1162
				Un. Free Ch.*								
1901-1910	31825	6·907	14414	8477		3331	936	2634	0	2034	471	642
1911-1920	35647	7·451	14231	8340		3964	1131	2669	0	5312	221	300
1921-1930	33663	6·923	14993	6910		3911	971	2591	0	4287	75	95
ANNUAL NUMBERS.												
1921	39243	8·037	15976	9082		4220	1076	2754	0	6135	103	147
1922	34375	7·018	14329	8022		3730	1031	2588	0	4675	70	105
1923	35200	7·201	14757	8411		4034	1005	2697	0	4296	84	122
1924	32328	6·649	13488	7657		3849	974	2425	0	3935	68	100
1925	32456	6·668	13548	7531		3865	951	2529	0	4032	79	99
1926	31244	6·423	13203	7403		3580	964	2382	0	3712	76	64
1927	32553	6·707	13858	7534		3804	945	2474	0	3938	83	88
1928	32948	6·796	13942	7607		3937	941	2587	0	3934	63	94
1929	32967	6·822	15503	5849		3925	930	2609	0	4151	62	64
1930	33315	6·900	21,328			4162	897	2863	0	4065	61	66
1931	32652	6·742	20,765			4115	870	2805	0	4097	70	55
1932	33157	6·790	21,034			4346	917	2837	0	4023	39	57
1933	34201	6·962	21,687			4577	925	3001	0	4011	34	42
1934	36934	7·485	23,476			4888	1040	3229	0	4301	52	48
RATE PER HUNDRED MARRIAGES—DECENNIAL.												
1855-1860	100·00	...	46·42	23·01	13·92	8·94	1·85	5·12	0·65	0·09	11·31	23·27
1861-1870	100·00	...	44·30	23·54	14·33	9·22	2·07	5·89	0·47	0·18	10·65	21·12
1871-1880	100·00	...	45·56	22·28	13·02	9·02	2·55	6·42	0·11	1·04	8·48	17·02
1881-1890	100·00	...	46·17	20·34	11·61	9·85	2·82	6·66	0·05	2·51	5·32	9·79
1891-1900	100·00	...	45·20	18·91	11·04	9·81	3·00	7·29	0·00	4·78	2·51	3·95
				Un. Free Ch.*								
1901-1910	100·00	...	45·29	26·63		10·46	2·94	8·28	0·00	6·39	1·48	2·01
1911-1920	100·00	...	39·92	23·40		11·12	3·17	7·49	0·00	14·90	0·62	0·84
1921-1930	100·00	...	44·54	20·53		11·62	2·88	7·70	0·00	12·74	0·22	0·28
RATE PER HUNDRED MARRIAGES—ANNUAL.												
1921	100·00	...	40·72	23·14		10·76	2·74	7·02	0·00	15·62	0·26	0·37
1922	100·00	...	41·68	23·34		10·85	3·00	7·53	0·00	13·60	0·20	0·31
1923	100·00	...	41·92	23·90		11·46	2·85	7·67	0·00	12·20	0·24	0·35
1924	100·00	...	41·72	23·69		11·91	3·01	7·50	0·00	12·17	0·21	0·31
1925	100·00	...	41·75	23·20		11·91	2·93	7·79	0·00	12·42	0·24	0·31
1926	100·00	...	42·26	23·69		11·46	3·09	7·62	0·00	11·88	0·24	0·20
1927	100·00	...	42·57	23·14		11·69	2·90	7·60	0·00	12·10	0·25	0·27
1928	100·00	...	42·31	23·09		11·95	2·86	7·85	0·00	11·94	0·19	0·29
1929	100·00	...	47·03	17·74		11·91	2·82	7·91	0·00	12·59	0·19	0·19
1930	100·00	...	64·02			12·49	2·69	8·60	0·00	12·20	0·18	0·20
1931	100·00	...	63·60			12·60	2·66	8·59	0·00	12·55	0·21	0·17
1932	100·00	...	63·44			13·11	2·77	8·56	0·00	12·13	0·12	0·17
1933	100·00	...	63·41			13·38	2·70	8·77	0·00	11·73	0·10	0·12
1934	100·00	...	63·56			13·23	2·82	8·74	0·00	11·65	0·14	0·13

* The Free Church and the United Presbyterian Church were united on 31st October 1900 under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October 1929 under the designation of "The Church of Scotland."

TABLE 9.—Regular and Irregular Marriages in Scotland, 1934.

	Total Marriages.	NUMBERS.					PERCENTAGE OF TOTAL MARRIAGES.				
		REGULAR MARRIAGES.			IRREGULAR MARRIAGES		REGULAR MARRIAGES.			IRREGULAR MARRIAGES.	
		Banns.	Publication of Notice.	Banns and Publication.	Registered by Sheriff's Warrant.	Otherwise Registered.	Banns.	Publication of Notice.	Banns and Publication.	Registered by Sheriff's Warrant.	Otherwise Registered.
SCOTLAND	36,934	23,281	8,675	677	4,299	2	63·0	23·5	1·8	11·6	0·0
LARGE BURGHS	24,008	12,473	7,109	376	4,049	1	52·0	29·6	1·6	16·9	0·0
REMAINDER	12,926	10,808	1,566	301	250	1	83·6	12·1	2·3	1·9	0·0
Counties.											
Aberdeen *	2,526	1,751	452	37	286	—	69·3	17·9	1·5	11·3	—
Angus	2,112	1,270	548	26	268	—	60·1	25·9	1·2	12·7	—
Argyll	271	245	14	5	7	—	90·4	5·2	1·8	2·6	—
Ayr	2,002	1,717	185	52	48	—	85·8	9·2	2·6	2·4	—
Banff	286	273	7	1	5	—	95·5	2·4	0·3	1·7	—
Berwick	117	115	—	1	1	—	98·3	—	0·9	0·9	—
Bute	69	61	2	1	5	—	88·4	2·9	1·4	7·2	—
Caithness.	154	140	—	—	14	—	90·9	—	—	9·1	—
Clackmannan	194	154	31	7	2	—	79·4	16·0	3·6	1·0	—
Dunbarton	941	644	264	32	1	—	68·4	28·1	3·4	0·1	—
Dumfries	636	446	36	8	146	—	70·1	5·7	1·3	23·0	—
East Lothian	288	267	18	3	—	—	92·7	6·2	1·0	—	—
Fife	1,901	1,439	282	38	142	—	75·7	14·8	2·0	7·5	—
Inverness.	435	330	29	9	67	—	75·9	6·7	2·1	15·4	—
Kincardine *	166	156	1	7	2	—	94·0	0·6	4·2	1·2	—
Kinross	48	47	1	—	—	—	97·9	2·1	—	—	—
Kirkcudbright.	160	153	2	3	2	—	95·6	1·3	1·9	1·3	—
Lanark	13,774	6,558	4,995	256	1,965	—	47·6	36·3	1·9	14·3	—
Midlothian	4,840	2,711	926	77	1,125	1	56·0	19·1	1·6	23·2	0·0
Moray	244	204	7	5	28	—	83·6	2·9	2·0	11·5	—
Nairn	44	39	2	—	3	—	88·6	4·5	—	6·8	—
Orkney	145	130	4	3	8	—	89·7	2·8	2·1	5·5	—
Peebles	83	81	—	2	—	—	97·6	—	2·4	—	—
Perth	767	666	21	7	72	1	86·8	2·7	0·9	9·4	0·1
Renfrew	2,012	1353	606	34	19	—	67·2	30·1	1·7	0·9	—
Ross and Cromarty	262	184	67	4	7	—	70·2	25·6	1·5	2·7	—
Roxburgh	246	240	2	3	1	—	97·6	0·8	1·2	0·4	—
Selkirk	122	110	5	6	1	—	90·2	4·1	4·9	0·8	—
Stirling	1,160	965	103	29	63	—	83·2	8·9	2·5	5·4	—
Sutherland	61	55	5	—	1	—	90·2	8·2	—	1·6	—
West Lothian	596	517	58	20	1	—	86·7	9·7	3·4	0·2	—
Wigtown	164	155	2	1	6	—	94·5	1·2	0·6	3·7	—
Zetland	108	105	—	—	3	—	97·2	—	—	2·8	—
Large Burghs.											
Glasgow	10,211	4,296	3,830	155	1,930	—	42·1	37·5	1·5	18·9	—
Edinburgh	4,237	2,211	831	70	1,124	1	52·2	19·6	1·7	26·5	0·0
Dundee	1,543	742	525	19	257	—	48·1	34·0	1·2	16·7	—
Aberdeen.	1,683	948	428	27	280	—	56·3	25·4	1·6	16·7	—
Paisley	740	502	214	8	16	—	67·8	28·9	1·1	2·2	—
Greenock.	552	358	187	5	2	—	64·9	33·9	0·9	0·4	—
Motherwell & Wishaw	461	291	147	12	11	—	63·1	31·9	2·6	2·4	—
Clydebank	321	214	102	5	—	—	66·7	31·8	1·6	—	—
Kirkcaldy	370	283	29	2	56	—	76·5	7·8	0·5	15·1	—
Coatbridge	296	134	154	8	—	—	45·3	52·0	2·7	—	—
Kilmarnock	348	241	85	8	14	—	69·3	24·4	2·3	4·0	—
Hamilton	330	233	82	6	9	—	70·6	24·8	1·8	2·7	—
Ayr	325	259	28	4	34	—	79·7	8·6	1·2	10·5	—
Falkirk	313	259	18	2	34	—	82·7	5·8	0·6	10·9	—
Dunfermline	327	154	91	6	76	—	47·1	27·8	1·8	23·2	—
Perth	359	266	18	3	72	—	74·1	5·0	0·8	20·1	—
Airdrie	196	117	70	3	6	—	59·7	35·7	1·5	3·1	—
Rutherglen	265	164	92	6	3	—	61·9	34·7	2·3	1·1	—
Dumfries	220	154	33	4	29	—	70·0	15·0	1·8	13·2	—
Stirling	213	155	23	7	28	—	72·8	10·8	3·3	13·1	—
Inverness.	272	199	4	7	62	—	73·2	1·5	2·6	22·8	—
Dumbarton	121	66	52	2	1	—	54·5	43·0	1·7	0·8	—
Port-Glasgow	166	106	54	6	—	—	63·9	32·5	3·6	—	—
Arbroath.	139	121	12	1	5	—	87·1	8·6	0·7	3·6	—

* See footnote Table 4.

TABLE 10.—Marriages in Scotland according to Church of Celebration, 1934.

	Total Marriages.	ACCORDING TO FORMS OF						Irregular.	PERCENTAGE OF TOTAL MARRIAGES.						
		Church of Scotland.	U.F. Church Continuing.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.		Church of Scotland.	U.F. Church Continuing.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.	Irregular.
SCOTLAND	36,934	23,476	317	295	4,888	1,040	2,617	4,301	63·6	0·9	0·8	13·2	2·8	7·1	11·6
LARGE BURGHS	24,008	13,295	152	158	3,599	792	1,962	4,050	55·4	0·6	0·7	15·0	3·3	8·2	16·9
REMAINDER	12,926	10,181	165	137	1,289	248	655	251	78·8	1·3	1·1	10·0	1·9	5·1	1·9
Counties.															
Aberdeen *	2,526	1,932	20	5	55	112	116	286	76·5	0·8	0·2	2·2	4·4	4·6	11·3
Angus	2,112	1,239	15	-	291	146	153	268	58·7	0·7	-	13·8	6·9	7·2	12·7
Argyll	271	212	8	13	22	4	5	7	78·2	3·0	4·8	8·1	1·5	1·8	2·6
Ayr	2,002	1,581	26	1	168	42	136	48	79·0	1·3	0·0	8·4	2·1	6·8	2·4
Banff	286	233	-	-	12	7	29	5	81·5	-	-	4·2	2·4	10·1	1·7
Berwick	117	108	-	-	1	1	6	1	92·3	-	-	0·9	0·9	5·1	0·9
Bute	69	52	-	2	6	-	4	5	75·4	-	2·9	8·7	-	5·8	7·2
Caithness	154	125	1	4	2	-	8	14	81·2	0·6	2·6	1·3	-	5·2	9·1
Clackmannan	194	149	16	-	14	7	6	2	76·8	8·2	-	7·2	3·6	3·1	1·0
Dunbarton	941	594	2	8	227	30	79	1	63·1	0·2	0·9	24·1	3·2	8·4	0·1
Dumfries	636	403	8	-	33	26	20	146	63·4	1·3	-	5·2	4·1	3·1	23·0
East Lothian	288	243	-	-	21	12	12	-	84·4	-	-	7·3	4·2	4·2	-
Fife	1,901	1,497	14	-	104	37	107	142	78·7	0·7	-	5·5	1·9	5·6	7·5
Inverness	435	250	2	40	38	10	28	67	57·5	0·5	9·2	8·7	2·3	6·4	15·4
Kincardine *	166	156	-	-	1	7	-	2	94·0	-	-	0·6	4·2	-	1·2
Kinross	48	43	1	-	-	3	1	-	89·6	2·1	-	-	6·2	2·1	-
Kirkcudbright	160	147	1	-	5	2	3	2	91·9	0·6	-	3·1	1·3	1·9	1·3
Lanark	13,774	7,354	89	114	2,749	199	1,304	1,965	53·4	0·6	0·8	20·0	1·4	9·5	14·3
Midlothian	4,840	2,867	32	10	389	228	188	1,126	59·2	0·7	0·2	8·0	4·7	3·9	23·3
Moray	244	189	3	1	10	4	9	28	77·5	1·2	0·4	4·1	1·6	3·7	11·5
Nairn	44	36	-	-	2	-	3	3	81·8	-	-	4·5	-	6·8	6·8
Orkney	145	112	6	-	-	1	18	8	77·2	4·1	-	-	0·7	12·4	5·5
Peebles	83	67	2	-	5	5	4	-	80·7	2·4	-	6·0	6·0	4·8	-
Perth	767	588	11	3	40	25	27	73	76·7	1·4	0·4	5·2	3·3	3·5	9·5
Renfrew	2,012	1,221	12	1	478	75	206	19	60·7	0·6	0·0	23·8	3·7	10·2	0·9
Ross & Cromarty	262	150	3	79	2	3	18	7	57·3	1·1	30·2	0·8	1·1	6·9	2·7
Roxburgh	246	217	-	-	3	17	8	1	88·2	-	-	1·2	6·9	3·3	0·4
Selkirk	122	104	-	-	9	2	6	1	85·2	-	-	7·4	1·6	4·9	0·8
Stirling	1,160	906	7	-	107	16	61	63	78·1	0·6	-	9·2	1·4	5·3	5·4
Sutherland	61	44	-	14	-	-	2	1	72·1	-	23·0	-	-	3·3	1·6
West Lothian	596	462	23	-	88	13	9	1	77·5	3·9	-	14·8	2·2	1·5	0·2
Wigtown	164	146	2	-	5	3	2	6	89·0	1·2	-	3·0	1·8	1·2	3·7
Zetland	108	49	13	-	1	3	39	3	45·4	12·0	-	0·9	2·8	36·1	2·8
Large Burghs.															
Glasgow	10,211	5,079	56	109	1,881	171	985	1,930	49·7	0·5	1·1	18·4	1·7	9·6	18·9
Edinburgh	4,237	2,389	26	10	304	209	174	1,125	56·4	0·6	0·2	7·2	4·9	4·1	26·6
Dundee	1,543	725	9	-	284	126	142	257	47·0	0·6	-	18·4	8·2	9·2	16·7
Aberdeen	1,683	1,171	15	5	50	83	79	280	69·6	0·9	0·3	3·0	4·9	4·7	16·6
Paisley	740	477	-	-	156	20	71	16	64·5	-	-	21·1	2·7	9·6	2·2
Greenock	552	317	7	-	143	22	61	2	57·4	1·3	-	25·9	4·0	11·1	0·4
Motherwell and Wishaw	461	261	13	-	107	13	56	11	56·6	2·8	-	23·2	2·8	12·1	2·4
Clydebank	321	183	-	-	77	9	52	-	57·0	-	-	24·0	2·8	16·2	-
Kirkcaldy	370	256	5	-	8	6	39	56	69·2	1·4	-	2·2	1·6	10·5	15·1
Coatbridge	296	145	3	5	113	3	27	-	49·0	1·0	1·7	38·2	1·0	9·1	-
Kilmarnock	348	272	1	-	42	5	14	14	78·2	0·3	-	12·1	1·4	4·0	4·0
Hamilton	330	207	-	-	85	3	26	9	62·7	-	-	25·8	0·9	7·9	2·7
Ayr	325	211	5	-	27	22	26	34	64·9	1·5	-	8·3	6·8	8·0	10·5
Falkirk	313	225	2	-	26	11	15	34	71·9	0·6	-	8·3	3·5	4·8	10·9
Dunfermline	327	194	1	-	16	12	28	76	59·3	0·3	-	4·9	3·7	8·6	23·2
Perth	359	223	4	3	23	13	21	72	62·1	1·1	0·8	6·4	3·6	5·8	20·1
Airdrie	196	109	-	-	43	4	34	6	55·6	-	-	21·9	2·0	17·3	3·1
Rutherglen	265	192	-	-	49	-	21	3	72·5	-	-	18·5	-	7·9	1·1
Dumfries	220	143	3	-	25	15	5	29	65·0	1·4	-	11·4	6·8	2·3	13·2
Stirling	213	142	2	-	26	5	10	28	66·7	0·9	-	12·2	2·3	4·7	13·1
Inverness	272	151	-	20	11	8	20	62	55·5	-	7·4	4·0	2·9	7·4	22·8
Dumbarton	121	50	-	6	38	10	16	1	41·3	-	5·0	31·4	8·3	13·2	0·8
Port-Glasgow	166	48	-	-	63	16	39	-	28·9	-	-	38·0	9·6	23·5	-
Arbroath	139	125	-	-	2	6	1	5	89·9	-	-	1·4	4·3	0·7	3·6

* See footnote Table 4.

TABLE 11—Civil Condition, etc. of Persons Marrying in Scotland, 1934.

	Total Marriages.	CIVIL CONDITION.					PERCENTAGE OF TOTAL MARRIAGES					NUMBER WHO SIGNED BY MARK	
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	†Divorced (Either Party).	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced.	Men.	Women.
SCOTLAND	36,934	33,621	606	1,665	580	462	91·0	1·6	4·5	1·6	1·3	52	48
LARGE BURGHS	24,008	21,503	468	1,181	460	396	89·6	1·9	4·9	1·9	1·6	39	37
REMAINDER	12,926	12,118	138	484	120	66	93·7	1·1	3·7	0·9	0·5	13	11
Counties.													
Aberdeen *	2,526	2,312	31	127	29	27	91·5	1·2	5·0	1·1	1·1	4	3
Angus	2,112	1,903	30	115	36	28	90·1	1·4	5·4	1·7	1·3	2	5
Argyll	271	254	2	11	2	2	93·7	0·7	4·1	0·7	0·7	—	—
Ayr	2,002	1,873	20	74	28	7	93·6	1·0	3·7	1·4	0·3	—	—
Banff	286	270	1	13	—	2	94·4	0·3	4·5	—	0·7	—	—
Berwick	117	113	—	3	1	—	96·6	—	2·6	0·9	—	—	—
Bute	69	65	1	2	1	—	94·2	1·4	2·9	1·4	—	—	—
Caithness	154	148	1	4	1	—	96·1	0·6	2·6	0·6	—	—	—
Clackmannan	194	183	—	6	4	1	94·3	—	3·1	2·1	0·5	—	—
Dunbarton	941	881	9	31	15	5	93·6	1·0	3·3	1·6	0·5	—	—
Dumfries	636	560	12	48	9	7	88·1	1·9	7·5	1·4	1·1	—	1
East Lothian	288	269	1	10	4	4	93·4	0·3	3·5	1·4	1·4	—	—
Fife	1,901	1,758	25	72	24	22	92·5	1·3	3·8	1·3	1·2	1	4
Inverness	435	394	10	22	4	5	90·6	2·3	5·1	0·9	1·1	2	2
Kincardine *	166	148	3	11	2	2	89·2	1·8	6·6	1·2	1·2	1	—
Kinross	48	44	1	1	2	—	91·7	2·1	2·1	4·2	—	—	—
Kirkcudbright	160	149	1	4	4	2	93·1	0·6	2·5	2·5	1·3	—	—
Lanark	13,774	12,426	284	632	258	174	90·2	2·1	4·6	1·9	1·3	27	21
Midlothian	4,840	4,310	90	231	81	128	89·0	1·9	4·8	1·7	2·6	9	7
Moray	244	231	2	8	2	1	94·7	0·8	3·3	0·8	0·4	—	1
Nairn	44	41	—	1	—	2	93·2	—	2·3	—	4·5	—	—
Orkney	145	133	4	8	—	—	91·7	2·8	5·5	—	—	—	1
Peebles	83	80	—	1	1	1	96·4	—	1·2	1·2	1·2	—	—
Perth	767	695	9	40	13	10	90·6	1·2	5·2	1·7	1·3	3	1
Renfrew	2,012	1,837	32	90	37	16	91·3	1·6	4·5	1·8	0·8	—	1
Ross and Cromarty	262	235	2	22	3	—	89·7	0·8	8·4	1·1	—	1	—
Roxburgh	246	232	1	9	2	2	94·3	0·4	3·7	0·8	0·8	—	—
Selkirk	122	117	2	3	—	—	95·9	1·6	2·5	—	—	—	—
Stirling	1,160	1,083	19	39	8	11	93·4	1·6	3·4	0·7	0·9	1	1
Sutherland	61	57	1	3	—	—	93·4	1·6	4·9	—	—	—	—
West Lothian	596	572	8	10	4	2	96·0	1·3	1·7	0·7	0·3	—	—
Wigtown	164	151	4	5	4	—	92·1	2·4	3·0	2·4	—	—	—
Zetland	108	97	—	9	1	1	89·8	—	8·3	0·9	0·9	—	—
Large Burghs.													
Glasgow	10,211	9,078	235	527	218	153	88·9	2·3	5·2	2·1	1·5	23	20
Edinburgh	4,237	3,745	78	214	76	124	88·4	1·8	5·1	1·8	2·9	9	7
Dundee	1,543	1,381	26	81	30	25	89·5	1·7	5·2	1·9	1·6	2	4
Aberdeen	1,683	1,510	27	97	23	26	89·7	1·6	5·8	1·4	1·5	3	1
Paisley	740	678	9	32	14	7	91·6	1·2	4·3	1·9	0·9	—	—
Greenock	552	500	10	26	12	4	90·6	1·8	4·7	2·2	0·7	—	—
Motherwell & Wishaw	461	431	10	13	5	2	93·5	2·2	2·8	1·1	0·4	—	1
Clydebank	321	298	4	11	8	—	92·8	1·2	3·4	2·5	—	—	—
Kirkcaldy	370	335	6	14	8	7	90·5	1·6	3·8	2·2	1·9	—	1
Coatbridge	296	283	3	3	6	1	95·6	1·0	1·0	2·0	0·3	—	—
Kilmarnock	348	323	4	17	4	—	92·8	1·1	4·9	1·1	—	—	—
Hamilton	330	301	6	9	7	7	91·2	1·8	2·7	2·1	2·1	—	—
Ayr	325	292	9	14	8	2	89·8	2·8	4·3	2·5	0·6	—	—
Falkirk	313	293	8	8	1	3	93·6	2·6	2·6	0·3	1·0	—	1
Dunfermline	327	295	3	18	4	7	90·2	0·9	5·5	1·2	2·1	—	1
Perth	359	319	5	19	11	5	88·9	1·4	5·3	3·1	1·4	—	—
Airdrie	196	179	2	8	2	5	91·3	1·0	4·1	1·0	2·6	1	—
Rutherglen	265	249	4	6	5	1	94·0	1·5	2·3	1·9	0·4	—	—
Dumfries	220	190	4	19	4	3	86·4	1·8	8·6	1·8	1·4	—	1
Stirling	213	184	5	13	4	7	86·4	2·3	6·1	1·9	3·3	—	—
Inverness	272	244	4	16	3	5	89·7	1·5	5·9	1·1	1·8	1	—
Dumbarton	121	116	—	3	2	—	95·9	—	2·5	1·7	—	—	—
Port-Glasgow	166	154	5	6	1	—	92·8	3·0	3·6	0·6	—	—	—
Arbroath	139	125	1	7	4	2	89·9	0·7	5·0	2·9	1·4	—	—

* See footnote Table 4.

† 194 divorced men married spinsters and 30 married widows. 154 divorced women married bachelors and 68 married widowers. In 16 cases each party had been divorced.

TABLE 12.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1934.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1934.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1934.

	All Ages.	Average Age.	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.
SCOTLAND	36,934	29·3	3	33	218	664	1,217	9,482	13,276	6,528	2,274	1,116	737	526	372	242	159	65	18	3	1
LARGE BURGHS .	24,008	29·5	2	24	160	456	837	6,115	8,470	4,144	1,510	753	514	388	271	183	114	49	14	3	1
OTHER DISTRICTS	12,926	29·0	1	9	58	208	380	3,367	4,806	2,384	764	363	223	138	101	59	45	16	4	-	-
<i>Countries.</i>																					
Aberdeen *	2,526	29·1	-	3	12	55	90	653	944	406	135	83	49	32	27	14	16	5	2	-	-
Angus .	2,112	29·1	-	3	22	44	86	598	744	312	101	55	50	36	21	14	15	10	1	-	-
Argyll .	271	32·4	-	-	-	3	3	31	92	69	33	18	10	5	4	-	3	-	-	-	-
Ayr .	2,002	28·3	-	5	13	37	69	525	790	347	112	34	25	16	14	9	4	2	-	-	-
Banff .	286	28·6	-	-	1	3	12	82	109	48	9	10	3	1	4	1	2	1	-	-	-
Berwick .	117	29·9	-	-	-	1	2	26	44	27	8	-	5	2	1	1	-	-	-	-	-
Bute .	69	30·2	-	-	-	2	-	15	25	17	4	2	2	1	-	1	-	-	-	-	-
Caithness .	154	28·7	-	-	-	1	6	49	50	27	9	5	3	1	-	1	1	-	-	-	-
Clackmannan	194	28·6	-	-	-	2	6	53	82	29	10	3	2	5	-	2	-	-	-	-	-
Dunbarton	941	29·2	1	-	6	16	28	223	344	192	60	27	24	4	5	7	3	1	-	-	-
Dumfries .	636	30·1	-	1	1	13	15	149	240	103	37	25	24	11	8	3	4	1	-	-	-
East Lothian	288	28·7	-	-	2	1	12	81	118	40	14	4	2	2	5	5	2	-	-	-	-
Fife .	1,901	28·1	-	-	8	40	76	545	745	297	82	35	24	17	20	8	3	-	-	-	-
Inverness .	435	32·0	-	-	-	2	8	72	134	109	52	22	14	12	2	5	1	-	-	-	1
Kincardine *	166	29·9	-	-	-	2	7	46	55	26	14	4	4	2	2	3	1	-	-	-	-
Kinross .	48	29·3	-	-	-	1	3	7	19	11	4	-	1	2	-	-	-	-	-	-	-
Kirkcudbright .	160	29·9	-	-	-	2	4	43	50	35	12	5	3	2	3	-	1	-	-	-	-
Lanark .	13,774	29·3	1	14	107	279	512	3,609	4,709	2,443	853	438	256	202	154	101	60	30	4	2	-
Midlothian	4,840	29·7	-	1	22	87	129	1,208	1,765	849	315	151	100	92	53	39	19	7	1	1	-
Moray .	244	29·3	-	-	2	5	6	60	90	48	10	11	4	3	1	1	2	1	-	-	-
Nairn .	44	32·3	-	-	-	-	-	9	14	9	5	1	2	2	2	-	-	-	-	-	-
Orkney .	145	29·5	1	-	2	6	5	29	53	20	15	4	6	2	1	1	-	-	-	-	-
Peebles .	83	30·2	-	-	-	-	2	21	29	12	10	4	3	-	1	-	-	1	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of MEN at Marriage in Scotland, 1934.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	767	30.9	-	-	4	7	14	156	277	151	59	33	19	22	12	6	4	2	1	-	-
Renfrew	2,012	29.1	-	5	8	33	69	537	717	353	125	62	42	26	15	9	8	2	1	-	-
Ross & Cromarty	262	33.6	-	-	-	1	3	34	85	65	25	13	13	9	6	3	1	3	1	-	-
Roxburgh	246	29.3	-	-	-	1	2	58	97	49	23	5	6	1	-	2	-	-	-	-	-
Selkirk	122	30.3	-	-	-	-	1	24	47	32	7	4	3	1	1	-	2	-	-	-	-
Stirling	1,160	28.8	-	-	1	8	28	306	462	216	64	32	22	10	4	2	3	-	2	-	-
Sutherland	61	32.2	-	-	-	-	-	8	21	15	9	6	-	-	1	-	1	-	-	-	-
West Lothian	596	28.1	-	-	1	10	17	160	229	122	31	15	6	3	1	1	-	-	-	-	-
Wigtown	164	29.4	-	-	2	3	2	46	56	29	11	2	8	1	3	-	1	-	-	-	-
Zetland	108	32.0	-	-	1	-	-	19	40	20	16	3	2	1	1	2	1	1	1	-	-
<i>Large Burghs.</i>																					
Glasgow	10,211	29.7	1	10	82	198	394	2,576	3,392	1,830	678	356	222	166	135	85	55	25	4	2	-
Edinburgh	4,237	29.9	-	1	19	71	114	1,017	1,557	744	279	141	94	85	48	39	18	7	2	1	-
Dundee	1,543	29.0	-	3	17	36	65	452	526	224	73	41	34	31	11	11	11	7	1	-	-
Aberdeen	1,683	29.6	-	3	8	32	56	412	640	267	94	55	38	28	21	12	10	5	2	-	-
Paisley	740	29.0	-	3	3	13	24	194	282	113	47	26	10	12	7	1	5	-	-	-	-
Greenock	552	28.8	-	1	1	12	22	158	190	84	38	18	15	5	3	3	1	1	-	-	-
Motherwell and Wishaw	461	28.4	-	-	2	6	16	121	185	75	29	12	6	6	3	-	-	-	-	-	-
Clydebank	321	28.9	1	-	2	5	7	80	127	59	15	10	9	1	3	1	1	-	-	-	-
Kirkcaldy	370	29.0	-	-	4	7	21	99	125	64	23	3	7	7	3	4	2	-	1	-	-
Coatbridge	296	27.9	-	-	3	6	8	83	118	52	13	7	1	3	-	-	1	-	-	-	-
Kilmarnock	348	28.1	-	2	2	4	13	85	150	59	17	8	4	3	1	-	-	-	-	-	-
Hamilton	330	28.7	-	-	2	9	11	95	112	63	11	10	5	5	2	3	1	-	-	-	-
Ayr	325	28.9	-	-	4	8	11	90	110	59	19	3	7	2	7	5	-	-	-	-	-
Falkirk	313	28.5	-	-	1	4	8	81	135	54	12	3	6	3	4	1	-	-	-	-	-
Dunfermline	327	28.6	-	-	2	9	12	93	124	44	21	6	4	2	7	2	1	-	1	-	-
Perth	359	31.0	-	-	2	5	9	78	118	75	25	15	9	6	6	6	2	2	-	-	-
Airdrie	196	27.9	-	-	1	5	7	64	65	32	15	2	1	1	2	1	-	-	-	-	-
Rutherglen	265	28.0	-	-	1	8	9	78	103	37	13	5	5	3	2	1	-	-	-	-	-
Dumfries	220	29.6	-	-	-	7	3	46	96	33	14	5	7	5	2	-	2	-	-	-	-
Stirling	213	30.3	-	-	-	-	4	48	73	48	19	8	7	3	1	-	2	-	1	-	-
Inverness	272	31.9	-	-	-	2	6	50	92	51	33	11	11	8	-	-	2	-	1	-	1
Dumbarton	121	28.2	-	-	2	5	4	29	41	28	6	2	2	-	1	1	-	-	-	-	-
Port-Glasgow	166	28.0	-	-	1	2	7	51	63	22	10	4	4	1	-	1	-	-	-	-	-
Arbroath	139	30.2	-	-	1	2	6	35	46	27	6	2	6	2	3	1	-	-	-	-	-

* See footnote Table 4.

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1934.

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1934.

	All Ages.	Average age.	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.
SCOTLAND	36,934	26.4	159	626	1475	2381	2,616	11,653	10,471	4,129	1,678	766	424	254	135	93	51	21	2	-	-
LARGE BURGHS	24,008	26.6	103	414	975	1532	1,673	7,391	6,820	2,678	1,165	516	307	189	115	68	42	18	2	-	-
OTHER DISTRICTS	12,926	26.0	56	212	500	849	943	4,262	3,651	1,451	513	250	117	65	20	25	9	3	-	-	-
<i>Counties.</i>																					
Aberdeen *	2,526	26.1	10	63	111	170	194	783	697	274	118	50	21	16	7	5	6	1	-	-	-
Angus	2,112	26.5	11	26	106	146	147	651	584	234	78	53	24	27	10	9	5	1	-	-	-
Argyll	271	28.0	2	3	5	12	10	66	84	59	15	10	3	2	-	-	2	-	-	-	-
Ayr	2,002	25.7	5	24	74	157	156	655	595	208	65	30	15	11	3	2	-	-	-	-	-
Banff	286	25.3	2	10	10	23	15	105	74	30	8	3	5	-	1	-	-	-	-	-	-
Berwick	117	27.2	-	-	2	7	7	31	42	15	6	3	3	1	-	-	-	-	-	-	-
Bute	69	26.9	-	2	1	3	7	24	16	9	2	3	1	-	-	-	-	-	-	-	-
Caitness	154	25.4	3	-	6	10	10	61	41	16	3	1	1	1	-	1	-	-	-	-	-
Clackmannan	194	25.5	1	3	5	9	16	76	57	15	4	5	1	2	-	-	1	-	-	-	-
Dunbarton	941	26.0	7	19	36	70	65	296	260	114	30	21	8	7	4	3	1	-	-	-	-
Dumfries	636	26.8	1	9	21	31	43	202	172	75	44	24	7	5	-	2	2	-	-	-	-
East Lothian	288	25.8	1	3	12	24	17	102	89	19	8	5	2	1	2	3	-	-	-	-	-
Fife.	1,901	25.6	6	36	65	127	158	661	553	173	62	22	16	11	5	4	2	-	-	-	-
Inverness	435	27.8	1	3	11	15	21	116	144	68	33	13	4	3	1	1	1	-	-	-	-
Kincardine *	166	26.8	2	6	4	12	9	46	48	19	8	9	2	-	-	-	-	-	-	-	-
Kinross	48	27.0	-	-	2	3	2	16	11	9	2	2	1	-	-	-	-	-	-	-	-
Kirkcudbright	160	26.9	1	4	6	7	10	44	54	21	4	3	3	-	1	1	-	1	-	-	-
Lanark	13,774	26.3	68	267	628	928	1,019	4,285	3,764	1,525	639	259	154	104	71	31	18	13	1	-	-
Midlothian	4,840	26.9	21	51	155	261	342	1,528	1,384	566	260	124	73	31	15	15	10	3	1	-	-
Moray	244	26.4	2	4	10	17	12	77	69	29	13	6	3	-	-	1	1	-	-	-	-
Nairn	44	27.1	1	2	1	4	3	11	11	4	3	-	4	-	-	-	1	-	-	-	-
Orkney	145	25.5	1	3	8	13	7	51	38	15	5	1	1	-	-	1	1	-	-	-	-
Peebles	83	27.9	-	-	-	4	6	31	20	7	7	4	2	-	1	1	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of WOMEN at Marriage in Scotland, 1934.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	767	27.8	2	13	17	36	43	211	238	92	52	27	18	8	6	3	1	-	-	-	-
Renfrew	2,012	26.2	6	42	83	137	126	615	611	216	92	37	23	11	4	6	2	1	-	-	-
Ross & Cromarty	262	28.8	2	2	3	13	17	51	77	50	27	13	4	2	-	-	-	1	-	-	-
Roxburgh	246	26.7	-	-	11	12	12	73	82	39	9	2	3	2	-	1	-	-	-	-	-
Selkirk	122	26.9	-	-	2	4	4	41	49	11	8	-	2	1	-	-	-	-	-	-	-
Stirling	1,160	25.7	3	10	42	83	88	398	347	114	41	15	9	6	2	-	-	-	-	-	-
Sutherland	61	27.9	-	1	-	2	4	19	15	12	3	3	2	-	-	-	-	-	-	-	-
West Lothian	596	25.1	-	12	29	32	34	236	169	59	14	8	3	-	-	-	-	-	-	-	-
Wigtown	164	26.7	-	6	5	7	12	56	43	13	9	5	5	2	1	-	-	-	-	-	-
Zetland	108	28.0	-	2	4	2	-	35	33	19	6	5	1	-	-	1	-	-	-	-	-
<i>Large Burghs.</i>																					
Glasgow	10,211	26.6	47	206	458	663	723	3,069	2,791	1,177	520	217	134	83	68	28	15	11	1	-	-
Edinburgh	4,237	27.1	16	40	132	218	298	1,304	1,228	508	241	111	71	27	14	15	10	3	1	-	-
Dundee	1,543	26.5	11	19	79	111	100	480	433	158	57	37	15	23	8	6	5	1	-	-	-
Aberdeen	1,683	26.6	4	40	62	101	111	506	500	189	88	35	21	11	7	4	3	1	-	-	-
Paisley	740	26.4	3	12	21	48	38	242	225	87	34	14	9	3	2	1	-	1	-	-	-
Greenock	552	25.8	3	15	22	46	40	169	163	55	16	10	5	4	1	2	-	-	-	-	-
Motherwell and Wishaw	461	25.5	1	3	29	32	31	148	146	43	18	5	3	1	-	-	1	-	-	-	-
Clydebank	321	25.8	2	3	11	28	26	105	91	27	13	9	3	-	1	1	1	-	-	-	-
Kirkcaldy	370	26.6	1	8	11	25	30	112	114	33	15	6	4	6	1	2	2	-	-	-	-
Coatbridge	296	25.6	1	2	11	23	20	109	88	24	6	5	2	3	-	1	-	1	-	-	-
Kilmarnock	348	25.8	1	7	7	31	19	105	120	36	14	4	2	1	1	-	-	-	-	-	-
Hamilton	330	25.6	3	11	20	24	26	106	84	29	13	8	2	2	1	-	1	-	-	-	-
Ayr	325	25.7	1	6	15	29	27	104	85	29	11	7	6	3	1	1	1	-	-	-	-
Falkirk	313	25.5	1	1	8	28	20	117	91	35	5	2	2	1	-	1	-	-	-	-	-
Dunfermline	327	25.8	1	9	13	17	26	113	99	27	8	4	3	4	2	1	-	-	-	-	-
Perth	359	27.9	2	8	8	18	20	89	126	33	23	13	6	6	4	2	1	-	-	-	-
Airdrie	196	25.1	1	4	8	13	19	79	39	21	8	1	2	1	-	-	-	-	-	-	-
Rutherglen	265	25.6	1	3	10	21	20	92	75	24	10	5	1	2	-	-	-	-	-	-	-
Dumfries	220	26.7	-	5	5	10	17	68	59	28	21	3	3	1	-	1	-	-	-	-	-
Stirling	213	27.1	-	1	11	11	15	59	71	20	12	4	6	2	-	-	-	-	-	-	-
Inverness	272	27.7	1	2	9	11	13	74	87	42	17	10	1	2	1	-	-	-	-	-	-
Dumbarton	121	25.5	2	3	5	8	7	44	31	15	2	1	1	2	2	-	-	-	-	-	-
Port-Glasgow	166	24.7	-	6	14	9	13	60	40	13	7	2	2	-	-	-	-	-	-	-	-
Arbroath	139	27.5	-	-	6	7	14	37	34	25	6	3	3	-	-	-	-	-	-	-	-

* See footnote Table 4.

TABLE 14.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1934.

AGES OF WIVES.														Total Husbands.																																																																																																																																																									
AGES OF HUSBANDS.																																																																																																																																																																							
16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over		16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over	16-17-18-19-20-21-25-30-35-40-45-50-55-60-65-70-75-80-85 and over

Average age—Husbands, 29·3; Wives, 26·4.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their *Husbands* at Marriage:—Thus, of 2,381 *Wives* aged 19, 4 married *Husbands* aged 17, 40 married *Husbands* aged 18, etc.
Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their *Wives* at Marriage:—Thus, of 664 *Husbands* aged 19, 16 married *Wives* aged 16, 73 married *Wives* aged 17, etc.

TABLE 16.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland, 1934.

AGES OF WIDOWS.															Total Bachelors.	AGES OF BACHELORS.										Total Bachelors and Widows.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85 and over.	Not Stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 37.7; Wives, 38.3.

TABLE 17.—AGES in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland, 1934.

AGES OF SPINSTERS.																			Total Widow- ers.	AGES OF WIDOWERS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.		Not stated	Total Widowers and Spinsters.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands 45·6; Wives, 35·6.

TABLE 19.—Ages at Death in 1935, with Death-rate in each Age-group.

Age Groups.	Number of Deaths.				Rate per 1000 of Population.			
	Scot-land.	Large Burghs.	Small Burghs.	Land-ward.	Scot-land.	Large Burghs.	Small Burghs.	Land-ward.
Under 1. — —	6,754	4,287	777	1,690	81·6	91·9	68·2	68·3
1 — —	2,202	1,397	261	544	6·8	7·9	5·8	5·4
5 — —	918	511	130	277	2·2	2·2	2·1	2·1
10 — —	726	397	117	212	1·6	1·6	1·7	1·4
15 — —	2,256	1,315	286	655	2·7	2·8	2·4	2·6
25 — —	2,759	1,652	373	734	3·5	3·6	3·2	3·3
35 — —	3,555	2,183	470	902	5·5	6·0	4·9	4·9
45 — —	5,653	3,452	778	1,423	10·3	11·3	9·2	8·9
55 — —	9,922	5,791	1,531	2,600	21·7	23·5	20·9	18·9
65 — —	14,587	7,912	2,426	4,249	53·8	58·9	50·2	48·1
75 — —	12,572	6,181	2,321	4,070	130·9	144·8	122·8	118·0
85 — —	3,425	1,418	698	1,309	298·3	322·3	296·5	276·9
Not stated —	2	2	—	—	—	—	—	—
ALL AGES —	65,331	36,498	10,168	18,665	13·2	13·4	13·6	12·5

TABLE 20.—Deaths, Male and Female, at each year of Age,

M A L E S .													
AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	3909	3909	-	-	-	-	50 ...	300	60	214	22	1	3
1 ...	612	612	-	-	-	-	51 ...	293	60	209	23	1	-
2 ...	231	231	-	-	-	-	52 ...	343	70	245	28	-	-
3 ...	165	165	-	-	-	-	53 ...	363	80	253	30	-	-
4 ...	167	167	-	-	-	-	54 ...	395	81	274	40	-	-
5 ...	122	122	-	-	-	-	55 ...	410	89	287	32	1	1
6 ...	128	128	-	-	-	-	56 ...	411	78	283	48	2	-
7 ...	90	90	-	-	-	-	57 ...	447	95	310	39	1	2
8 ...	86	86	-	-	-	-	58 ...	513	87	368	56	-	2
9 ...	73	73	-	-	-	-	59 ...	533	96	370	64	2	1
10 ...	81	81	-	-	-	-	60 ...	531	99	355	73	1	3
11 ...	57	57	-	-	-	-	61 ...	561	112	366	81	1	1
12 ...	69	69	-	-	-	-	62 ...	605	104	401	99	1	-
13 ...	80	80	-	-	-	-	63 ...	629	125	394	108	1	1
14 ...	105	105	-	-	-	-	64 ...	648	102	412	134	-	-
15 ...	113	113	-	-	-	-	65 ...	719	127	439	153	-	-
16 ...	72	72	-	-	-	-	66 ...	701	124	420	156	1	-
17 ...	88	87	1	-	-	-	67 ...	777	131	457	189	-	-
18 ...	108	106	2	-	-	-	68 ...	670	116	398	153	3	-
19 ...	108	107	1	-	-	-	69 ...	834	115	491	227	1	-
20 ...	114	113	1	-	-	-	70 ...	778	117	421	239	1	-
21 ...	145	137	7	1	-	-	71 ...	742	110	397	235	-	-
22 ...	119	113	6	-	-	-	72 ...	764	119	350	295	-	-
23 ...	133	118	14	-	-	1	73 ...	754	108	373	272	-	1
24 ...	126	112	13	1	-	-	74 ...	809	107	408	293	1	-
25 ...	117	100	17	-	-	-	75 ...	791	107	338	345	1	-
26 ...	138	101	35	2	-	-	76 ...	744	97	345	301	-	1
27 ...	113	85	27	1	-	-	77 ...	699	83	299	316	1	-
28 ...	145	95	48	2	-	-	78 ...	635	72	269	294	-	-
29 ...	128	78	49	1	-	-	79 ...	621	70	227	324	-	-
30 ...	132	73	57	1	-	1	80 ...	544	56	187	299	1	1
31 ...	141	59	80	1	1	-	81 ...	432	51	157	224	-	-
32 ...	143	79	57	6	-	1	82 ...	424	42	129	253	-	-
33 ...	131	46	81	4	-	-	83 ...	362	37	122	203	-	-
34 ...	168	55	109	4	-	-	84 ...	324	31	99	193	-	1
35 ...	177	60	115	2	-	-	85 ...	292	35	91	166	-	-
36 ...	126	35	90	1	-	-	86 ...	227	19	53	155	-	-
37 ...	152	50	98	4	-	-	87 ...	160	18	34	108	-	-
38 ...	184	51	132	1	-	-	88 ...	123	14	20	89	-	-
39 ...	166	52	105	8	1	-	89 ...	97	7	26	64	-	-
40 ...	200	38	156	5	1	-	90 ...	86	6	22	58	-	-
41 ...	155	41	109	4	1	-	91 ...	58	1	12	45	-	-
42 ...	193	47	139	6	1	-	92 ...	45	6	9	30	-	-
43 ...	213	48	157	5	3	-	93 ...	34	1	9	24	-	-
44 ...	210	45	153	12	-	-	94 ...	26	2	2	22	-	-
45 ...	228	53	151	19	3	2	95 ...	19	1	2	16	-	-
46 ...	254	47	191	15	1	-	96 ...	7	-	-	7	-	-
47 ...	261	60	180	19	2	-	97 ...	3	-	-	3	-	-
48 ...	275	56	206	13	-	-	98 ...	3	-	1	2	-	-
49 ...	276	55	196	24	1	-	99 ...	4	1	-	3	-	-
							100 and over	3	-	-	3	-	-
							Not Stated	2	-	-	2	-	-
							All Males	32,822	11,831	14,131	6,800	37	23

and by Condition as to Marriage, in Scotland, 1935.

FEMALES.

AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	2845	2845	-	-	-	-	50 ...	290	66	187	37	-	-
1 ...	514	514	-	-	-	-	51 ...	300	61	191	47	1	-
2 ...	222	222	-	-	-	-	52 ...	290	59	192	39	-	-
3 ...	151	151	-	-	-	-	53 ...	353	80	208	63	2	-
4 ...	140	140	-	-	-	-	54 ...	319	60	202	56	1	-
5 ...	110	110	-	-	-	-	55 ...	384	92	233	59	-	-
6 ...	94	94	-	-	-	-	56 ...	365	71	221	73	-	-
7 ...	67	67	-	-	-	-	57 ...	447	93	255	98	1	-
8 ...	79	79	-	-	-	-	58 ...	420	79	249	92	-	-
9 ...	69	69	-	-	-	-	59 ...	453	92	246	115	-	-
10 ...	56	56	-	-	-	-	60 ...	468	96	266	106	-	-
11 ...	63	63	-	-	-	-	61 ...	491	79	275	135	2	-
12 ...	62	62	-	-	-	-	62 ...	496	90	268	137	1	-
13 ...	72	72	-	-	-	-	63 ...	508	89	257	162	-	-
14 ...	81	81	-	-	-	-	64 ...	602	123	281	197	-	1
15 ...	97	97	-	-	-	-	65 ...	645	134	278	233	-	-
16 ...	90	88	2	-	-	-	66 ...	559	101	230	228	-	-
17 ...	85	82	3	-	-	-	67 ...	642	124	260	258	-	-
18 ...	96	86	10	-	-	-	68 ...	632	120	228	283	1	-
19 ...	90	78	12	-	-	-	69 ...	678	143	245	290	-	-
20 ...	133	106	27	-	-	-	70 ...	727	141	240	346	-	-
21 ...	136	105	31	-	-	-	71 ...	741	149	247	344	1	-
22 ...	131	95	35	1	-	-	72 ...	790	181	215	394	-	-
23 ...	132	83	49	-	-	-	73 ...	793	151	224	418	-	-
24 ...	140	65	75	-	-	-	74 ...	832	167	206	459	-	-
25 ...	129	66	61	2	-	-	75 ...	884	173	189	520	2	-
26 ...	140	69	71	-	-	-	76 ...	803	159	162	481	1	-
27 ...	153	54	97	1	1	-	77 ...	808	179	139	488	2	-
28 ...	131	53	77	1	-	-	78 ...	777	168	122	486	1	-
29 ...	138	38	99	-	1	-	79 ...	722	158	93	470	1	-
30 ...	141	46	94	1	-	-	80 ...	695	153	88	454	-	-
31 ...	127	50	74	2	1	-	81 ...	607	121	71	415	-	-
32 ...	140	48	90	2	-	-	82 ...	595	124	45	426	-	-
33 ...	137	32	102	3	-	-	83 ...	545	120	52	373	-	-
34 ...	167	43	118	6	-	-	84 ...	560	127	36	397	-	-
35 ...	177	55	117	3	2	-	85 ...	470	105	29	336	-	-
36 ...	164	39	121	4	-	-	86 ...	358	80	16	262	-	-
37 ...	161	42	112	7	-	-	87 ...	309	70	8	231	-	-
38 ...	183	38	138	7	-	-	88 ...	238	57	13	168	-	-
39 ...	159	39	108	11	1	-	89 ...	173	37	5	131	-	-
40 ...	186	53	119	14	-	-	90 ...	180	35	4	141	-	-
41 ...	152	36	103	13	-	-	91 ...	124	22	4	98	-	-
42 ...	193	51	123	16	3	-	92 ...	109	22	2	85	-	-
43 ...	191	48	125	18	-	-	93 ...	72	13	5	54	-	-
44 ...	213	53	147	13	-	-	94 ...	58	10	1	47	-	-
45 ...	186	44	118	23	1	-	95 ...	52	15	1	36	-	-
46 ...	198	60	118	20	-	-	96 ...	37	9	-	28	-	-
47 ...	229	57	148	22	2	-	97 ...	14	3	1	10	-	-
48 ...	265	57	169	39	-	-	98 ...	22	4	-	18	-	-
49 ...	235	51	159	24	1	-	99 ...	11	3	-	8	-	-
							100 and over	11	1	-	10	-	-
							Not stated	-	-	-	-	-	-
							All Females	32,509	11,341	10,042	11085	30	1

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-group, 1935.

INTERNATIONAL NOS.		CAUSES OF DEATH.	Sex.	NUMBERS AGED										DEATH-RATE PER 100,000 AT AGES														
Long List.	Short List.			All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	
1, 2	1	Typhoid fever (incl. Paratyphoid) - - -	M. F.	21 24	- -	2 1	3 2	9 3	2 2	2 7	2 6	1 2	- 1	- -	1 1	- -	- -	1 0	1 1	2 1	1 1	1 2	1 3	1 1	- 2	- -		
7	4	Measles - - -	M. F.	71 70	15 20	7 5	3 2	1 4	2 3	- -	1 1	- 1	- 1	- -	3 3	36 49	25 21	1 1	1 1	- 0	0 0	- 0	- 2	- -	- 13			
8	5	Scarlet Fever - - -	M. F.	85 114	6 -	36 47	6 9	4 11	3 2	4 7	3 3	- 2	1 -	- -	4 4	14 -	22 29	3 4	1 1	1 1	1 2	1 1	1 -	- -	- -			
9	6	Whooping-cough - - -	M. F.	272 295	148 147	119 136	- -	1 1	- -	- 1	- 1	- 1	- -	- -	11 11	351 362	73 85	- 0	- 0	- 0	- 0	- 0	- 0	- -	- -			
10	7	Diphtheria - - -	M. F.	255 258	20 11	109 87	8 34	12 2	3 2	- 4	1 6	1 2	3 1	- -	11 10	47 27	67 55	12 47	2 15	3 0	1 2	0 1	2 1	3 -	- -			
11	8	Influenza - - -	M. F.	674 785	30 24	13 8	7 4	32 28	39 48	62 69	87 68	140 125	124 184	105 168	27 52	28 31	71 59	8 5	3 2	7 12	21 20	34 23	64 52	101 124	276 290			
18	14 (1)	Cerebro-spinal fever - - -	M. F.	72 42	31 16	19 14	5 2	4 3	3 2	2 1	3 2	1 -	1 -	- -	3 2	74 39	12 9	1 1	1 1	1 0	1 1	0 -	1 -	3 -	- -			
3-6, 12-17	14 (2)	Other epidemic diseases (2, 3, 9)* - - -	M. F.	164 117	24 12	9 2	2 3	7 6	15 7	11 7	25 14	25 25	31 23	8 14	5 2	7 5	57 30	6 1	1 1	2 4	4 2	10 5	11 16	25 24	143 25			
23	10	Tuberculosis of respiratory system - - -	M. F.	1508 1304	9 10	16 20	9 14	21 44	322 405	306 200	291 135	194 90	72 43	15 11	- 1	63 51	21 25	13 7	9 19	60 84	104 58	115 45	89 38	58 29	39 19			
24-32	11	Other tuberculous diseases - - -	M. F.	438 396	42 25	96 79	60 44	40 43	75 74	25 23	25 26	20 23	12 12	3 10	- 2	18 15	100 61	59 50	28 17	18 10	8 7	10 9	10 8	8 17	- 25			
19-22, 33-44	14 (3)	Other infectious and parasitic diseases (12, 13) - - -	M. F.	160 121	27 24	7 7	9 5	11 7	19 17	27 17	25 19	14 10	5 7	- -	7 5	64 59	4 4	4 1	4 2	3 1	6 5	11 8	11 7	13 12	- -			
45-53	15	Cancer, malignant disease (c)	M. F.	3627 4166	1 1	6 2	- 3	28 3	60 88	154 254	419 646	1009 1061	1284 1214	588 760	72 118	152 162	2 2	4 1	3 1	7 4	16 21	52 73	165 218	463 444	1043 821	1544 1311	2059 1478	
(a)	(b)		(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)
59	18	Diabetes mellitus - - -	{ M. F.	243 497	- -	- 1	1 2	6 2	10 9	17 10	8 21	20 41	62 141	73 195	43 70	3 5
54-58, 60-77	20	Other general dis., chronic poisonings (16, 17, 19) -	{ M. F.	584 963	23 24	27 17	17 20	31 30	33 54	49 73	62 120	73 172	86 165	126 112	48 11	8 11
82	22	Cerebral hæmorrhage, &c.	{ M. F.	2884 3596	9 3	2 3	2 -	2 4	12 3	8 16	29 58	145 215	569 579	1118 1225	877 268	111 268
78-81, 83-89	23	Oth. dis. of nervous system and sense organs (21) -	{ M. F.	943 737	170 111	67 47	25 25	24 26	78 37	74 55	83 73	110 96	136 115	119 79	47 62	10 11
90-95	24	Heart disease - - -	{ M. F.	6093 6432	2 2	3 4	16 18	28 30	62 85	108 122	209 238	507 445	1177 1067	2070 1976	1613 1920	298 525
96-103	25	Other circulatory diseases	{ M. F.	806 638	2 3	2 2	1 -	- -	4 1	6 3	9 12	59 23	114 63	245 151	295 275	69 105
106	26	Bronchitis - - -	{ M. F.	1613 1466	136 108	23 17	7 1	4 4	14 8	24 16	59 43	126 57	253 175	484 365	395 488	88 184
107-109	27	Pneumonia (all forms) -	{ M. F.	2604 1998	642 493	295 251	31 26	28 17	108 61	163 104	208 131	299 147	327 190	304 280	171 236	28 62
104, 105, 110- 114	28	Other respiratory diseases	{ M. F.	457 453	41 20	19 14	7 9	2 3	8 14	14 17	36 25	40 40	76 44	96 88	84 127	34 52
117	32 (1)	Gastric and duodenal ulcer	{ M. F.	454 172	1 -	- -	- -	1 3	13 1	43 5	82 17	85 21	101 51	96 38	28 27	4 9
119, 120	29	Diarrhoea, &c. (all ages) -	{ M. F.	566 431	352 243	53 55	6 5	- 3	10 7	7 11	10 10	10 18	20 23	20 30	16 21	2 5
121	30	Appendicitis - - -	{ M. F.	289 191	1 -	12 9	27 16	22 11	41 23	37 17	25 17	33 30	52 32	31 25	8 10	- -
124	31 (1)	Cirrhosis of liver - - -	{ M. F.	101 59	- 1	- -	- 1	- -	1 2	5 1	10 2	16 9	32 23	32 14	5 6	- -
125-127	31 (2)	Other diseases of liver, &c.	{ M. F.	98 289	1 -	- 1	- 2	1 1	- 2	3 10	5 29	13 45	24 83	28 58	17 47	6 11
115, 116, 118, 122, 123, 128, 129	32 (2)	Other digestive diseases -	{ M. F.	538 532	65 32	36 34	18 14	12 6	20 17	18 25	30 39	54 61	113 78	104 113	53 91	15 22

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis and lethargic encephalitis.

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-Group, 1935—continued.

INTERNATIONAL Nos.		CAUSES OF DEATH.	Sex.	NUMBERS AGED											DEATH-RATE PER 100,000 AT AGES												
Long List.	Short List.			All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over
130-132	33	Acute and chron. nephritis { M. F.	866 893	5 2	11 8	11 10	38 25	22 34	60 73	116 131	187 196	228 236	153 149	24 25	36 35	12 5	7 5	5 4	9 6	6 8	20 21	46 44	86 82	185 160	402 257	686 313	
133-139	34	Other dis. of genito-urinary { system - - - { M. F.	747 307	15 15	7 7	3 1	3 16	6 17	10 43	29 41	118 55	261 48	240 47	54 13	31 12	36 37	4 4	1 2	0 4	1 4	2 3	11 12	54 23	212 32	630 81	1545 163	
140, 145	35	Puerperal sepsis - - - { F.	227	-	-	-	59	101	66	1	-	-	-	-	9	-	-	-	14	25	19	0	-	-	-	-	
141-144, 146- 150	36	Other puerperal causes - { F.	327	-	-	-	69	165	91	2	-	-	-	-	13	-	-	-	16	40	26	1	-	-	-	-	
151-156	37	Diseases of skin and loco- motor system - - - { M. F.	216 185	31 27	14 13	19 15	14 7	12 9	11 11	22 18	25 16	30 31	16 29	1 1	9 7	74 66	9 8	10 2	8 7	3 2	4 3	9 6	11 7	24 21	42 50	29 63	
157-161	38	Congen. debil., prem. birth, { malformations, &c. - { M. F.	2011 1438	1981 1412	16 17	4 2	3 3	2 1	-	-	-	-	-	-	84 56	4701 3473	10 11	2 1	1 1	1 0	-	-	-	-	-	-	
162	39	Old age - - - - - { M. F.	966 1618	-	-	-	-	-	-	-	-	145 156	530 805	291 653	41 63	-	-	-	-	-	-	-	118 106	1392 1388	8324 8179	-	
163-171	40	Suicide - - - - - { M. F.	330 137	-	-	-	29 10	59 21	48 33	75 33	69 23	37 15	12 2	-	14 5	-	-	0	7	15	16	30	32	30	32	-	
172-198	42	Other violence (41) - - - { M. F.	1461 777	51 44	109 82	96 44	68 15	164 49	173 24	175 50	175 71	123 121	110 174	22 70	61 30	121 108	67 51	45 21	29 7	46 12	59 8	69 17	80 30	100 82	289 300	629 877	
199-200	43	Causes ill-defined or un- known - - - - - { M. F.	665 454	28 15	8 10	3 -	5 1	8 9	23 18	97 44	154 85	235 144	89 101	15 26	28 18	66 37	5 6	1 -	0	2	8	5	38 15	71 97	234 174	429 326	
		ALL CAUSES - - - - - { M. F.	32,822 32,509	3909 2845	1175 1027	499 419	392 334	1126 1403	1776 1779	2988 2665	5288 4634	7548 7039	5576 6996	1187 2238	1376 1266	9276 6997	723 644	236 201	168 145	268 269	352 342	604 512	1179 898	2426 1937	6130 4761	33953 28031	
		BOTH SEXES - - - - - { +	65,331	6754	2202	918	726	2256	2759	5653	9922	14587	12572	3425	1319	8157	683	218	157	268	347	554	1028	2170	5383	13086	29834

† Including 2 of unstated age.

TABLE 22.—Deaths and Death-rates from Selected Causes in Scotland, 1935.

INTERNATIONAL NOS.		CAUSES OF DEATH.				NUMBERS.				DEATH-RATE PER 100,000 OF POPULATION.			
Long List.	Short List.					Scotland.	Large Burghs.	Small Burghs.	Landward.	Scotland.	Large Burghs.	Small Burghs.	Landward.
1, 2	1	Typhoid fever (including Paratyphoid)	-	-	-	45	27	4	14	1	1	1	1
7	4	Measles -	-	-	-	141	76	14	51	3	3	2	3
8	5	Scarlet fever -	-	-	-	199	82	37	80	4	3	5	5
9	6	Whooping-cough -	-	-	-	567	435	35	97	11	16	5	7
10	7	Diphtheria -	-	-	-	513	256	110	147	10	9	15	10
11	8	Influenza -	-	-	-	1,459	736	217	506	29	27	29	34
18	14 (1)	Cerebro-spinal fever -	-	-	-	114	68	16	30	2	3	2	2
3-6, 12-17	14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	281	171	42	68	6	6	6	5
23	10	Tuberculosis of respiratory system -	-	-	-	1,891	1,891	320	601	57	70	43	40
24-32	11	Other tuberculous diseases -	-	-	-	834	493	101	240	17	18	13	16
19-22, 33-44	14 (3)	Other infectious and parasitic diseases (12, 13)	-	-	-	281	173	37	71	6	6	5	5
45-53	15	Cancer, malignant disease -	-	-	-	7,793	4,288	1,268	2,237	157	158	169	150
59	18	Diabetes mellitus -	-	-	-	740	376	139	225	15	14	19	15
54-58, 60-77	20	Other general dis., chronic poisonings (16, 17, 19)	-	-	-	1,547	832	262	453	31	31	35	30
82	22	Cerebral hæmorrhage, &c. -	-	-	-	6,480	3,433	1,137	1,910	131	126	152	128
78-81, 83-89	23	Oth. dis. of nerv. system and sense org. (21)	-	-	-	1,680	934	258	488	34	34	34	33
90-95	24	Heart disease -	-	-	-	12,525	6,686	2,106	3,733	253	246	281	251
96-103	25	Other circulatory diseases -	-	-	-	1,444	765	246	433	29	28	33	29
106	26	Bronchitis -	-	-	-	3,079	1,889	414	776	62	70	55	52
107-109	27	Pneumonia (all forms) -	-	-	-	4,602	3,132	491	979	93	115	66	66
104, 105, 110-114	28	Other respiratory diseases -	-	-	-	910	499	143	268	18	18	19	18
117	32 (1)	Gastric and duodenal ulcer -	-	-	-	626	340	98	188	13	13	13	13
119, 120	29	Diarrhoea, &c. (all ages) -	-	-	-	937	647	100	190	19	24	13	13
121	30	Appendicitis -	-	-	-	480	261	82	137	10	10	11	9
124	31 (1)	Cirrhosis of liver -	-	-	-	160	103	23	34	3	4	3	2
125-127	31 (2)	Other diseases of liver, &c. -	-	-	-	387	201	76	110	8	7	10	7
115, 116, 118, 122,	32 (2)	Other digestive diseases -	-	-	-	1,070	570	173	927	22	21	23	22
123, 128, 129	33	Acute and chronic nephritis -	-	-	-	1,759	897	343	519	36	33	46	35
130-132	34	Other dis. of genito-urinary system -	-	-	-	1,054	559	174	321	21	21	23	22
133-139	35	Puerperal sepsis -	-	-	-	227	129	32	66	5	5	4	4
140, 145	36	Other puerperal causes -	-	-	-	327	198	54	75	7	7	7	5
141-144, 146-150	37	Diseases of skin and locomotor system -	-	-	-	401	219	63	119	8	8	8	8
151-156	38	Congen. debil., prem. birth, malform., &c. -	-	-	-	3,449	1,995	464	990	70	73	62	67
157-161	39	Old age -	-	-	-	2,584	1,075	501	1,008	52	40	67	68
162	40	Suicide -	-	-	-	467	312	70	85	9	11	9	6
163-171	42	Other violence (41) -	-	-	-	2,238	1,144	351	743	45	42	47	50
172-198	43	Causes ill-defined or unknown -	-	-	-	1,119	606	167	346	23	22	22	23
199, 200		ALL CAUSES -	-	-	-	65,331	36,498	10,168	18,665	1,319	1,344	1,358	1,254

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis and lethargic encephalitis.

TABLE 23.—Deaths from Selected Causes and in Age Groups in Scotland, 1925–1935.

International Nos. Short List.	CAUSES OF DEATH.	1935.	1934.	1933.	1932.	1931.	1930.	1929.	1928.	1927.	1926.	1925.
1	Typhoid fever (including Paratyphoid)	45	22	30	32	31	45	33	43	54	50	58
4	Measles	141	1,014	86	892	641	792	149	1,005	660	928	512
5	Scarlet Fever	199	345	310	250	161	127	109	140	200	343	404
6	Whooping-cough	567	333	762	459	957	628	901	1,072	850	506	1,737
7	Diphtheria	513	583	356	363	356	460	471	488	485	490	505
8	Influenza	1,459	602	2,027	1,724	1,270	696	3,435	961	2,026	1,421	1,246
14 (1)	Cerebro-spinal fever	114	153	219	229	290	229	282	156	145	120	100
14 (2)	Other epidemic dis. (2, 3, 9)*	231	314	332	281	304	353	332	322	280	353	336
10	Tuberculosis of respiratory system	2,812	2,794	2,930	2,991	3,004	3,024	3,288	3,318	3,466	3,384	3,734
11	Other tuberculous diseases	834	908	980	1,132	1,201	1,262	1,292	1,404	1,402	1,477	1,656
14 (3)	Other infectious and parasitic diseases (12, 13)	281	279	279	284	261	271	304	317	284	314	274
15	Cancer, malignant disease	7,793	7,561	7,520	7,458	7,158	7,120	7,108	6,901	6,919	6,640	6,675
18	Diabetes mellitus	740	762	711	668	660	604	616	523	519	518	457
20	Other general dis., chronic poisonings (16, 17, 19)	1,547	1,506	1,486	1,540	1,415	1,340	1,497	1,505	1,612	1,701	1,559
22	Cerebral hæmorrhage, &c.	6,480	6,620	7,225	7,210	6,804	6,542	6,693	6,350	6,126	5,998	6,009
23	Other dis. of nervous syst. and sense organs (21)†	1,680	1,711	1,758	1,813	1,943	2,032	2,138	2,190	2,198	2,274	2,404
24	Heart disease	12,525	11,428	10,489	9,622	9,535	8,936	9,072	8,461	7,904	7,410	7,375
25	Other circulatory diseases	1,444	1,390	1,398	1,484	1,231	1,346	1,406	1,332	1,237	1,188	1,161
23	Bronchitis	3,079	2,735	3,291	3,419	3,673	3,777	4,731	3,491	3,914	3,586	4,027
27	Pneumonia (all forms)	4,602	4,533	4,600	5,430	4,958	5,682	7,143	5,731	5,896	5,262	5,393
28	Other respiratory diseases	910	855	872	967	873	1,021	1,074	1,001	946	990	957
32 (1)	Gastric and duodenal ulcer	626	607	573	608	579	662	647	604	597	599	451
29	Diarrhœa, &c. (all ages)	937	387	1,117	1,168	919	897	1,019	1,046	1,001	1,094	1,185
30	Appendicitis	480	451	437	509	482	476	499	423	478	483	479
31 (1)	Cirrhosis of liver	160	150	131	160	148	172	171	152	147	177	174
31 (2)	Other diseases of liver, &c.	337	411	373	382	381	403	346	379	352	399	335
32 (2)	Other digestive diseases	1,070	1,027	1,140	992	1,027	1,048	1,131	1,129	1,148	1,159	1,137
33	Acute and chronic nephritis	1,759	1,922	1,749	1,804	1,797	1,954	2,023	1,914	1,870	1,834	1,833
34	Other diseases of genito-urinary system	1,054	926	880	882	873	857	849	935	805	826	804
35	Puerperal sepsis	227	233	212	243	208	221	221	234	184	173	171
36	Other puerperal causes†	327	313	300	333	337	436	417	442	433	483	471
37	Diseases of skin and locomotor system	401	422	411	413	465	461	392	378	357	348	373
38	Congenital debility, prem. birth, malformations, &c.	3,449	3,367	3,412	3,460	3,509	3,519	3,671	3,619	3,736	3,951	3,970
39	Old age	2,584	2,681	2,708	2,934	2,924	2,849	3,441	3,310	3,528	3,521	3,576
40	Suicide	467	532	523	500	493	495	474	474	503	424	372
42	Other violence (41)	2,238	2,291	2,313	2,311	2,237	2,565	2,520	2,440	2,454	2,233	2,445
43	Causes ill-defined or unknown	1,119	1,018	958	1,095	1,124	983	1,022	1,051	1,109	1,123	1,152
	ALL CAUSES	65,331	63,741	64,848	66,045	64,229	64,285	70,917	65,271	65,830	63,780	65,507
	AGES AT DEATH.											
	Under 1	6,754	6,901	7,019	7,840	7,544	7,852	8,061	8,299	8,576	8,514	9,430
	1-4	2,202	2,961	2,633	3,386	3,306	3,426	4,140	4,247	4,103	4,228	4,319
	5-9	918	1,137	995	1,108	1,107	1,195	1,160	1,240	1,212	1,143	1,182
	10-14	726	747	745	719	657	737	736	728	805	818	871
	15-24	2,256	2,295	2,439	2,501	2,534	2,489	2,783	2,675	2,582	2,681	2,818
	25-34	2,759	2,904	2,960	2,950	2,798	2,831	3,170	3,026	2,950	3,005	2,953
	35-44	3,555	3,439	3,599	3,715	3,459	3,765	4,201	3,739	3,950	3,739	3,836
	45-54	5,653	5,593	5,789	5,714	5,631	5,784	6,524	5,804	6,089	5,901	5,774
	55-64	9,922	9,714	9,794	9,600	9,417	9,408	10,209	9,135	9,250	8,942	9,089
	65-74	14,587	13,570	14,035	13,814	13,521	13,275	14,609	13,001	12,849	12,099	12,111
	75-84	12,572	11,427	11,676	11,539	11,048	10,464	11,839	10,313	10,264	9,646	9,586
	85 and over	3,425	3,053	3,158	3,159	3,167	3,054	3,485	3,063	3,199	3,064	3,036
	Not stated	2	..	1	5	..	1	1	..	2
	ALL AGES	65,331	63,741	64,848	66,045	64,229	64,285	70,917	65,271	65,830	63,780	65,507

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.
† Cerebral softening is included with cerebral hæmorrhage from 1931 onwards.
‡ Post abortive sepsis is included with puerperal sepsis from 1931 onwards.

TABLE 24.—Death-rates from Selected Causes and in Age Groups in Scotland, 1925–1935.

Internal Nos. Short List		1935.	1934.	1933.	1932.	1931.	1930.	1929.	1928.	1927.	1926.	1925.
CAUSES OF DEATH.		DEATH-RATE PER 100,000 OF POPULATION.										
1	Typhoid fever (including paratyphoid)	1	0	1	1	1	1	1	1	1	1	1
4	Measles	3	21	1	18	13	16	3	21	14	19	11
5	Scarlet fever	4	7	6	5	8	3	2	3	4	7	8
6	Whooping cough	11	8	16	9	20	13	19	22	18	16	36
7	Diphtheria	10	12	7	8	7	10	10	10	10	10	10
8	Influenza	29	12	41	35	26	14	71	20	42	29	26
14 (1)	Cerebro-spinal fever	2	3	4	5	6	5	6	3	3	2	2
14 (2)	Other epidemic dis. (2, 3, 9)*	6	6	7	6	6	7	7	7	6	7	7
10	Tuberculosis of respiratory system	57	57	60	61	62	63	68	68	71	70	77
11	Other tuberculous diseases	17	18	20	23	25	26	27	29	29	30	34
14 (3)	Other infectious and parasitic diseases (12, 13)	6	6	6	6	5	6	6	7	6	6	6
15	Cancer, malignant disease	157	153	153	153	148	147	147	142	143	137	137
18	Diabetes mellitus	15	15	14	14	14	13	13	11	11	11	9
20	Other general dis., chronic poisonings (16, 17, 19)	31	31	30	32	29	28	31	31	33	35	32
22	Cerebral hæmorrhage, &c.	131	134	147	148	141	135	139	131	126	123	123
23	Other dis. of nerv. syst. and sense organs (21) †	34	35	36	37	40	42	44	45	45	47	49
24	Heart disease	253	232	214	197	197	185	188	175	163	152	152
25	Other circulatory diseases	29	28	28	30	25	28	29	27	25	24	24
26	Bronchitis	62	55	67	70	76	78	98	72	81	74	83
27	Pneumonia (all forms)	93	92	94	111	102	113	148	118	121	108	111
28	Other respiratory diseases	18	17	18	20	18	21	22	21	19	20	20
32 (1)	Gastric and duodenal ulcer	13	12	12	12	12	14	13	12	12	12	9
29	Diarrhœa, &c. (all ages)	19	18	23	24	19	19	21	22	21	22	24
30	Appendicitis	10	9	9	10	10	10	10	9	10	10	10
31 (1)	Cirrhosis of liver	3	3	3	3	3	4	4	3	3	4	4
31 (2)	Other diseases of liver, &c.	8	8	8	8	8	8	7	8	7	8	7
32 (2)	Other digestive diseases	22	21	23	20	21	22	23	23	24	24	23
33	Acute and chronic nephritis	36	39	36	37	37	40	42	39	39	38	38
34	Other diseases of genito-urinary system	21	19	18	18	18	18	18	19	17	17	17
35	Puerperal sepsis	5	5	4	5	4	5	5	5	4	4	4
36	Other puerperal causes ‡	7	6	6	7	7	9	9	9	9	10	10
37	Diseases of skin and locomotor system	8	9	8	8	10	10	8	8	7	7	8
38	Congen. debil., prem. birth, malform., &c.	70	68	69	71	72	73	76	75	77	81	82
39	Old age	52	54	55	60	60	59	71	68	73	72	73
40	Suicide	9	11	11	10	10	10	10	10	10	9	8
42	Other violence (41)	45	46	47	47	46	53	52	50	51	46	50
43	Causes ill-defined or unknown	23	21	20	22	23	20	21	22	23	23	24
ALL CAUSES		1,319	1,292	1,320	1,353	1,326	1,331	1,468	1,346	1,356	1,311	1,346
AGES AT DEATH.		DEATH-RATE PER 1000 OF AGE-GROUP POPULATION.										
Under 1		81·6	83·4	84·0	90·2	86·5	90·3	91·1	92·1	89·6	87·7	94·8
1–4		6·8	9·0	8·0	10·1	10·0	10·1	11·9	11·6	10·9	10·8	12·0
5–9		2·2	2·7	2·3	2·5	2·5	2·6	2·4	2·6	2·7	2·6	2·8
10–14		1·6	1·6	1·6	1·6	1·6	1·8	1·9	1·7	1·8	1·8	1·9
15–24		2·7	2·3	2·9	2·9	3·0	2·9	3·2	3·0	2·9	3·0	3·1
25–34		3·5	3·7	3·8	3·9	3·6	3·7	4·2	4·0	4·0	4·1	4·1
35–44		5·5	5·5	5·8	6·0	5·7	6·2	6·9	6·1	6·5	6·1	6·3
45–54		10·3	10·2	10·5	10·4	10·3	10·5	11·7	10·4	10·9	10·6	10·4
55–64		21·7	21·5	22·0	21·9	21·3	21·8	23·8	21·8	22·6	22·4	23·3
65–74		53·8	50·8	53·4	53·3	55·2	54·5	60·9	55·2	55·7	53·2	54·9
75–84		130·9	121·3	126·8	123·8	137·9	135·2	150·0	130·1	131·9	126·9	128·9
85 and over		298·3	265·4	274·0	273·8	301·4	289·6	328·6	289·0	302·2	284·2	292·9
Not stated
ALL AGES		13·2	12·9	13·2	13·5	13·3	13·3	14·5	13·3	13·5	13·0	13·4

*, †, ‡. See footnotes, Table 23.

TABLE 25.—DEATHS in SCOTLAND from PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1935. Quinquennial averages.

YEAR.	NUMBER OF DEATHS FROM														
	Typhoid Fever.*	Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Tuberculosis.		Syphilis.	Cancer.	Bronchitis.†	Pneumonia.†	All Diarrhoeal Diseases.†	Violence.
								All Forms.	Respiratory.						
1855-60	2573		995	1223	2766	2035	1226	10,140	7194	87	953	3538	2104	2976	2034
1861-65	3633		992	1377	2423	2193	2549	11,171	7914	134	1207	5768	2071	2604	2216
1866-70	1346	1799	99	1206	3427	2064	1587	11,983	8472	180	1348	7095	2284	3212	2273
1871-75	1406	779	1268	1311	3591	2015	2090	12,262	8535	201	1569	8680	3072	3202	2756
1876-80	1341	276	20	1166	1873	2347	1733	12,213	8338	218	1792	8762	3135	3061	2686
1881-85	1029	162	17	1359	1340	2273	1680	11,099	7998	246	2058	7916	4075	2766	2725
1886-90	765	91	10	1628	882	2425	1623	10,192	7436	229	2441	7509	4270	2734	2628
1891-95	761	57	51	2110	811	2151	1513	9,935	7169	194	2831	7600	5229	3215	2842
1896-1900	716	39	14	1857	756	2206	921	10,149	7151	213	3351	6238	5656	3825	3128
1901-05	521	25	118	1470	403	2222	770	9,790	6618	206	3845	5570	6578	3166	3084
1906-10	322	14	2	1647	399	1841	839	9,464	6079	229	4663	5017	6717	2697	2941
1911-15	207	8	5	1583	649	1951	857	8,011	5214	208	5207	5046	6132	2502	3105
1916-20	109	10	31	1264	287	1330	734	7,073	4781	196	5574	4999	8545	1820	3014
1921	87	4	24	269	270	1478	611	5,737	3970	199	5962	4135	5393	1991	2702
1922	65	7	—	2695	247	1408	536	5,818	4061	162	6133	5730	8265	1244	2444
1923	67	1	—	1118	352	989	492	5,790	3996	168	6376	3635	4840	1159	2469
1924	34	—	—	1592	410	1625	442	5,653	3887	151	6498	4843	7691	1147	2599
1925	52	4	—	512	404	1737	505	5,390	3734	114	6675	4191	5821	1168	2817
1921-25	61	3	5	1237	337	1447	517	5,678	3930	159	6329	4507	6402	1342	2606
1926	39	3	—	928	343	506	490	4,861	3384	147	6610	3771	5844	1084	2657
1927	41	2	—	660	200	850	485	4,868	3466	104	6919	4231	6642	976	2957
1928	29	—	—	1005	140	1072	488	4,722	3318	126	6901	3585	6098	1016	2914
1929	18	—	—	149	109	901	471	4,580	3288	125	7108	5344	8778	959	2994
1930	24	1	2	792	127	628	460	4,286	3024	119	7120	3869	5958	854	3060
1926-30	30	1	0	707	184	791	479	4,663	3296	124	6938	4160	6664	978	2916
1931	31	1	—	641	161	957	356	4,205	3004	112	7158	3879	5417	885	2730
1932	32	—	—	892	250	459	368	4,123	2991	115	7458	3645	6163	1129	2811
1933	30	—	—	36	310	762	356	3,910	2930	79	7520	3629	5435	1067	2836
1934	22	1	—	1014	345	383	583	3,702	2794	103	7561	2804	4749	847	2823
1935	45	—	—	141	199	567	513	3,646	2812	102	7793	3239	5222	875	2705

* Including Paratyphoid fever from 1931.

† Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given.

Including Dysentery.

TABLE 26.—DEATH-RATE per 100,000 of Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1935. Quinquennial averages.

YEAR.	Typhoid Fever.*		Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Tuber- culosis.		Syphilis.	Cancer.	Bronchitis, †	Pneumonia, †	All Diarrhoeal Diseases, †	Violence.
	All Forms.	Respiratory.														
1855-60	92			36	44	98	72	43	360	255	3	34	125	75	106	72
1861-65	122			33	46	81	73	85	375	266	4	40	194	70	88	74
1866-70	43	57		3	38	109	66	51	382	270	6	43	226	73	102	72
1871-75	42	23		38	39	106	60	62	365	254	6	47	258	91	95	82
1876-80	38	8		0	33	52	66	49	343	234	6	50	246	88	86	76
1881-85	27	4		0	36	36	61	45	296	213	6	55	211	109	74	73
1886-90	20	2		0	41	23	62	41	261	190	6	62	192	109	70	67
1891-95	19	1		1	51	20	53	37	243	175	5	69	186	128	79	70
1896-1900 }	17	1		0	43	18	51	22	235	166	5	78	145	131	89	73
1901-05	11	0		3	32	9	49	17	218	148	5	86	124	146	71	69
1906-10	7	0		0	35	9	40	18	204	131	5	100	108	144	58	63
1911-15	5	0		0	33	13	41	18	169	110	5	110	106	129	53	65
1916-20	2	0		1	26	6	28	15	147	99	4	116	104	177	38	63
1921	2	0		0	6	6	30	13	118	81	4	122	85	110	41	55
1922	1	0		-	55	5	29	11	119	83	3	125	117	169	25	50
1923	1	0		-	23	7	20	10	118	82	3	130	74	99	24	51
1924	1	-		-	33	8	33	9	116	80	3	134	100	158	24	53
1925	1	0		-	11	8	36	10	111	77	2	137	86	120	24	58
1921-25	1	0		0	26	7	30	11	117	81	3	130	92	131	28	53
1926	1	0		-	19	7	10	10	100	70	3	137	78	120	22	55
1927	1	0		-	14	4	18	10	100	71	2	143	87	137	20	61
1928	1	-		-	21	3	22	10	97	68	3	142	74	126	21	60
1929	0	-		-	3	2	19	10	95	68	3	147	111	182	20	62
1930	0	0		0	16	3	13	10	89	63	2	147	80	123	18	63
1926-30	1	0		-	15	4	16	10	96	68	3	143	86	137	20	60
1931	1	0		-	13	3	20	7	87	62	2	148	80	112	18	56
1932	1	-		-	18	5	9	8	84	61	2	153	75	126	23	58
1933	1	-		-	1	6	16	7	80	60	2	153	74	111	22	58
1934	0	0		-	21	7	8	12	75	57	2	153	57	96	17	57
1935	1	-		-	3	4	11	10	74	57	2	157	65	105	18	55

*, †, ‡. See footnotes, Table 25.

TABLE 27.—Deaths and Death-rates from Puerperal Conditions in Scotland in 1935.

	Births.	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Births.		
					All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions.
SCOTLAND . . .	87,928	554	227	327	6·3	2·6	3·7
LARGE BURGHES . . .	49,884	327	129	198	6·6	2·6	4·0
SMALL BURGHES . . .	11,979	86	32	54	7·2	2·7	4·5
LANDWARD . . .	26,065	141	66	75	5·4	2·5	2·9
ABERDEEN COUNTY * . . .	5,925	32	21	11	5·4	3·5	1·9
Aberdeen Burgh . . .	3,157	12	7	5	3·8	2·2	1·6
Remainder of County . . .	2,768	20	14	6	7·2	5·1	2·2
ANGUS COUNTY . . .	4,547	27	6	21	5·9	1·3	4·6
Arbroath Burgh . . .	268	2	1	1	7·5	3·7	3·7
Dundee Burgh . . .	3,195	18	4	14	5·6	1·3	4·4
Remainder of County . . .	1,084	7	1	6	6·5	0·9	5·5
ARGYLL COUNTY . . .	861	7	3	4	8·1	3·5	4·6
AYR COUNTY . . .	5,212	27	5	22	5·2	1·0	4·2
Ayr Burgh . . .	675	5	—	5	7·4	—	7·4
Kilmarnock Burgh . . .	748	3	1	2	4·0	1·3	2·7
Remainder of County . . .	3,789	19	4	15	5·0	1·1	4·0
BANFF COUNTY . . .	1,038	5	3	2	4·8	2·9	1·9
BERWICK COUNTY . . .	320	1	1	—	3·1	3·1	—
BUTE COUNTY . . .	207	1	—	1	4·8	—	4·8
CAITHNESS COUNTY . . .	485	2	—	2	4·1	—	4·1
CLACKMANNAN COUNTY . . .	523	2	2	—	3·8	3·8	—
DUNBARTON COUNTY . . .	2,641	16	7	9	6·1	2·7	3·4
Clydebank Burgh . . .	906	6	3	3	6·6	3·3	3·3
Dumbarton Burgh . . .	395	2	—	2	5·1	—	5·1
Remainder of County . . .	1,340	8	4	4	6·0	3·0	3·0
DUMFRIES COUNTY . . .	1,357	9	1	8	6·6	0·7	5·9
Dumfries Burgh . . .	412	2	—	2	4·9	—	4·9
Remainder of County . . .	945	7	1	6	7·4	1·1	6·3
EAST LOTHIAN COUNTY . . .	817	5	1	4	6·1	1·2	4·9
FIFE COUNTY . . .	4,780	28	15	13	5·9	3·1	2·7
Dunfermline Burgh . . .	569	1	1	—	1·8	1·8	—
Kirkcaldy Burgh . . .	704	1	1	—	1·4	1·4	—
Remainder of County . . .	3,507	26	13	13	7·4	3·7	3·7
INVERNESS COUNTY . . .	1,269	9	—	9	7·1	—	7·1
Inverness Burgh . . .	377	3	—	3	8·0	—	8·0
Remainder of County . . .	892	6	—	6	6·7	—	6·7
KINCARDINE COUNTY * . . .	446	1	1	—	2·2	2·2	—

* See footnote Table 4.

TABLE 27—continued.

	Births.	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Births.		
					All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions.
KINROSS COUNTY . .	126	—	—	—	—	—	—
KIRKCUDBRIGHT COUNTY	583	—	—	—	—	—	—
LANARK COUNTY . .	32,100	212	102	110	6·6	3·2	3·4
Airdrie Burgh . .	570	5	—	5	8·8	—	8·8
Coatbridge Burgh . .	919	9	2	7	9·8	2·2	7·6
Glasgow Burgh . .	22,106	155	75	80	7·0	3·4	3·6
Hamilton Burgh . .	854	5	3	2	5·9	3·5	2·3
Motherwell and Wishaw Burgh . .	1,299	9	5	4	6·9	3·8	3·1
Rutherglen Burgh . .	371	3	1	2	8·1	2·7	5·4
Remainder of County .	5,981	26	16	10	4·3	2·7	1·7
MIDLOTHIAN COUNTY .	8,548	51	21	30	6·0	2·5	3·5
Edinburgh Burgh . .	7,037	37	11	26	5·3	1·6	3·7
Remainder of County .	1,511	14	10	4	9·3	6·6	2·6
MORAY COUNTY . .	709	8	—	8	11·3	—	11·3
NAIRN COUNTY . .	138	1	—	1	7·2	—	7·2
ORKNEY COUNTY . .	303	1	1	—	3·3	3·3	—
PEEBLES COUNTY . .	184	—	—	—	—	—	—
PERTH COUNTY . .	1,763	13	3	10	7·4	1·7	5·7
Perth Burgh . .	542	6	—	6	11·1	—	11·1
Remainder of County .	1,221	7	3	4	5·7	2·5	3·3
RENFREW COUNTY . .	5,493	41	14	27	7·5	2·5	4·9
Greenock Burgh . .	1,693	11	3	8	6·5	1·8	4·7
Paisley Burgh . .	1,582	14	7	7	8·8	4·4	4·4
Port-Glasgow Burgh .	447	7	1	6	15·7	2·2	13·4
Remainder of County .	1,771	9	3	6	5·1	1·7	3·4
ROSS & CROMARTY COUNTY	866	6	—	6	6·9	—	6·9
ROXBURGH COUNTY .	651	3	—	3	4·6	—	4·6
SELKIRK COUNTY . .	265	1	—	1	3·8	—	3·8
STIRLING COUNTY . .	3,087	28	13	15	9·1	4·2	4·9
Falkirk Burgh . .	616	7	2	5	11·4	3·2	8·1
Stirling Burgh . .	442	4	1	3	9·0	2·3	6·8
Remainder of County .	2,029	17	10	7	8·4	4·9	3·4
SUTHERLAND COUNTY .	247	—	—	—	—	—	—
WEST LOTHIAN COUNTY .	1,575	10	5	5	6·3	3·2	3·2
WIGTOWN COUNTY . .	618	3	—	3	4·9	—	4·9
ZETLAND COUNTY . .	244	4	2	2	16·4	8·2	8·2

TABLE 28.—Deaths from Malignant Disease in Scotland in 1935.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
			MALES.														
45	All Sites	3627	7	6	28	60	55	99	146	273	411	598	702	582	397	191	72
	Lip	37	-	-	1	-	-	-	-	3	3	3	7	6	5	5	4
	Mouth	73	-	-	-	-	-	-	1	2	11	12	16	14	9	6	2
	Tongue	122	-	-	-	-	-	-	2	4	17	21	32	24	8	9	5
	Jaw	50	1	-	1	1	1	1	-	3	10	7	7	7	5	3	3
	Salivary Glands, Parotid	5	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-
	Tonsils	11	-	-	-	1	1	-	-	-	-	3	4	1	-	-	1
	Pharynx	37	-	-	-	-	-	-	2	3	7	10	7	5	2	1	-
Buccal Cavity, &c.—TOTAL		335	1	-	2	2	3	1	5	16	48	56	74	59	29	24	15
46	Esophagus, Gullet	180	-	-	-	2	1	2	4	14	17	52	36	24	19	6	3
	Stomach, Pylorus	877	-	-	2	10	17	24	37	65	114	150	180	136	90	44	8
	Intestine	599	-	-	3	10	8	14	19	43	58	98	108	108	81	36	13
	Rectum	290	-	-	2	6	7	6	10	24	30	47	59	52	30	13	4
	Anus	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Liver, Gall Bladder	184	-	-	1	3	-	3	4	13	18	28	43	34	24	10	3
	Pancreas	141	-	-	-	1	1	2	7	9	23	26	31	21	14	3	3
	Peritoneum, Omentum, Mesentery	16	-	1	1	1	-	3	-	-	2	3	2	2	1	-	-
Digestive Organs, &c.— TOTAL		2288	-	1	9	34	34	54	81	168	262	404	459	377	259	112	34
47	Larynx	61	-	-	-	-	1	2	5	2	4	14	7	13	7	5	1
	Lung	242	-	-	4	7	9	18	29	39	36	35	33	17	10	4	1
	Pleura	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Mediastinum	45	-	-	-	2	-	4	1	3	6	7	7	7	7	1	-
Respiratory Organs—TOTAL		351	-	-	4	9	10	24	36	45	47	56	47	37	24	10	2
50	Breast	12	-	-	-	-	-	-	2	1	1	-	1	2	3	1	1
51	Kidney	53	4	-	-	1	1	2	6	8	7	13	7	4	-	-	-
	Bladder, Urothra	84	-	1	-	1	2	6	1	7	9	10	23	15	3	4	2
	Prostate	202	-	-	-	-	-	-	2	4	12	23	53	47	37	18	6
	Testis	8	-	-	-	-	-	4	1	1	-	-	-	-	1	1	-
	Penis	16	-	-	-	1	-	-	-	1	-	1	4	2	5	2	-
	Scrotum	6	-	-	-	1	-	-	-	-	-	-	1	2	1	1	-
Male Genito-Urinary Organs—TOTAL		369	4	1	-	4	3	12	10	21	28	47	88	70	47	26	8
52	Ear	9	-	-	-	-	-	-	-	1	1	-	3	-	1	2	1
	Nose	14	1	-	1	1	-	-	-	-	1	1	2	1	2	4	-
	Scalp and Face	35	-	-	1	-	-	-	1	1	3	5	2	6	6	5	5
	Skin	8	1	-	-	-	-	1	1	-	-	1	-	2	1	-	1
Skin—TOTAL		66	2	-	2	1	-	1	2	2	5	7	7	9	10	11	7
53	Pelvis, Sacrum	10	-	1	-	1	-	-	1	1	-	2	2	-	2	-	-
	Rib and Sternum	5	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2
	Skull and Spinal Column	17	-	-	2	-	-	-	2	3	1	3	2	1	3	-	-
	Arm and Leg	45	-	2	6	6	1	-	1	9	5	2	3	5	3	2	-
	Thyroid	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Throat	21	-	-	-	-	-	1	-	2	2	2	5	4	3	1	1
	Heart	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Thorax	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	Suprarenals	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Spleen	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Abdomen	26	-	-	-	-	-	1	2	2	3	3	5	6	4	-	-
	Brain	7	-	-	1	2	1	-	1	1	-	1	-	-	-	-	-
	Eye and Orbit	8	-	-	-	-	1	-	1	-	2	-	-	2	1	-	1
	Spinal Cord	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lymphatic Glands	53	-	1	1	1	2	2	2	-	4	13	5	8	9	4	1
	Others	5	-	-	1	-	-	1	-	-	-	1	1	1	-	-	-
	Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other or Unspecified Organs—TOTAL		206	-	4	11	10	5	7	10	20	20	28	26	28	25	7	5

TABLE 28—continued.

International List No.	LOCATION.	All Ages.	FEMALES.														85 and over
			0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	
	All Sites	4166	3	6	16	88	91	163	254	392	518	543	617	597	507	253	118
45	Lip	5	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1
	Mouth	22	-	-	-	-	-	-	-	2	2	3	4	3	6	1	1
	Tongue	13	-	-	-	-	-	-	-	-	2	2	3	2	4	-	-
	Jaw	17	-	-	2	-	-	-	-	1	1	2	4	3	3	-	1
	Salivary Glands, Parotid	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-
	Tonsils	3	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-
	Pharynx	15	-	-	1	-	-	1	2	3	4	-	3	-	1	-	-
	<i>Buccal Cavity, &c.—TOTAL</i>	<i>79</i>	<i>-</i>	<i>-</i>	<i>4</i>	<i>-</i>	<i>-</i>	<i>1</i>	<i>2</i>	<i>6</i>	<i>9</i>	<i>8</i>	<i>17</i>	<i>10</i>	<i>17</i>	<i>2</i>	<i>3</i>
46	Esophagus, Gullet	103	-	-	-	1	2	2	6	13	12	14	14	17	14	6	2
	Stomach, Pylorus	841	-	-	-	12	10	20	28	53	96	107	147	156	122	61	29
	Intestine	736	1	-	-	13	10	15	27	54	69	102	96	130	124	63	32
	Rectum	182	-	-	3	6	4	5	8	10	28	29	23	28	21	11	6
	Anus	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Liver, Gall Bladder	240	-	1	-	3	1	3	8	16	30	30	44	39	36	21	8
	Pancreas	99	-	-	-	1	-	6	7	7	10	13	20	15	12	6	2
	Peritoneum, Omentum, Mesentery	34	-	-	-	2	-	-	4	5	4	5	5	3	4	1	1
	<i>Digestive Organs, &c.— TOTAL</i>	<i>2237</i>	<i>1</i>	<i>1</i>	<i>3</i>	<i>38</i>	<i>27</i>	<i>51</i>	<i>88</i>	<i>158</i>	<i>249</i>	<i>301</i>	<i>350</i>	<i>388</i>	<i>333</i>	<i>169</i>	<i>80</i>
47	Larynx	29	-	-	-	-	2	3	8	4	2	2	4	3	1	-	-
	Lung	116	-	-	1	3	4	8	13	15	25	10	20	8	4	5	-
	Pleura	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Mediastinum	30	-	-	1	1	1	4	3	2	4	3	5	4	2	-	-
	<i>Respiratory Organs—TOTAL</i>	<i>176</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>4</i>	<i>7</i>	<i>15</i>	<i>24</i>	<i>21</i>	<i>31</i>	<i>15</i>	<i>30</i>	<i>15</i>	<i>7</i>	<i>5</i>	<i>-</i>
48	Cervix	146	-	-	1	13	15	16	20	15	18	15	12	12	5	3	1
	Uterus	326	-	-	1	4	18	22	27	45	35	44	53	36	25	11	5
	<i>Uterus—TOTAL</i>	<i>472</i>	<i>-</i>	<i>-</i>	<i>2</i>	<i>17</i>	<i>33</i>	<i>38</i>	<i>47</i>	<i>60</i>	<i>53</i>	<i>59</i>	<i>65</i>	<i>48</i>	<i>30</i>	<i>14</i>	<i>6</i>
49	Ovary, Fallopian Tube	150	-	1	1	6	2	12	9	26	22	29	18	12	8	4	-
	Vagina, Vulva	47	-	-	-	-	2	2	2	3	6	5	4	8	11	2	2
	<i>Other Female Genital Organs—TOTAL</i>	<i>197</i>	<i>-</i>	<i>1</i>	<i>1</i>	<i>6</i>	<i>4</i>	<i>14</i>	<i>11</i>	<i>29</i>	<i>28</i>	<i>34</i>	<i>22</i>	<i>20</i>	<i>19</i>	<i>6</i>	<i>2</i>
50	Breast	655	-	-	-	17	17	30	59	92	106	81	85	61	66	31	16
52	Ear	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
	Nose	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	Scalp and Face	23	-	-	-	-	-	-	-	1	1	-	2	4	5	7	3
	Skin	9	-	-	-	-	-	1	-	2	-	1	-	5	-	-	-
	<i>Skin—TOTAL</i>	<i>36</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1</i>	<i>-</i>	<i>3</i>	<i>1</i>	<i>1</i>	<i>3</i>	<i>10</i>	<i>6</i>	<i>7</i>	<i>4</i>
53	Pelvis, Sacrum	30	-	-	-	1	3	2	4	-	5	6	3	1	2	2	1
	Rib and Sternum	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Skull and Spinal Column	21	-	-	-	-	-	1	4	4	4	3	2	-	3	-	-
	Arm and Leg	42	1	2	3	2	-	1	2	2	5	6	5	5	5	1	2
	Thyroid	28	-	-	-	-	-	-	2	2	8	3	4	6	4	1	-
	Throat	11	-	-	-	-	-	1	2	1	1	2	1	3	-	-	-
	Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Thorax	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Kidneys	44	-	-	1	-	-	3	6	3	5	6	6	7	5	1	1
	Suprarenals	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Bladder	46	-	-	-	-	-	-	-	1	3	7	10	15	4	4	2
	Spleen	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Abdomen	41	-	-	-	-	-	1	2	2	3	4	8	5	9	6	1
	Brain	7	-	-	-	2	-	1	-	2	1	-	1	-	-	-	-
	Eye and Orbit	4	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	Spinal Cord	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
	Lymphatic Glands	26	-	1	-	1	-	1	2	4	3	4	2	2	3	3	-
	Others	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Not Stated	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	<i>Other or Unspecified Organs—TOTAL</i>	<i>314</i>	<i>2</i>	<i>4</i>	<i>4</i>	<i>6</i>	<i>3</i>	<i>13</i>	<i>23</i>	<i>23</i>	<i>41</i>	<i>44</i>	<i>45</i>	<i>45</i>	<i>35</i>	<i>19</i>	<i>7</i>

TABLE 29.—Deaths from Suicide in Scotland in 1935.

		Scotland.	Large Burghs.	Rest of Scotland.
TOTAL	{ M. F.	330 137	218 94	112 43
Cut; Stab	{ M. F.	49 11	22 6	27 5
Drowning	{ M. F.	30 12	18 6	12 6
Gunshot Wounds	{ M. F.	14 4	2 1	12 3
Hanging	{ M. F.	35 7	19 4	16 3
Poison	{ M. F.	181 98	145 74	36 24
Precipitation	{ M. F.	7 2	6 2	1 —
Railways	{ M. F.	9 1	3 —	6 1
Otherwise or not stated	{ M. F.	5 2	3 1	2 1

TABLE 30.—Deaths from Poison in Scotland in 1935.

ACCIDENTAL POISONING.								
Name of Poison.	Males.	Females.	TOTAL.	Name of Poison.	Males.	Females.	TOTAL.	
Nicotine, - - -	1	—	1	Brought forward,	8	4	12	
Aldehyde (Meta Fuel),	1	—	1	Paraffin, - - -	—	1	1	
Medinal, - - -	1	—	1	Sulphuric Acid, - -	—	1	1	
Hydrochloric Acid, -	1	—	1	Poisonous Vapours:—				
Weed Killer, - - -	1	—	1	Coal gas, - - -	12	17	29	
Barium Chloride,	1	—	1	Carbon monoxide,	5	1	6	
Carbolic Acid, - - -	1	—	1	Smoke, - - -	1	—	1	
Lysol, - - -	—	1	1	Trichlorethylene, -	1	—	1	
Chloral Hydrate, - -	1	—	1	Irritant (nature un-				
Pennyroyal, - - -	—	1	1	known), - - -	1	—	1	
Sedormia, - - -	—	1	1	Not stated, - - -	1	—	1	
Strychnine, - - -	—	1	1					
Carried forward,	8	4	12	Total, - - -	29	24	53	

SUICIDAL POISONING.								
Coal gas, - - -	120	54	174	Brought forward,	170	95	265	
Lysol, - - -	36	33	69	Iodine and Lysol, - -	—	1	1	
Carbolic Acid, - - -	2	1	3	Spirits of Salts, - -	—	1	1	
Hydrocyanic Acid, -	2	1	3	Irritant, - - -	1	—	1	
Oxalic Acid, - - -	2	—	2	Sulphuric Acid, - -	1	—	1	
Veronal, - - -	1	1	2	Potassium Oxalate, -	1	—	1	
Potassium Cyanide, -	2	—	2	Corrosive Sublimate,	1	—	1	
Cresol, - - -	2	—	2	Crude Alcohol, - -	1	—	1	
Aspirin, - - -	2	—	2	Hydrochloric Acid, -	1	—	1	
Barbituric Acid, - -	1	1	2	Arsenic, - - -	1	—	1	
Zinc Chloride, - - -	—	1	1	Basal Narcotic, - -	1	—	1	
Izal, - - -	—	1	1	Nitric Acid, - - -	1	—	1	
Medinal, - - -	—	1	1	Ammonia, - - -	1	—	1	
Dial, - - -	—	1	1	Not stated, - - -	1	1	2	
Carried forward,	170	95	265		181	98	279	

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform, - - -	19	16	35	Brought forward,	77	64	141	
Chloroform and Ether,	16	12	28	Ethyl Chloride, Chloro-				
Ether, - - -	14	11	25	form and Ether, - -	—	2	2	
Nitrous Oxide, - - -	6	8	14	Nitrous Oxide, Ether				
Ethyl Chloride and				and Novocaine, - -	1	—	1	
Ether, - - -	8	4	12	Ethyl Chloride, - -	—	1	1	
Nitrous Oxide and				Novocaine, Nitrous				
Ether, - - -	6	3	9	Oxide and Carbon				
Evipan, - - -	3	5	8	Dioxide, - - -	—	1	1	
Percaïne, - - -	2	3	5	Novocaine and Nitrous				
Spinocaine, - - -	1	1	2	Oxide, - - -	1	—	1	
Novocaine, - - -	1	1	2	Not stated, - - -	2	3	5	
Avertin, - - -	1	—	1					
Carried forward,	77	64	141	Total - - -	81	71	152	

TABLE 31.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1935.

CAUSES OF DEATH.	Total.	DEATHS—AGE.								
		Under 1 day.	1 to 6 days.	1 week.	2 weeks.	3 and 4 weeks.	1 to 2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
Measles - - - - { M. F.	15 20	- -	- -	- -	- -	- -	- 1	1 2	7 6	7 11
Whooping-cough - - { M. F.	148 147	- -	- -	- -	2 -	4 2	30 25	40 29	35 46	37 45
Diphtheria - - - - { M. F.	20 11	- -	- -	- -	1 -	- 2	2 1	3 2	8 1	6 5
Erysipelas - - - - { M. F.	22 11	- -	- -	2 -	2 -	3 2	3 4	3 4	7 1	2 -
Cerebro-spinal fever - - { M. F.	31 16	- -	- -	- -	- -	- -	2 1	10 6	10 6	9 3
Tubercular meningitis - { M. F.	26 18	- -	- -	- -	- -	- -	2 -	9 7	4 6	11 5
Abdominal tuberculosis - { M. F.	10 1	- -	- -	- -	- -	- -	- -	3 -	6 -	1 1
Other tuberculous diseases { M. F.	15 16	- -	- -	- -	- -	- -	1 -	3 6	5 4	6 6
Syphilis - - - - { M. F.	13 11	- -	4 -	- 2	- -	- 1	4 3	4 5	- -	1 -
Convulsions - - - - { M. F.	98 62	2 1	16 13	3 6	5 6	3 1	19 14	23 7	14 11	8 3
Bronchitis - - - - { M. F.	136 108	- -	3 2	3 -	9 10	14 11	39 32	38 29	17 9	13 15
Pneumonia (all forms) - { M. F.	642 493	1 2	16 12	12 15	16 18	16 25	113 97	188 132	174 99	106 93
Other respiratory diseases - { M. F.	41 20	1 -	2 2	3 -	3 4	3 3	12 4	10 3	4 2	3 2
Diarrhœa - - - - { M. F.	352 243	- -	3 1	11 11	18 24	24 9	90 41	113 87	59 43	34 27
Other digestive diseases - { M. F.	68 33	- -	2 3	3 -	1 -	3 2	16 5	21 7	19 14	3 2
Congenital malformations - { M. F.	275 199	28 22	81 38	25 30	23 13	8 14	66 32	26 28	13 16	5 6
Congenital debility - - { M. F.	438 308	70 49	109 83	40 30	35 31	37 15	86 57	38 25	15 14	8 4
Premature birth - - { M. F.	969 687	425 259	283 216	102 87	72 71	41 25	41 24	5 5	- -	- -
Injury at birth - - - { M. F.	130 104	33 30	70 54	18 9	3 5	2 -	3 3	1 2	- 1	- -
Other infantile diseases - { M. F.	169 114	49 40	69 45	25 15	8 5	6 3	11 5	1 1	- -	- -
Accidental mechanical suffocation { M. F.	35 27	- -	1 2	2 2	2 1	1 4	17 11	9 5	2 2	1 -
All other causes - - - { M. F.	256 196	7 9	19 6	16 15	18 11	10 8	38 30	58 41	47 44	43 32
Total—Males -	3909	616	678	265	218	175	595	612	446	304
Females -	2845	412	477	222	199	127	390	433	325	260
Both Sexes -	6754	1028	1155	487	417	302	985	1045	771	564

TABLE 32.—Month of Registration of Children aged under One Year dying from Selected Causes in Scotland in 1935.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Measles - - - - -	35	6	2	2	3	2	3	2	2	1	4	6	2
Whooping-cough - - - -	295	35	42	52	44	32	19	17	15	16	3	6	14
Diphtheria - - - - -	31	4	5	8	2	4	-	-	1	3	-	1	3
Erysipelas - - - - -	33	2	3	3	2	4	2	1	2	1	3	3	7
Cerebro-spinal fever - - -	47	2	5	6	7	3	5	3	-	6	3	2	5
Tubercular meningitis - - -	44	5	2	6	4	3	2	4	3	2	3	6	4
Abdominal tuberculosis - - -	11	-	2	2	2	1	-	1	1	-	1	1	-
Other tuberculous diseases - -	31	2	3	1	4	3	3	7	1	1	1	3	2
Syphilis - - - - -	24	1	1	3	2	3	1	2	4	2	1	4	-
Convulsions - - - - -	160	12	18	20	17	13	9	10	8	11	6	13	23
Bronchitis - - - - -	244	41	34	31	27	16	12	5	3	8	4	20	43
Pneumonia (all forms) - - -	1,135	175	141	142	99	70	40	30	34	28	54	97	225
Other respiratory diseases - -	61	10	1	7	7	6	6	2	1	1	4	5	11
Diarrhoea - - - - -	595	42	30	48	48	42	31	51	44	65	74	63	57
Other digestive diseases - - -	101	10	8	9	8	10	8	11	5	9	8	6	9
Congenital malformations - - -	474	42	49	39	39	45	45	41	32	22	46	42	32
Congenital debility - - - -	746	62	60	93	78	70	62	47	37	40	62	54	81
Premature birth - - - - -	1,656	158	139	195	144	146	125	125	109	103	119	131	162
Injury at birth - - - - -	234	10	16	18	20	19	26	23	25	19	24	18	16
Other infantile diseases - - -	283	34	21	31	25	26	17	16	22	16	18	26	31
Accidental mechanical suffocation -	62	6	11	4	3	1	6	3	2	1	11	8	6
All other causes - - - - -	452	38	56	45	68	36	25	29	15	29	37	26	48
Total - - - - -	6,754	697	649	765	653	555	447	430	366	384	486	541	781

TABLE 33.—Births, Deaths under one year by age-periods, and Death-rates per 1000 Births in Scotland—1935.

	Number of Births.	DEATHS—AGE.																		Under 1 Year (Total).	
		Under 1 Day.		1-6 Days.		1 Week.		2 Weeks.		3 and 4 Weeks.		1-2 Months.		3-5 Months.		6-8 Months.		9-11 Months.			
		No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.		
Scotland	87,928	1,023	11.7	1,155	13.1	487	5.5	417	4.7	302	3.4	985	11.2	1,045	11.9	771	8.8	564	6.4	6,754	76.8
Large Burghs	49,884	589	11.8	638	12.8	293	5.9	271	5.4	198	4.0	645	12.9	729	14.6	528	10.6	396	7.9	4,237	85.9
Other Districts	38,044	439	11.5	517	13.6	194	5.1	146	3.8	104	2.7	340	8.9	316	8.3	243	6.4	168	4.4	2,467	64.8
ABERDEEN COUNTY *	5,925	67	11.3	61	10.3	27	4.6	25	4.2	26	4.4	91	15.4	75	12.7	67	11.3	46	7.8	485	81.9
Aberdeen Burgh (Total)	3,157	41	13.0	36	11.4	11	3.5	16	5.1	13	4.1	47	14.9	44	13.9	51	16.2	27	8.6	286	90.6
Remainder of County	2,768	26	9.4	25	9.0	16	5.8	9	3.3	13	4.7	44	15.9	31	11.2	16	5.8	19	6.9	199	71.9
ANGUS COUNTY	4,547	45	9.9	72	15.8	10	2.2	22	4.8	17	3.7	43	9.5	33	7.3	36	7.9	27	5.9	305	67.1
Arbroath Burgh	268	1	3.7	4	14.9	2	7.5	1	3.7	3	11.2	2	7.5	3	11.2	16	59.7
Dundee Burgh	3,195	34	10.6	50	15.6	5	1.6	13	4.1	12	3.8	32	10.0	24	7.5	28	8.8	20	6.3	218	63.2
Remainder of County	1,084	10	9.2	18	16.6	5	4.6	7	6.5	4	3.7	8	7.4	7	6.5	8	7.4	4	3.7	71	65.5
ARGYLL COUNTY	861	6	7.0	11	12.8	4	4.6	1	1.2	3	3.5	7	8.1	4	4.6	3	3.5	6	7.0	45	52.3
AYR COUNTY	5,212	73	14.0	84	16.1	23	4.4	16	3.1	16	3.1	60	11.5	47	9.0	42	8.1	33	6.3	394	75.6
Ayr Burgh	675	8	11.9	8	11.9	1	1.5	1	1.5	3	4.4	7	10.4	8	11.9	7	10.4	2	3.0	45	66.7
Kilmarnock Burgh	748	13	17.4	17	22.7	1	1.3	4	5.3	4	5.3	5	6.7	8	10.7	6	8.0	3	4.0	61	81.6
Remainder of County	3,789	52	13.7	59	15.6	21	5.5	11	2.9	9	2.4	48	12.7	31	8.2	29	7.7	28	7.4	288	76.0
BANFF COUNTY	1,038	15	14.5	14	13.5	4	3.9	2	1.9	10	9.6	9	8.7	7	6.7	7	6.7	68	65.5
BERWICK COUNTY	320	3	9.4	12	37.5	2	6.3	2	6.3	4	12.5	3	9.4	1	3.1	27	84.4
BUTE COUNTY	207	4	19.3	1	4.8	1	4.8	6	29.0
CAITHNESS COUNTY	485	5	10.3	8	16.5	1	2.1	4	8.2	1	2.1	6	12.4	8	16.5	2	4.1	35	72.2
CLACKMANNAN COUNTY	523	5	9.6	9	17.2	3	5.7	1	1.9	2	3.8	7	13.4	4	7.6	6	11.5	1	1.9	38	72.7
DUNBARTON COUNTY	2,641	35	13.3	28	10.6	18	6.8	17	6.4	13	4.9	28	10.6	31	11.7	17	6.4	12	4.5	199	75.4
Clydebank Burgh	906	12	13.2	3	3.3	8	8.8	6	6.6	7	7.7	6	6.6	15	16.6	6	6.6	6	6.6	69	76.2
Dumbarton Burgh	395	5	12.7	7	17.7	4	10.1	6	15.2	1	2.5	7	17.7	3	7.6	3	7.6	1	2.5	37	93.7
Remainder of County	1,340	18	13.4	18	13.4	6	4.5	5	3.7	5	3.7	15	11.2	13	9.7	8	6.0	5	3.7	93	69.4
DUMFRIES COUNTY	1,357	15	11.1	12	8.8	9	6.6	5	3.7	3	2.2	22	16.2	18	13.3	12	8.8	6	4.4	102	75.2
Dumfries Burgh	412	2	4.9	2	4.9	3	7.3	2	4.9	1	2.4	13	31.6	7	17.0	3	7.3	1	2.4	34	82.5
Remainder of County	945	13	13.8	10	10.6	6	6.3	3	3.2	2	2.1	9	9.5	11	11.6	9	9.5	5	5.3	68	72.0
EAST Lothian COUNTY	817	15	18.4	9	11.0	6	7.3	3	3.7	1	1.2	3	3.7	9	11.0	4	4.9	50	61.2
FIFE COUNTY	4,780	53	11.1	70	14.6	36	7.5	14	2.9	15	3.1	42	8.8	18	3.8	36	7.5	19	4.0	303	63.4
Dunfermline Burgh	569	3	5.3	6	10.5	5	8.8	3	5.3	2	3.5	7	12.3	2	3.5	4	7.0	32	56.2
Kirkcaldy Burgh	704	11	15.6	11	15.6	5	7.1	4	5.7	7	9.9	3	4.3	3	4.3	1	1.4	45	63.9
Remainder of County	3,507	39	11.1	53	15.1	26	7.4	11	3.1	9	2.6	28	8.0	15	4.3	31	8.8	14	4.0	226	64.4
INVERNESS COUNTY	1,269	19	15.0	17	13.4	6	4.7	5	3.9	4	3.2	7	5.5	10	7.9	5	3.9	7	5.5	80	63.0
Inverness Burgh	377	8	21.2	4	10.6	3	8.0	3	8.0	1	2.7	6	15.9	8	21.2	2	5.3	2	5.3	37	98.1
Remainder of County	892	11	12.3	13	14.6	3	3.4	2	2.2	3	3.4	1	1.1	2	2.2	3	3.4	5	5.6	43	48.2
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
KINCARDINE COUNTY	446	7	15.7	7	15.7	2	4.5	4	9.0	1	2.2	4	9.0	5	11.2	3	6.7	1	2.2	34	76.2
KINROSS COUNTY	126	4	31.7	1	..	1	7.9	1	7.9	1	7.9	2	15.9	9	71.4
KIRKCUDBRIGHT COUNTY	583	7	12.0	10	17.2	1	1.7	3	5.1	2	3.4	2	3.4	4	6.9	4	6.9	3	5.1	36	61.7
LANARK COUNTY	32,100	400	12.5	415	12.9	211	6.6	188	5.9	125	3.9	277	11.7	518	16.1	349	10.9	274	8.5	2857	89.0
Airdie Burgh	570	8	14.0	3	15.2	3	5.3	2	3.5	2	3.5	10	17.5	6	10.5	3	5.3	6	10.5	43	75.4
Coatbridge Burgh	919	14	15.2	14	15.2	8	8.7	2	2.2	6	6.5	13	14.1	6	6.5	7	7.6	70	76.2
Glasgow Burgh	22,106	275	12.4	279	12.6	163	7.4	145	6.6	96	4.3	294	13.3	409	18.5	282	12.8	223	10.1	2166	98.0
Hamilton Burgh	854	9	10.5	14	16.4	3	3.5	2	2.3	3	3.5	14	16.4	18	21.1	6	7.0	4	4.7	73	85.5
Motherwell and Wishaw Burgh	1,299	13	10.0	17	13.1	7	5.4	8	6.2	3	2.3	9	6.9	14	10.8	10	7.7	5	3.8	86	66.2
Rutherglen Burgh	371	2	5.4	4	10.8	2	5.4	5	13.5	1	2.7	2	5.4	4	10.8	3	8.1	2	5.4	25	67.4
Remainder of County	5,981	79	13.2	84	14.0	25	4.2	26	4.3	18	3.0	42	7.0	54	9.0	39	6.5	27	4.5	394	65.9
MIDLOTHIAN COUNTY	8,548	91	10.6	102	11.9	38	4.4	43	5.0	27	3.2	100	11.7	78	9.1	62	7.3	40	4.7	531	68.0
Edinburgh Burgh	7,037	74	10.5	89	12.6	34	4.8	36	5.1	23	3.3	86	12.2	61	8.7	53	7.5	34	4.8	490	69.6
Remainder of County	1,511	17	11.3	13	8.6	4	2.6	7	4.6	4	2.6	14	9.3	17	11.3	9	6.0	6	4.0	91	60.2
MORAY COUNTY	709	9	12.7	10	14.1	1	1.4	1	1.4	2	2.8	6	8.5	9	12.7	8	4.2	2	2.8	43	60.6
NAIRN COUNTY	138	4	29.0	4	29.0	1	7.2	1	7.2	2	14.5	1	7.2	1	7.2	1	7.2	15	108.7
ORKNEY COUNTY	303	3	9.9	2	6.6	1	3.3	1	3.3	1	3.3	8	26.4
PEEBLES COUNTY	184	4	21.7	1	5.4	1	5.4	3	16.3	1	5.4	10	54.3
PERTH COUNTY	1,763	16	9.1	27	15.3	5	2.8	9	5.1	3	1.7	16	9.1	13	7.4	6	3.4	5	2.8	100	56.7
Perth Burgh	542	4	7.4	9	16.6	4	7.4	3	5.5	2	3.7	6	11.1	6	11.1	3	5.5	2	3.7	39	72.0
Remainder of County	1,221	12	9.8	18	14.7	1	0.8	6	4.9	1	0.8	10	8.2	7	5.7	3	2.5	3	2.5	61	50.0
RENFREW COUNTY	5,493	60	10.9	61	11.1	29	5.3	24	4.4	16	2.9	77	14.0	86	15.7	55	10.0	44	8.0	452	82.3
Glasgow Burgh	1,693	24	14.2	14	8.3	8	4.7	4	2.4	4	2.4	29	17.1	36	21.3	18	10.6	19	11.2	186	92.1
Paisley Burgh	1,582	10	6.3	26	16.4	7	4.4	4	2.5	5	3.2	28	17.7	26	16.4	20	12.6	14	8.8	140	88.5
Port-Glasgow Burgh	447	6	13.4	4	8.9	3	6.7	2	4.5	8	17.9	5	11.2	6	13.4	3	6.7	37	82.8
Remainder of County	1,771	20	11.3	17	9.6	11	6.2	14	7.9	7	4.0	12	6.8	19	10.7	11	6.2	8	4.5	119	67.2
ROSS AND CROMARTY COUNTY	866	3	3.5	10	11.5	5	5.8	3	3.5	1	1.2	8	9.2	6	6.9	6	6.9	1	1.2	43	49.7
ROXBURGH COUNTY	651	5	7.7	5	7.7	2	3.1	3	4.6	1	1.5	3	4.6	4	6.1	3	4.6	2	3.1	28	43.0
SELKIRK COUNTY	265	2	7.5	4	15.1	5	18.9	2	7.5	2	7.5	2	7.5	17	64.2
STIRLING COUNTY	3,087	33	10.7	44	14.3	16	5.2	12	3.9	16	5.2	29	9.4	31	10.0	29	9.4	17	5.5	227	73.5
Falkirk Burgh	616	6	9.7	10	16.2	1	1.6	3	4.9	5	8.1	6	9.7	4	6.5	2	3.2	4	6.5	41	68.6
Stirling Burgh	442	6	13.6	7	15.8	4	9.0	1	2.3	3	6.8	7	15.8	5	11.3	5	11.3	3	6.8	41	92.8
Remainder of County	2,029	21	10.3	27	13.3	11	5.4	8	3.9	8	8.9	16	7.9	22	10.8	22	10.8	10	4.9	145	71.5
SUTHERLAND COUNTY	247	1	4.0	4	16.2	3	12.1	1	4.0	2	8.1	2	8.1	13	52.6
WEST LOTHIAN COUNTY	1,575	16	10.2	28	17.8	10	6.3	2	1.3	2	1.3	13	8.3	10	6.3	5	3.2	7	4.4	93	59.0
WIGTOWN COUNTY	618	5	8.1	6	9.7	7	11.3	5	8.1	3	4.9	10	16.2	4	6.5	2	3.2	1	1.6	43	60.6
ZETLAND COUNTY	244	2	8.2	4	16.4	2	8.2	8	32.8

* See footnote Table 4.

TABLE 34.—Meteorology of Scotland for 1935 ; also the Number of Births, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1935.

	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Mean Barometer (inch)	30·206	29·901	30·118	29·763	30·221	29·809	30·041	29·938	29·698	29·621	29·578	29·583	29·873
Mean of Max. Temp.	45°·0	45°·5	49°·0	50°·7	56°·4	61°·5	67°·4	66°·7	59°·8	52°·3	46°·9	40°·2	53°·5
„ „ Min. „	35°·9	35°·9	38°·6	33°·8	41°·2	49°·5	51°·8	53°·1	48°·0	42°·4	37°·6	31°·8	42°·1
Mean Temperature.	40°·5	40°·7	43°·8	44°·7	48°·8	55°·5	59°·6	59°·9	53°·9	47°·4	42°·3	36°·0	47°·8
Absolute Maximum .	58°	57°	62°	66°	72°	84°	84°	84°	70°	62°	61°	51°	84°
Absolute Minimum .	16°	10°	16°	16°	21°	29°	34°	32°	27°	24°	19°	4°	4°
Rainfall (Normal 100)	81	126	71	144	48	146	75	87	172	183	114	72	109
Births	7445	6824	7709	7913	8081	7265	7774	7200	6592	7397	6711	7017	87928
Deaths	6531	6146	6500	5956	5560	4689	4679	4414	4368	4847	5051	6590	65331
Deaths under 1 . .	697	649	765	653	555	447	430	366	384	486	541	781	6754
Marriages	3654	1957	2086	3728	1259	4121	5079	2725	3480	2989	2425	4494	37997
Rates per 1000 of Estimated Population	Births .	17·7	18·0	18·3	19·4	19·2	17·8	18·5	17·1	16·2	17·6	16·5	17·8
	Deaths .	15·5	16·2	15·5	14·6	13·2	11·5	11·1	10·5	10·7	11·5	12·4	13·2
	*Infantile Mortality	94	95	99	83	69	62	55	51	58	66	81	77
	Marriages	8·7	5·2	5·0	9·2	3·0	10·1	12·1	6·5	8·5	7·1	6·0	7·7

* Rate per 1000 births.

TABLE 35.—Deaths, Temperature, and Rainfall in Sixteen Large Burghs of Scotland during each Week of 1935.

No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	Death-rate (Corrected) per 1000 of Population.	TEMPERATURE.			RAIN, in inches
				Maxi-mum.	Mini-mum.	Mean.						Maxi-mum.	Mini-mum.	Mean.	
1	January 5	745	15·4	57·0	33·2	45·6	0·88	27	July 6	542	11·2	76·0	48·0	59·4	0·24
2	12	724	14·9	50·0	25·8	38·4	0·58	28	13	490	10·1	83·0	42·0	62·5	0·26
3	19	788	16·3	53·3	19·0	39·9	0·14	29	20	562	11·6	71·0	41·0	58·0	0·78
4	26	765	15·8	55·6	30·0	41·0	0·39	30	27	497	10·2	78·0	42·0	60·1	0·35
5	February 2	795	16·4	57·0	26·0	39·4	0·56	31	August 3	501	10·3	77·0	39·0	58·4	0·00
6	9	804	16·6	50·0	22·0	38·0	0·17	32	10	517	10·7	81·0	48·0	62·8	0·26
7	16	832	17·2	52·2	31·0	44·0	1·35	33	17	482	9·9	76·0	39·0	58·4	0·54
8	23	769	15·9	54·0	28·2	43·8	1·11	34	24	486	10·0	79·0	40·0	63·1	0·17
9	March 2	836	17·3	49·8	18·0	36·4	0·67	35	31	517	10·7	67·0	41·0	55·8	1·26
10	9	748	15·4	56·0	28·0	41·0	0·31	36	September 7	470	9·7	67·0	38·0	55·7	0·94
11	16	822	17·0	50·0	27·0	40·0	0·05	37	14	571	11·8	67·0	37·0	54·9	0·53
12	23	910	18·8	60·0	35·0	47·0	0·37	38	21	535	11·0	65·0	43·0	55·5	2·12
13	30	790	16·3	63·0	32·0	46·7	0·65	39	28	542	11·2	65·0	33·0	50·2	1·11
14	April 6	702	14·5	61·0	28·0	41·9	0·16	40	October 5	550	11·3	60·0	31·0	49·4	2·10
15	13	733	15·1	58·4	26·0	42·7	1·43	41	12	534	11·0	59·0	35·0	47·6	1·32
16	20	666	13·7	56·0	33·0	43·8	1·60	42	19	552	11·4	59·4	34·0	51·2	1·50
17	27	671	13·9	62·9	32·0	48·9	0·20	43	26	559	11·5	57·0	28·0	43·0	1·07
18	May 4	690	14·2	71·2	39·8	51·4	0·01	44	November 2	563	11·6	57·3	32·0	45·7	1·42
19	11	664	13·7	71·2	35·0	52·6	0·00	45	9	629	13·0	58·9	31·0	43·8	0·91
20	18	568	11·7	58·0	26·0	42·1	0·72	46	16	625	12·9	50·0	28·0	40·1	0·68
21	25	622	12·8	64·1	32·0	48·7	0·05	47	23	652	13·4	50·1	30·0	43·0	1·29
22	June 1	631	13·0	66·3	36·0	49·8	0·00	48	30	659	13·6	54·0	26·0	41·2	1·34
23	8	610	12·6	62·0	37·0	49·9	1·54	49	December 7	735	15·1	45·3	21·0	36·6	0·36
24	15	580	12·0	65·0	40·0	53·7	0·82	50	14	732	15·1	45·8	23·0	37·2	0·57
25	22	559	11·5	80·0	40·0	56·9	0·50	51	21	766	15·8	43·0	17·0	32·7	0·31
26	29	539	11·1	78·0	49·0	61·1	0·76	52	28	918	18·9	47·0	12·0	36·3	0·97

This Table is compiled from Weekly Returns for 1935. Deaths and Death-rates have been provisionally corrected by allocation to place of usual residence.

TABLE 36.—VACCINATIONS in SCOTLAND.

Year	Total Births Registered.	Number Surviving at Six Months.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declaration of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.
				From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
NUMBERS.										
1924	106,901	99,077	62,096	286	887	0	7,824	29,568	2,619	3,621
1925	104,155	96,721	58,694	305	800	0	7,434	31,274	2,457	3,191
1926	102,457	95,512	57,741	332	1,063	0	6,945	30,804	2,338	3,234
1927	96,653	89,860	54,290	264	1,030	0	6,793	28,523	2,534	3,219
1928	96,869	90,221	52,209	239	1,295	0	6,648	30,596	2,370	3,512
1929	92,860	86,677	47,201	276	2,173	0	6,183	31,309	2,169	3,549
1930	94,571	88,329	47,571	225	1,325	0	6,242	34,079	1,918	3,211
1931	92,188	86,328	44,333	254	1,677	0	5,860	35,415	1,746	2,903
1932	91,019	85,092	41,399	317	2,142	0	5,927	36,717	1,639	2,878
1933	86,539	81,056	37,741	166	1,971	0	5,483	36,654	1,611	2,913
1934	88,788	83,389	38,184	170	1,601	0	5,399	38,993	1,640	2,801
RATE PER CENT. OF TOTAL BIRTHS.										
1924	100·00	—	58·08	0·27	0·83	0·00	7·32	27·66	2·45	3·39
1925	100·00	—	56·35	0·29	0·77	0·00	7·14	30·03	2·36	3·06
1926	100·00	—	56·36	0·32	1·04	0·00	6·78	30·06	2·28	3·16
1927	100·00	—	56·17	0·27	1·07	0·00	7·03	29·51	2·62	3·33
1928	100·00	—	53·90	0·25	1·34	0·00	6·86	31·58	2·45	3·62
1929	100·00	—	50·83	0·30	2·34	0·00	6·66	33·72	2·33	3·82
1930	100·00	—	50·30	0·24	1·40	0·00	6·60	36·03	2·03	3·40
1931	100·00	—	48·09	0·27	1·82	0·00	6·36	38·42	1·89	3·15
1932	100·00	—	45·48	0·35	2·35	0·00	6·51	40·34	1·80	3·16
1933	100·00	—	43·61	0·19	2·28	0·00	6·34	42·86	1·86	3·37
1934	100·00	—	43·01	0·19	1·80	0·00	6·08	43·92	1·85	3·15
RATE PER CENT. OF CHILDREN SURVIVING AT SIX MONTHS.										
1864-1873	—	100·00	96·19	0·22	0·28	0·05	—	—	0·77	2·49
1874-1883	—	100·00	96·12	0·29	0·16	0·01	—	—	1·21	2·21
1884-1893	—	100·00	94·72	0·25	0·24	0·00	—	—	2·13	2·66
1894-1903	—	100·00	93·84	0·32	0·47	0·00	—	—	2·36	3·01
1904-1913	—	100·00	76·24	0·57	0·58	0·00	—	14·38	2·69	5·04
1914-1923	—	100·00	59·94	0·33	0·67	0·00	—	32·44	2·46	4·16
1924-1933	—	100·00	55·99	0·30	1·60	0·00	—	36·15	2·38	3·59
1924	—	100·00	62·67	0·29	0·90	0·00	—	29·84	2·64	3·66
1925	—	100·00	60·68	0·32	0·83	0·00	—	32·33	2·54	3·30
1926	—	100·00	60·45	0·35	1·11	0·00	—	32·25	2·45	3·39
1927	—	100·00	60·42	0·29	1·15	0·00	—	31·74	2·82	3·58
1928	—	100·00	57·87	0·26	1·44	0·00	—	33·91	2·63	3·89
1929	—	100·00	54·46	0·32	2·51	0·00	—	36·12	2·50	4·09
1930	—	100·00	53·86	0·25	1·50	0·00	—	38·58	2·17	3·64
1931	—	100·00	51·86	0·30	1·94	0·00	—	41·02	2·02	3·36
1932	—	100·00	48·65	0·37	2·52	0·00	—	43·15	1·93	3·38
1933	—	100·00	46·56	0·20	2·43	0·00	—	45·22	1·99	3·59
1934	—	100·00	45·79	0·20	1·92	0·00	—	46·76	1·97	3·36

TABLE 37.—Deaths from Small-pox in Scotland, 1855-1934, with Vaccination Particulars, 1864-1934.

State of Vaccination of Children whose Births were Registered during the Years 1864 to 1933; Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox, 1855 to 1934.					Deaths from Cow-pox and Effects of Vaccination, 1855-1934.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total (including Age Not Stated).	0-4 Years.	5-24 Years.	25-64 Years.	65 Years and upwards.	
Average 1855-1863	979	690	183	102	3	..
1864-1873	96·4	0·8	0·3	..	2·5	763	259	282	216	6	..
1874-1883	96·4	1·2	0·2	..	2·2	145	33	64	47	1	..
1884-1893	95·0	2·1	0·2	..	2·7	18	2	5	11	..	3
1894-1903	94·2	2·4	0·5	..	3·0	64	9	10	44	1	1
1904-1913	76·8	2·7	0·6	14·9	5·0	22	4	2	15	1	1
1914-1923	60·3	2·5	0·7	32·4	4·2	18	3	4	10	1	1
1924-1933	56·3	2·4	1·6	36·1	3·6
1924	63·0	2·6	0·9	29·8	3·7	3
1925	61·0	2·5	0·8	32·3	3·3
1926	60·8	2·4	1·1	32·3	3·4
1927	60·7	2·8	1·2	31·7	3·6	2
1928	58·1	2·6	1·4	33·9	3·9	1
1929	54·8	2·5	2·5	36·1	4·1
1930	54·1	2·2	1·5	38·6	3·6	2	..	1	1	..	1
1931	51·7	2·0	1·9	41·0	3·4	1
1932	49·0	1·9	2·5	43·1	3·4
1933	46·8	2·0	2·4	45·2	3·6
1934	46·0	2·0	1·9	46·8	3·4

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

GENERAL REGISTRATION SUMMARY.

GENERAL REGISTRATION SUMMARY.

1. EVENTS REGISTERED IN 1935. 2. VACCINATIONS OF CHILDREN WHOSE BIRTHS WERE REGISTERED IN 1934.
(Figures in this Table show actual numbers as **Registered**, and are not "**Corrected for Transfers.**")

No.	COUNTIES AND LARGE BURGHs.	POPULATION (Enumerated at Census of)		REGISTERED BIRTHS, DEATHS AND MARRIAGES, 1935.				VACCINATIONS, 1934.							Total Births, 1934. (Not corrected for Transfers.)	
		1931	1921	Births.		Deaths.		Insusceptible of Vaccine Disease.				Died before Vaccination.	Statutory Declara- tions of Conscientious Objection.	Medical Certificate of Postponement.		Unaccounted for through removal from District before Vaccin- ation, or otherwise.
				Total.	Illeg- itimate.	Total.	From Uncer- tified Causes.	Marr- riages.								
	SCOTLAND . . .	4,842,980	4,882,497	87,928	5777	65,331	230	37,997	170	1601	...	5399	38,993	1640	2801	88,788
	COUNTIES.															
1	Zetland . . .	21,421	25,520	240	13	310	5	114	17	1	...	12	245	...	2	277
2	Orkney . . .	22,077	24,111	297	14	320	2	131	38	4	...	12	259	2	2	317
3	Caithness . . .	25,656	28,285	488	52	396	13	164	116	1	...	24	282	17	28	468
4	Sutherland . . .	16,101	17,802	227	12	252	12	49	61	5	...	13	96	1	22	198
5	Ross and Cromarty . . .	62,799	70,818	829	57	922	91	240	383	7	...	27	300	35	158	911
6	Inverness . . .	82,108	82,455	1,251	100	1,379	78	469	504	3	...	54	512	37	131	1,245
7	Nairn . . .	8,294	8,790	142	12	126	...	48	115	1	...	10	12	10	1	149
8	Moray . . .	40,806	41,558	721	73	548	...	281	503	18	...	49	142	3	33	749
9	Banff . . .	54,907	57,298	1,005	112	678	...	291	401	6	...	60	479	15	55	1,016
10	Aberdeen . . .	313,521	313,018	5,991	561	4,465	1	2,593	4,220	30	...	382	1065	139	122	5,997
11	Kincardine . . .	26,780	29,777	407	31	323	...	154	339	1	...	31	66	1	21	459
12	Angus . . .	270,190	271,052	4,613	381	3,757	1	2,193	1,651	56	...	217	2,761	38	48	4,771
13	Perth . . .	120,793	125,503	1,724	107	1,539	...	757	1,205	32	...	89	379	13	37	1,755
14	Fife . . .	276,368	292,925	4,686	236	3,074	3	1,996	1,494	63	...	245	2,730	55	43	4,642
15	Kinross . . .	7,454	7,963	105	1	135	...	46	46	5	...	5	37	2	...	95
16	Clackmannan . . .	31,948	32,542	482	18	347	...	237	165	5	...	35	222	5	5	437
17	Stirling . . .	166,447	161,721	3,086	177	2,163	1	1,182	1,134	48	...	197	1,722	70	70	3,248
18	Dunbarton . . .	147,744	150,570	2,352	95	1,479	...	943	588	19	...	147	1,420	35	52	2,263
19	Argyll . . .	63,050	76,862	786	85	980	14	275	470	10	...	33	270	45	10	838
20	Bute . . .	18,823	33,711	196	10	253	...	73	109	8	...	12	76	5	2	212

21	Renfrew	5,293	197	3,743	...	2,075	1,536	7	76	...	330	3,016	178	57	5,200
22	Ayr	5,185	296	3,554	...	1,975	1,950	3	68	...	304	2,669	95	147	5,236
23	Lanark	32,798	2002	22,157	3	14,232	12,748	72	910	...	2314	14,799	631	1343	32,817
24	West Lothian	83,960	52	749	...	590	479	...	11	...	63	959	7	28	1,547
25	Midlothian	506,377	665	7,896	1	4,885	5,118	16	158	...	464	3,095	128	275	9,254
26	East Lothian	47,487	35	477	..	268	412	5	8	...	43	282	22	12	784
27	Berwick	28,246	20	275	...	130	220	...	3	...	15	82	4	11	335
28	Peebles	15,332	6	167	...	90	150	9	27	6	2	194
29	Selkirk	22,608	10	277	...	137	156	...	3	...	16	79	...	3	257
30	Roxburgh	44,989	35	560	...	286	381	...	2	...	34	205	18	5	645
31	Dumfries	81,047	157	1,235	2	676	792	1	15	...	90	498	13	17	1,426
32	Kirkcudbright	31,061	61	404	...	195	361	...	7	...	22	90	7	6	493
33	Wigtown	30,783	94	391	1	222	322	...	17	...	41	117	3	53	553
LARGE BURGHs.																				
	Glasgow	1,051,589	1551	16,961	1	10,745	9,906	42	787	...	1686	8,806	365	1098	22,690
	Edinburgh	420,264	621	7,106	1	4,291	4,543	12	136	...	408	2,475	103	236	7,913
	Dundee	168,395	301	2,432	1	1,588	853	...	34	...	163	2,377	27	12	3,466
	Aberdeen	161,193	249	2,793	...	1,755	2,411	36	12	...	217	397	85	36	3,194
	Paisley	84,837	60	1,297	...	731	445	1	25	...	123	887	113	15	1,609
	Greenock	81,133	78	1,114	...	583	309	1	20	...	106	1,186	5	19	1,646
	Motherwell and Wishaw	68,869	63	633	...	436	341	7	95	787	87	14	1,331
	Clydebank	46,601	21	317	...	364	199	...	10	...	58	476	10	21	774
	Kirkcaldy	44,298	52	517	...	399	224	1	9	...	37	527	30	9	837
	Coatbridge	43,919	27	511	...	300	284	6	15	...	68	445	15	41	874
	Kilmarnock	36,658	37	589	...	304	285	...	5	...	53	489	11	2	845
	Hamilton	39,613	45	410	...	294	193	...	14	...	60	663	9	19	953
	Ayr	37,504	67	695	...	310	427	1	14	...	76	284	14	49	865
	Falkirk	34,419	37	597	1	288	217	...	4	...	49	544	26	10	850
	Dunfermline	39,899	33	489	...	346	268	8	8	...	40	378	11	4	717
	Perth	33,208	58	583	...	377	427	...	11	...	46	222	8	14	728
	Airdrie	25,459	34	243	...	224	243	8	3	...	35	382	12	15	698
	Rutherglen	24,744	6	200	...	254	113	...	20	...	20	146	10	7	316
	Dumfries	21,822	54	420	...	216	215	...	7	...	40	208	3	1	474
	Stirling	21,345	54	465	...	218	303	4	8	...	44	222	7	36	624
	Inverness	20,944	47	528	...	295	170	4	25	196	..	50	445
	Dumbarton	22,933	20	269	...	106	80	21	272	1	5	379
	Port-Glasgow	21,023	9	214	...	188	110	3	2	...	26	274	30	7	452
	Arbroath	19,521	16	266	...	163	84	...	1	...	17	127	4	3	236
TOTAL (Large Burghs)							2,636,873	3540	39,649	4	24,775	22,650	134	1145	...	3513	22,770	986	1723	52,921

The portion of Aberdeen Burgh in Kincardine County is included in Aberdeen County.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	All Causes—Both Sexes	-	6754	2202	918	726	947	1309	1332	1427	1649	1906	2407	3246	4383	5539	6857	7730	7484	5088	2447	792	172	14																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Total Males	-	3909	1175	499	392	489	637	641	715	805	971	1294	1694	2314	2974	3701	3847	3490	2086	899	249	36	3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	Total Females	-	2845	1027	419	334	458	672	691	712	844	935	1113	1552	2069	2565	3156	3883	3994	3002	1548	543	136	11																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	I. INFECTIOUS AND PARASITIC DISEASES.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	TOTAL	-	{ M. F.	3720 3526	{ M. F.	203 219	{ M. F.	122 146	{ M. F.	170 248	{ M. F.	227 303	{ M. F.	231 248	{ M. F.	216 192	{ M. F.	209 188	{ M. F.	222 143	{ M. F.	242 127	{ M. F.	223 152	{ M. F.	220 145	{ M. F.	189 148	{ M. F.	152 130	{ M. F.	107 145	{ M. F.	87 117	{ M. F.	51 95	{ M. F.	26 39	{ M. F.	6 18	{ M. F.	- 1	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.	- -	{ M. F.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																			100 and over		
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-		90-	95-
I. INFECTIOUS AND PARASITIC DISEASES—continued.																								
	Tuberculosis— (Total)	{ M. 1946 F. 1700	51 35	112 99	69 58	61 87	133 216	195 263	188 214	174 152	167 142	164 81	170 79	146 82	124 59	90 54	57 30	27 25	13 15	5 6	-	-	3	-
23	Respiratory system	{ M. 1508 F. 1304	9 10	16 20	9 14	21 44	94 174	159 231	165 196	157 135	155 130	151 70	154 68	137 67	112 50	82 40	46 24	26 19	10 8	5 3	-	-	1	-
24	Central nervous system	{ M. 204 F. 172	26 18	70 59	39 28	23 27	15 16	16 9	6 3	4 3	3 1	-	2	2	-	2 1	-	-	1	-	-	-	-	-
25	Intestines and peritoneum	{ M. 91 F. 76	10 1	17 8	7 6	7 7	10 10	5 9	7 5	8 4	1 1	4 2	4 5	1 4	5 5	-	4 3	1 1	-	1	-	-	-	-
26	Vertebral column	{ M. 26 F. 22	-	1 1	2 -	1 -	6 -	1 -	3 -	1 2	2 2	3 1	2 1	4 4	3 1	1 2	2 -	1 1	1 -	2 -	-	-	-	-
27	Other bones and joints	{ M. 6 F. 12	-	1 1	-	-	-	3 -	2 -	1 -	-	1 3	-	-	-	1 -	-	2 -	1 -	-	-	1	-	
28	Skin and sub-cutaneous tissues	{ M. 2 F. 7	-	-	-	-	-	-	-	-	1 -	1 -	1 -	-	1 -	2 -	-	1 -	1 -	-	-	-	-	-
29	Lymphatic system (bronchial and abdominal glands excepted)	{ M. 6 F. 6	1 -	-	1 -	-	-	-	-	1 -	-	-	-	1 -	1 1	1 -	1 1	1 -	2 -	-	-	-	-	-
30	Genito-urinary system	{ M. 20 F. 11	-	-	-	1 -	2 1	2 -	1 -	3 -	2 3	2 -	3 -	5 -	1 -	2 -	1 1	-	1 -	-	-	-	-	-
31	Other organs	{ M. 4 F. 4	-	1 -	1 -	-	-	-	-	-	1 -	-	1 -	1 -	-	1 -	1 -	-	-	-	-	1	-	-
32.a	Disseminated—acute	{ M. 41 F. 41	5 5	6 9	7 9	5 4	4 6	5 1	2 1	3 -	2 1	2 -	3 -	-	1 -	1 -	-	-	-	-	-	-	-	-
b	chronic (c)	{ M. 38 F. 45	-	1 1	3 1	4 4	1 7	5 12	7 4	2 2	2 2	3 -	2 3	2 3	2 -	1 2	2 2	-	1 2	-	-	-	-	-
a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
34	Syphilis - - - - -	{ M. F. } 56 46	13 11	- 1	- -	- -	- -	- -	1 1	3 7	4 5	6 7	8 2	8 5	7 3	2 1	- -	- -	1 2	- -	- -	- -	- -	
35	Other venereal diseases - - - - -	{ M. F. } 1 3	- 2	- -	- -	- -	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
36	Purulent infection, Septicæmia - - - - -	{ M. F. } 73 60	11 8	4 4	5 3	5 3	4 2	1 2	2 1	4 4	8 3	5 -	7 5	4 7	5 4	3 3	1 2	1 3	1 2	- -	- -	- -	- -	
38	Malaria - - - - -	{ M. F. } 3 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
41	Hydatid cysts - - - - -	{ M. F. } - -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
43	Mycoses - - - - -	{ M. F. } 4 2	- -	- -	- -	- -	- -	- -	1 -	1 -	1 -	1 -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	
44*	Other infectious or parasitic diseases (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42) { M. F. }	12 7	3 3	1 2	1 -	- -	- -	- -	- -	1 2	2 -	2 -	2 -	- -	- -	- -	1 -	1 -	1 -	1 -	- -	- -	- -	
II. CANCER AND OTHER TUMOURS.																								
	TOTAL - - - - -	{ M. F. } 3761 4390	2 1	13 6	4 5	9 9	13 5	23 25	26 28	47 80	64 106	110 185	163 292	283 416	422 530	608 563	711 633	591 611	404 516	193 258	61 97	11 21	3 3	
	Cancer—	{ M. F. } 3627 4166	1 1	6 2	- 3	6 3	12 4	16 12	20 22	40 66	55 91	99 163	146 254	273 392	411 518	598 543	702 617	582 597	397 507	191 253	58 94	11 21	3 3	
45	Buccal cavity, Pharynx - - - - -	{ M. F. } 335 79	- -	1 -	- -	- -	1 2	1 2	1 -	1 -	3 -	1 1	5 2	16 6	48 9	56 8	74 17	59 10	29 17	24 2	12 1	3 2	- -	
46	Digestive organs, Peritoneum - - - - -	{ M. F. } 2288 2237	- -	- 1	- -	1 1	3 -	6 3	12 11	22 27	34 27	54 51	81 88	168 158	262 249	404 301	459 350	377 388	259 333	112 169	28 69	5 10	1 1	
47	Respiratory organs - - - - -	{ M. F. } 351 176	- -	- -	- -	- -	2 -	2 2	3 2	6 2	10 7	24 15	36 24	45 21	47 31	56 15	47 30	37 15	24 7	10 5	2 -	- -	- -	
48	Uterus - - - - -	F. 472	-	-	-	-	1	1	3	14	33	38	47	60	53	59	65	48	30	14	4	2	-	
49	Other female genital organs - - - - -	F. 197	-	-	-	1	-	1	2	4	4	14	11	29	28	34	22	20	19	6	2	-	-	

* For further particulars see Text Table J.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100 and over		
II. CANCER AND OTHER TUMOURS—																										
<i>continued.</i>																										
Cancer—continued.																										
50	Breast - - - - - { M. F.	12 655	-	-	-	-	-	-	1	16	17	30	2	1	1	81	1	2	3	1	1	-	-	-		
51	Male genito-urinary organs - - M.	369	1	3	-	1	-	-	-	4	3	12	10	21	28	47	88	70	47	26	8	-	-	-		
52	Skin - - - - - { M. F.	66 36	-	2	-	-	-	2	1	-	-	1	2	2	5	7	7	9	10	11	5	2	-	-		
53	Other or unspecified organs - - { M. F.	206 314	-	1	-	4	6	5	3	7	5	7	10	20	20	28	26	28	25	7	2	1	2	-		
55	Tumours, non-malignant, or of unde- termined nature (54)—		1	1	3	1	1	3	3	3	3	13	23	23	41	44	45	45	35	19	5	1	1	-		
a1	Ovary - - - - - F.	44	-	-	-	-	-	-	1	2	4	2	7	5	4	3	5	6	4	1	-	-	-	-		
2	Uterus - - - - - F.	46	-	-	-	-	-	-	-	4	1	8	14	7	2	2	4	3	-	1	-	-	-	-		
b1	Brain - - - - - { M. F.	98 91	1	5	3	1	1	5	5	6	7	11	15	9	11	4	6	3	2	-	1	-	-	-		
2	Bladder - - - - - { M. F.	14 6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	5	1	2	-	-	-		
3	Others - - - - - { M. F.	22 37	-	2	1	2	1	2	1	1	2	2	2	-	-	4	1	5	-	1	2	-	-	-		
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	III. RHEUMATISM, DISEASES OF NUTRITION AND OTHER GENERAL DISEASES.																							
	TOTAL - - - { M. F.	426 905	14 17	9 10	7 16	27 18	16 20	10 21	17 22	22 22	9 33	11 39	11 45	24 58	42 91	45 119	53 120	48 121	30 78	26 44	5 10	-	-	-
56	Rheumatic fever - - - { M. F.	75 107	-	3 5	3 10	16 14	10 13	3 11	9 13	4 5	2 7	4 9	4 1	2 1	5 7	6 1	1 2	3 2	-	1 1	-	-	-	-
57.1	Chronic rheumatism - - - { M. F.	10 21	-	-	-	-	-	-	-	-	-	-	1 1	-	-	1 1	4 4	3 1	2 6	3 4	1 2	-	-	-
2	Rheumatoid arthritis, Osteo-arthritis { M. F.	26 67	-	-	-	-	-	-	-	1	-	2	1 3	1 4	5 10	4 10	3 3	6 13	3 13	4 12	1 2	-	-	-
58	Gout - - - - { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Diabetes mellitus - - - { M. F.	243 497	-	1 1	1 2	6 2	5 4	5 5	4 3	13 7	4 11	4 10	5 14	15 27	33 61	29 80	40 99	33 96	25 47	18 23	3 5	-	-	-
60	Scurvy - - - - { M. F.	1 1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
63	Rickets - - - - { M. F.	7 7	5 5	1 1	1 1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
65	Diseases of pituitary gland - - - { M. F.	2 5	-	-	1	1	-	1	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-
66.b	Exophthalmic goitre - - - { M. F.	18 101	-	-	-	-	1 3	1 3	3 6	3 8	1 9	1 14	17	3 16	2 7	2 14	2 1	1 1	-	1	-	-	-	-
c	Myxoedema, Cretinism - - - { M. F.	7 45	-	2 1	-	-	-	1	-	-	1	1	1	3	5	1 8	3 8	1 8	7	1	-	-	-	-
e	Other diseases of thyroid and para- thyroid, Tetany (a, d) - - - { M. F.	7 14	2 4	1 1	-	-	-	-	-	1	1 1	-	1 4	2	-	2	1	-	-	1	-	-	-	-
67	Diseases of thymus - - - { M. F.	10 6	6 4	1 1	1 1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Diseases of adrenals - - - { M. F.	12 19	1 1	1	-	-	-	-	1	2	3	1	3	2	2	3	2	-	1	1	-	-	-	-
69*	Other general diseases (61, 62, 64) - { M. F.	8 15	4	1	2	1	-	1	-	-	1	1	1	2	2	1	1	-	-	-	-	-	-	-

* For further particulars see Text Table J.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

International Nos Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																			100 and over		
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-		90-	95-
70. <i>a</i> <i>b</i>	IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.	TOTAL	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Purpura	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Hæmophilia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Pernicious anæmia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Other anæmias, Chlorosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71. <i>a</i> <i>b</i>	Purpura	244 321	M. F.	8 7	11 4	7 4	7 8	4 2	5 6	7 7	7 11	13 17	12 14	13 19	10 24	16 28	20 36	33 43	43 30	22 30	3 16	3 1	-	-
	Hæmophilia	10 15	M. F.	2 1	-	-	1 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
72. <i>a</i> <i>b</i>	Pernicious anæmia	118 180	M. F.	2 1	1 -	1 -	-	-	1 1	1 1	-	3 9	-	4 13	4 14	8 13	16 22	22 31	33 37	19 18	3 9	2 1	-	-
	Other anæmias, Chlorosis	22 26	M. F.	2 -	2 1	1 -	1 -	1 -	1 -	1 -	1 -	1 -	2 2	2 2	2 2	2 4	2 3	2 3	2 3	2 2	2 2	1 -	-	-
73 74	Leukæmia	44 57	M. F.	1 -	6 3	5 2	3 4	2 1	2 1	2 4	2 4	2 2	1 3	4 1	2 6	2 4	2 8	6 4	4 1	2 7	3 1	-	-	-
	Aleukæmia (Lymphadenoma)	37 32	M. F.	-	1 -	1 -	1 2	-	1 1	1 1	2 4	6 3	9 -	1 1	1 1	2 2	3 6	1 2	2 4	2 1	1 3	-	-	-
75 76	Diseases of Spleen	7 6	M. F.	1 -	-	-	1 -	-	-	1 2	1 2	1 1	1 -	1 -	-	1 1	-	1 -	1 -	-	-	-	-	-
	Other diseases of blood and blood- forming organs	1 3	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	-	-	-	
77.1 2 (<i>a</i>)	V. CHRONIC POISONINGS.	TOTAL	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Alcoholism (acute or chronic)	23 10	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Chronic poisoning by other organic substances	22 9	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Occupational lead poisoning	-	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		Other chronic poisoning by mineral substances	1 1	M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over									
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95				
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS—continued.																												
83	General paralysis of insane - { M. F.	76 24	-	-	-	-	1 1	4 -	2 1	8 4	9 2	17 5	13 5	12 2	4 3	5 1	-	-	-	-	-	-	-	-	-	-	-	
84	Other forms of insanity - { M. F.	26 48	-	-	-	-	1 2	4 3	3 4	1 1	1 7	2 6	2 6	4 8	4 4	-	2 2	1 1	-	-	-	-	-	-	-	-	-	
85	Epilepsy - - - { M. F.	117 81	5 2	5 -	3 3	6 3	9 5	10 6	16 8	7 7	11 9	5 3	6 6	8 2	4 6	5 6	4 4	6 3	-	-	-	-	-	-	-	-	-	
86	Infantile convulsions (age under 5 yrs.) { M. F.	115 77	98 62	17 15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
87.a	Chorea - - - { M. F.	- 4	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
b	Neuritis - - - { M. F.	11 12	-	-	-	-	-	-	-	1 1	1 -	1 -	2 -	-	3 2	1 2	1 1	1 1	2 2	1 3	1 1	1 1	-	-	-	-	-	-
c	Paralysis agitans - - - { M. F.	43 39	-	-	-	-	-	-	-	-	-	-	-	1 2	9 6	6 5	2 2	11 7	9 13	2 2	1 1	-	-	-	-	-	-	
d	Disseminated sclerosis - - { M. F.	61 86	-	-	-	-	1 3	1 3	3 5	6 9	7 4	7 14	9 10	7 15	6 6	6 6	4 5	4 5	2 2	2 2	1 2	-	-	-	-	-	-	
e	Other diseases of nervous system - { M. F.	69 70	6 2	4 -	2 2	1 1	3 -	2 1	2 2	3 3	2 2	2 3	2 4	1 2	8 10	9 6	3 7	11 5	2 10	4 6	2 1	-	-	-	-	-	-	
88	Diseases of eye and annexa - { M. F.	2 4	-	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	-	-	-	-	-	-	
89.a	Otitis, Diseases of ear - - { M. F.	68 54	10 13	9 9	7 6	5 11	4 1	-	3 3	4 1	3 1	1 3	2 1	4 -	3 1	1 1	1 1	2 1	-	-	-	-	-	-	-	-	-	
b (a)	Mastoid disease - - - { M. F.	41 26	3 4	7 3	3 5	2 4	5 1	6 3	3 -	1 3	1 -	1 1	1 1	3 -	1 -	2 1	1 1	1 -	-	-	-	-	-	-	-	-	-	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
VII. DISEASES OF CIRCULATORY SYSTEM.																								
		{ M. F. }																						
	TOTAL	6899 7070	4 5	5 6	17 18	28 30	25 40	41 46	45 64	69 61	100 111	118 139	251 180	315 288	537 480	754 650	1076 891	1239 1236	1204 1255	704 940	282 462	74 131	11 35	- 2
90	Pericarditis	{ M. F. }	1 -	- 1	1 1	1 4	1 1	1 1	1 1	1 1	1 -	1 1	3 1	- -	3 -	2 1	3 -	1 4	1 1	1 1	1 1	- -	- -	- -
91	Acute endocarditis	{ M. F. }	- 1	- 1	1 8	5 11	4 11	9 7	5 8	6 7	7 7	4 5	1 5	2 3	5 2	3 3	2 4	1 2	2 2	1 1	- -	- -	- -	
92	Chronic endocarditis, Valvular disease	{ M. F. }	- -	1 1	12 6	18 13	9 24	23 29	23 37	31 34	42 56	34 66	59 72	58 99	90 102	128 137	180 195	181 211	144 190	64 118	28 46	13 7	- 3	
93.a	Acute myocarditis	{ M. F. }	1 1	- 1	- 1	- -	1 -	- -	- -	- 1	5 5	2 1	6 6	4 5	10 15	12 15	12 13	14 20	22 11	7 8	2 2	- 1	- -	
b1	Fatty heart	{ M. F. }	- -	- -	- -	- -	- -	- -	- 2	1 2	1 1	3 5	3 4	5 10	10 22	13 19	21 21	9 16	17 15	5 4	2 1	- -	- -	
2	Cardio-vascular degeneration	{ M. F. }	- -	- -	- -	- -	- -	- -	- -	1 1	- 1	2 2	5 1	11 8	13 18	33 32	63 43	103 104	87 120	72 87	36 46	12 15	1 6	
3	Chronic myocarditis, Other myocardial disease	{ M. F. }	- -	- -	- -	2 1	2 1	- 5	3 2	6 4	9 5	16 19	36 19	49 56	101 80	127 119	204 204	280 304	300 350	181 278	71 146	23 53	7 11	
c	Myocarditis not specified as acute or chronic	{ M. F. }	- -	1 1	1 1	2 1	1 2	2 4	2 7	5 5	11 22	18 19	29 28	58 57	94 104	141 155	229 188	289 264	273 260	159 210	57 101	13 22	2 5	
94	Diseases of coronary arteries, Angina pectoris	{ M. F. }	- -	- -	- -	- -	- -	- -	2 -	9 -	10 2	21 2	57 13	71 19	123 52	162 79	156 100	126 103	106 74	46 40	8 10	1 2	1 2	
95	Other diseases of heart	{ M. F. }	- -	1 1	1 1	1 -	6 -	3 -	7 6	6 4	12 6	11 13	27 21	23 18	38 57	69 55	89 69	107 111	84 84	46 66	26 34	5 6	2 -	
96	Aneurysm (heart excepted)	{ M. F. }	- -	- -	- -	- -	1 -	1 -	- -	1 2	2 1	- -	15 3	16 2	20 4	16 5	17 6	8 3	6 3	1 2	- -	1 -	- -	
97	Arterio-sclerosis (coronary arteries excepted)	{ M. F. }	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 1	6 1	18 8	29 15	62 26	80 60	112 102	92 89	41 59	10 17	4 -	
98.a	Senile gangrene	{ M. F. }	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	17 13	26 18	40 24	26 30	10 14	5 6	2 -	
1	Other gangrene	{ M. F. }	- -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	1 -	4 3	2 3	4 3	- -	1 -	2 -	- -	- -	- -	- -	

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

Internal Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages																		100 and over				
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		85-	90-	95-	
99	VII. DISEASES OF CIRCULATORY SYSTEM—continued.	49 41	-	-	1	-	-	1	1	-	-	2	4	2	4	8	12	6	-	-	-	-	-	-	
100	Other diseases of arteries - { M. F.	16 33	-	1	-	-	-	-	-	1	-	-	-	2	4	3	2	5	3	1	-	-	-	-	
101	Diseases of veins - { M. F.	9 8	2	1	-	-	-	-	-	1	-	2	-	1	-	1	1	-	1	-	-	-	-	-	
102	Diseases of lymphatic system - { M. F.	24 21	-	-	-	-	-	1	-	-	1	-	3	2	2	2	5	3	2	1	-	-	-	-	
103	Abnormalities of blood pressure - { M. F.	9 5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	-	1	-	-	-	
	Other diseases of circulatory system - { M. F.		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
104	VIII. DISEASES OF RESPIRATORY SYSTEM.	4674 3917	819 621	337 282	45 36	34 24	56 33	74 50	84 58	117 79	128 92	175 107	202 99	263 145	301 178	355 231	437 314	447 419	418 467	232 384	109 216	37 62	4 20	-	-
104	TOTAL - { M. F.																								
104	Diseases of nasal fossæ and annexa - { M. F.	13 13	-	-	1 4	-	1 1	1 2	2 -	3 -	2 -	1 2	-	-	-	1 1	-	-	-	1 -	-	-	-	-	-
105.1	Laryngismus stridulus - { M. F.	7 1	6 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Laryngitis (including croup) - { M. F.	16 11	5 1	3 4	2 -	-	1 -	-	2 -	1 -	1 -	-	-	1 -	-	-	-	-	-	1 -	2 -	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(x)	(y)
105.3	Other diseases of larynx -	1 3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 1	-	-	-	-	-
106	Bronchitis -	1613 1466	136 108	23 17	7 1	4 4	5 4	9 4	9 3	15 13	17 19	42 24	56 15	70 42	96 69	157 106	225 149	259 216	249 268	146 220	64 135	2 12	-
107	Broncho-pneumonia -	1224 1139	523 397	222 187	8 13	4 8	4 4	8 5	14 13	17 11	13 15	24 26	30 26	41 32	43 36	56 40	62 65	49 85	60 80	29 51	12 34	1 3	-
108	Lobar pneumonia -	920 522	33 34	29 35	15 9	15 7	33 15	42 24	47 19	63 29	60 30	68 31	74 36	101 31	96 31	70 38	76 38	54 48	30 36	11 23	3 8	-	-
109	Pneumonia (not otherwise defined)	460 337	86 62	44 29	8 4	9 2	11 5	10 8	10 15	12 17	20 17	23 12	24 6	29 16	29 24	33 21	27 23	36 21	28 27	13 19	5 5	-	-
110	Pleurisy -	83 63	1 1	7 4	3 1	-	1 3	3 2	-	-	3 2	6 3	7 5	3 7	9 3	10 4	9 6	10 6	5 3	3 7	3 1	-	-
111.1	Congestion of Lungs -	185 241	24 16	6 5	-	-	-	1 1	-	2 2	2 2	-	4 4	5 6	2 3	9 11	18 20	21 28	36 43	25 51	21 26	1 4	-
2	Embolism, Thrombosis, Infaret.	29 19	1 1	-	1 -	-	1 -	-	-	1 1	2 1	1 1	-	1 -	5 2	3 2	7 3	2 3	3 2	1 1	-	1	-
112	Asthma -	56 74	1 -	2 -	-	1 -	1 -	3 1	-	3 3	4 4	3 3	2 4	6 7	9 5	10 7	3 8	6 8	5 8	7 4	-	-	-
113	Pulmonary emphysema -	15 4	1 -	-	-	-	-	-	-	-	1 -	1 -	1 -	2 -	2 1	1 -	-	5 -	2 -	1 1	-	-	-
114.1	Chronic interstitial pneumonia -	34 15	-	-	-	-	-	-	-	1 1	1 1	6 1	2 2	5 -	8 3	2 -	6 -	2 3	-	1 2	-	-	-
b1	Gangrene of lung -	2 3	-	-	-	-	-	-	-	-	1 -	3 -	1 -	-	-	-	-	-	-	-	-	-	-
2	Other diseases of respiratory system -	16 6	2 -	1 -	-	-	-	-	-	-	1 -	-	1 1	1 -	2 -	3 1	3 1	2 -	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																			100 and over			
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-		90-	95-	
IX. DISEASES OF DIGESTIVE SYSTEM.																									
115.1	TOTAL - - - { M. F.	1986 1674	420	101	51	36	48	37	54	59	72	90	94	117	161	181	170	141	84	43	23	4	-	-	
			276	99	38	24	23	29	37	32	50	64	79	105	131	160	146	132	125	77	30	14	3	-	-
2	Diseases of teeth and gums - - - { M. F.	13 11	1	3	-	1	-	-	1	-	1	5	1	-	1	2	-	-	-	-	-	-	-	-	
			1	3	-	1	-	-	1	-	1	-	1	5	2	4	6	5	3	2	1	-	-	-	-
3	Diseases of tonsils - - - { M. F.	41 70	1	9	7	4	3	1	4	1	2	1	5	2	2	4	3	2	1	3	-	-	-	-	
			1	8	9	1	2	2	4	4	1	2	7	4	5	2	4	1	2	1	2	-	-	-	-
116	Other diseases of buccal cavity or pharynx - - - { M. F.	25 45	3	6	2	1	1	1	1	1	2	7	4	5	2	2	3	2	1	1	3	-	-	-	
			2	7	-	1	1	1	1	2	-	-	-	-	1	1	4	1	2	1	1	-	-	-	-
117. ^a	Diseases of oesophagus - - - { M. F.	3 1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117. ^a	Ulcer of stomach - - - { M. F.	218 134	1	-	-	1	1	4	13	10	16	18	9	28	17	30	27	23	15	5	1	1	2	-	
			-	-	-	1	1	4	5	-	4	4	7	12	17	19	19	13	16	7	2	5	-	-	-
117. ^b	Ulcer of duodenum - - - { M. F.	236 38	-	-	-	1	5	4	10	10	17	31	22	26	23	31	31	15	5	3	2	-	-	-	
			-	-	-	2	-	3	1	1	7	8	1	5	2	2	1	5	2	2	1	1	1	1	-
118	Other diseases of stomach - - - { M. F.	55 90	9	3	1	2	1	1	1	4	4	3	4	4	7	7	4	6	5	1	3	1	1	-	
			13	3	1	1	1	2	-	-	-	-	3	1	1	2	7	7	10	9	12	6	1	-	-
119	Diarrhoea and enteritis (under 2 years) { M. F.	382 271	352	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			243	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
120. ^a	Diarrhoea and enteritis (over 2 years) - ^b	89 121	-	23	6	-	3	4	1	1	3	3	-	2	8	7	6	8	8	4	1	1	2	-	
			-	26	5	2	1	3	2	6	7	8	9	11	13	12	8	3	2	8	4	3	2	-	-
120. ^a		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
120. b	Ulceration of intestines - - -	35 39 { M. F.	-	-	-	-	-	3	3	2	3	1	5	3	1	4	4	2	4	-	-	-	-	-
121	Appendicitis - - -	289 191 { M. F.	1	12	27	22	28	13	15	22	13	12	19	14	27	25	18	13	5	3	-	-	-	-
122. a	Hernia - - -	129 83 { M. F.	13	3	2	-	-	1	2	-	1	3	5	5	11	13	20	20	13	11	5	1	1	-
b	Intestinal obstruction - - -	151 124 { M. F.	28	5	3	3	2	5	4	4	2	4	5	8	16	19	8	17	7	9	2	-	-	-
123	Other diseases of intestines - - -	59 49 { M. F.	2	2	-	1	1	-	-	2	2	2	3	5	9	7	10	4	3	2	4	-	-	-
124	Cirrhosis of liver - - -	101 59 { M. F.	-	-	-	-	1	1	3	2	4	6	8	6	14	18	20	12	4	1	-	-	-	-
125. 1	Acute yellow atrophy of liver - - -	3 14 { M. F.	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
2	Other diseases of liver - - -	19 19 { M. F.	-	-	-	-	-	-	-	2	2	1	3	2	1	3	-	1	3	-	1	-	-	-
126	Biliary calculi - - -	17 95 { M. F.	-	-	-	-	-	-	-	-	-	1	1	-	5	2	4	2	1	-	1	2	-	-
127. 1	Cholecystitis - - -	52 153 { M. F.	-	-	-	-	-	-	-	1	2	-	1	5	3	5	8	12	9	4	3	1	-	-
2	Other diseases of gall bladder and ducts { M. F.	7 8	1	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	1	-	-
128	Diseases of pancreas - - -	21 23 { M. F.	-	-	-	-	-	-	-	-	2	-	2	1	6	6	1	2	-	-	-	-	-	-
129	Peritonitis without stated cause - - -	41 41 { M. F.	8	4	3	2	4	1	-	1	-	1	6	2	3	2	2	2	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.															100 and over							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85-	90-	95-	
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.			1613 1200																						
130	Acute nephritis	- - -	20 17	18 15	14 8	12 11	18 12	23 29	10 24	18 27	27 43	43 73	65 87	80 85	126 114	179 137	240 157	249 127	238 129	155 67	67 29	9 8	2 1		
131	Chronic nephritis	- - -	566 612	- - -	2 2	5 3	6 5	14 5	5 10	5 18	19 17	24 28	34 46	43 48	57 69	83 74	85 92	74 75	64 73	29 30	14 13	3 3	- 1		
132	Nephritis unspecified	- - -	190 177	2 1	- - -	- - -	3 1	3 3	2 2	2 1	2 6	6 9	15 13	15 8	20 12	13 23	31 30	19 26	24 21	27 17	4 4	2 -	- -		
133	Other diseases of kidney and annexa	- - -	84 116	4 6	3 3	1 -	2 1	- 3	1 3	4 2	- 7	2 8	4 6	5 6	9 10	11 8	11 12	10 11	5 11	3 3	1 2	- -	- -		
134	Calculi of urinary passages	- - -	27 20	- - -	- - -	- - -	1 1	1 -	- 1	- -	- -	1 -	1 1	2 3	7 4	4 3	2 3	3 2	4 1	2 1	- -	- -	- -		
135	Diseases of bladder	- - -	110 74	4 1	- - -	- - -	- - -	- - -	- -	- -	1 -	3 4	2 2	3 5	8 3	13 8	11 8	20 5	16 15	15 12	12 7	1 4	- -		
136	Diseases of urethra, urinary abscess, &c.	- - -	43 6	1 -	- - -	- - -	- - -	- - -	- 1	1 -	2 1	1 -	5 2	2 1	8 -	8 -	4 1	4 -	3 -	3 -	1 -	- -	- -		
137	Diseases of prostate	- - -	477	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	4 - -	8 - -	42 - -	80 - -	115 - -	116 - -	72 - -	34 - -	3 - -	2 - -		
138	Diseases of male genital organs	- - -	6	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	1 - -	- - -	- - -	- - -		
139.a	Diseases of ovary, fallopian tube and parametrium	- - -	35	- - -	1 - -	1 - -	- - -	6 - -	4 - -	4 - -	5 - -	6 - -	3 - -	- - -	1 - -	3 - -	1 - -	- - -	- - -	- - -	- - -	- - -	- - -		
b	Diseases of uterus	- - -	51	- - -	- - -	- - -	- - -	5 - -	1 - -	1 - -	3 - -	8 - -	7 - -	5 - -	5 - -	8 - -	3 - -	2 - -	3 - -	- - -	- - -	- - -	- - -		
c	Diseases of breast	- - -	-	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -		
d	Other diseases of female genital organs	F.	5	1 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	1 - -	- - -	- - -	1 - -	1 - -	- - -	- - -	1 - -	- - -	- - -	- - -	- - -		
(a)		(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over						
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-
151	XII. DISEASES OF SKIN AND CELLULAR TISSUE. TOTAL - { M. F.	144	28	9	4	5	5	2	5	4	5	3	7	10	6	9	15	16	11	5	1	-	-
		141	21	6	-	6	2	2	7	2	7	2	7	8	7	5	14	16	17	8	3	1	-
		27	2	-	-	3	-	1	-	-	-	-	-	2	2	2	4	4	2	1	-	-	-
		17	1	-	-	1	-	-	-	-	-	-	-	2	2	1	1	2	3	-	1	-	-
152	Cellulitis, Acute abscess - { M. F.	84	18	6	3	4	2	2	4	2	4	3	5	7	2	4	8	5	5	1	-	-	
		83	13	5	-	5	2	1	7	2	4	1	4	6	4	3	8	9	6	1	-	1	-
153	Other diseases of skin and its annexa { M. F.	33	8	3	1	1	-	-	-	-	1	-	-	1	2	1	3	3	4	4	1	-	
		41	7	1	-	-	-	-	-	-	2	1	1	-	1	1	5	5	8	7	1	-	
154	XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION. TOTAL - { M. F.	72	3	5	17	14	5	2	-	3	1	2	1	4	9	1	2	3	-	-	-	-	
		44	6	7	4	9	1	2	-	-	1	1	1	2	4	-	1	1	4	-	1	-	-
		45	1	4	15	13	5	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
		18	3	4	4	5	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
155	Other diseases of bones - { M. F.	9	-	-	-	-	-	-	-	1	-	-	-	3	4	-	-	1	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
156	Diseases of joints and other organs of locomotion - { M. F.	18	2	1	2	1	-	-	-	1	1	1	1	1	3	1	2	1	-	-	-	-	
		20	3	3	-	1	-	-	-	-	-	-	-	1	2	-	1	-	3	-	1	-	-
157	XIV. CONGENITAL MALFORMATIONS. Congenital malformations - { M. F.	305	275	16	4	3	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
		225	199	17	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)
		(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
XV. DISEASES OF EARLY INFANCY.																								
	TOTAL	1706 1213	1706 1213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
158	Congenital debility	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
159	Premature birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
160	Injury at birth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
161	Other diseases peculiar to early infancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
162	XVI. SENILITY.																							
	Senility, Senile dementia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
		966 1618	966 1618	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVII. DEATHS FROM VIOLENCE.																								
	TOTAL	*1791 914	51 44	109 82	96 44	69 15	81 28	141 31	114 28	109 26	113 25	108 32	110 38	140 45	125 43	119 51	92 59	68 77	87 82	35 94	17 50	4 14	1 5	-
		{ M. F.																						
171	Suicide (163-170)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
175	Homicide (172, 173, 174)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
177	Food poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
178	Accidental gaseous poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
179	Other acute accidental poisoning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		{ M. F.																						
		8 6	- -	- -	- -	- -	- -	1 1	- 1	- -	- -	1 1	1 1	1 1	2 2	3 1	3 1	2 5	3 2	1 3	- -	- -	- -	- -

* Including 2 of unstated age.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1935—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																							
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100 and over		
XVII. DEATHS FROM VIOLENCE— <i>continued.</i>																										
180	Conflagration - - - - - { M. F.	11 5	-	2	-	1	1	-	-	-	-	2	1	-	3	-	-	-	-	-	1	-	-	-	-	
181	Accidental burns (conflagration ex- cepted) - - - - - { M. F.	90 151	9 5	46 41	2 5	3 8	- 13	4 4	2 7	4 2	2 3	2 2	-	3	2 9	2 3	2 7	3 7	2 16	3 12	2 2	-	-	-	-	
182	Accidental mechanical suffocation - { M. F.	54 32	35 27	4 2	1 -	2 -	1 -	-	1 -	-	2 -	1 -	2 -	1 2	2 -	1 -	-	1 1	-	-	-	-	-	-	-	
183	Accidental drowning - - - { M. F.	*208 58	-	14 4	13 2	12 1	10 4	23 2	10 4	14 4	21 4	12 4	10 5	19 8	14 7	12 3	11 1	6 2	3 -	1 2	1 -	1 -	1 -	-	-	
184	Accidental injury by firearms - { M. F.	8 -	-	-	-	-	-	-	-	1	1	1	-	2	1	1	-	1	-	-	-	-	-	-	-	
186	Crushing, Falls, &c.—																									
1	Motor vehicles - - - - - { M. F.	421 134	-	34 20	57 31	23 5	32 4	47 5	36 2	22 4	13 1	26 4	17 6	23 6	14 6	18 7	19 9	17 7	21 4	2 11	-	-	-	-	-	
2	Other crushing accidents - - { M. F.	568 342	1 2	5 11	20 3	24 -	24 6	40 7	35 2	30 3	43 2	32 1	37 7	51 6	40 6	46 26	30 28	24 49	44 56	25 62	13 46	3 13	1 5	1	1	
189	Hunger, Thirst - - - - - { M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(y)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
192	Weather agencies (190, 191) — — { M. F.}	13 6	— 1	— —	1 —	— 1	— —	— 1	1 1	1 1	— —	1 —	— —	— 1	2 —	2 —	— —	— —	2 —	3 —	— 1	— —	— —	— —
193	Electricity (lightning excepted) — — { M. F.}	8 —	— —	— —	— —	1 —	— —	— —	3 —	— —	2 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
194	Other accidents (176, 185, 187, 188, 195) { M. F.}	433 14	5 6	3 1	— 1	2 —	2 —	2 —	2 —	2 —	2 —	— —	— 1	3 1	4 —	2 —	— —	1 1	1 2	1 —	— —	— —	— —	
196	Wounds of war — — — { M. F.}	8 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	3 —	3 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	
198	Execution (197) — — — { M. F.}	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
XVIII. ILL-DEFINED DISEASES.																								
	TOTAL — — — { M. F.}	665 454	28 15	8 10	3 —	— 1	2 —	3 1	4 3	4 6	8 10	15 8	33 13	64 31	63 35	91 50	123 69	112 75	59 63	30 38	13 16	2 9	— 1	
199	Sudden death, Syncope — — — { M. F.}	128 77	1 1	— 1	— —	— —	1 —	2 1	— 1	— 2	1 2	3 2	7 1	7 8	13 9	27 8	25 9	20 12	15 15	4 3	1 1	— —	— —	
200.1	Heart failure — — — { M. F.}	427 293	1 5	— 2	— —	— 1	1 —	1 —	2 2	4 4	6 8	9 6	23 9	51 17	39 22	46 29	86 55	81 50	41 39	26 25	10 11	— 8	— —	
2	Other ill-defined causes — — — { M. F.}	91 71	19 5	7 7	3 —	— —	— —	— —	2 —	— —	1 —	3 —	3 3	5 5	9 4	15 11	11 5	8 11	3 7	— 10	1 2	1 1	— —	
3	Cause not specified — — — { M. F.}	19 13	7 4	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	2 —	3 2	1 —	3 2	— 2	— —	1 2	— —	— —	

* Including 1 of unstated age.

+ Including 1 of unstated age.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935.

INTERNATIONAL LONG LIST.		SCOTLAND.																											
		*Aberdeen	Remr. of Abdrdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Caithness Co.	Clackmannan Co.	Glydebank B.	Dumbarton B.	Remr. of Dumb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	*Kincardine Co.	Kinross Co.	Kirkcudbright Co.
All Causes		2,373	1,963	270	2,346	1,055	1,016	515	553	2,636	728	357	247	415	407	563	275	991	333	810	556	424	540	2,394	403	392	373	112	477
7,246		250	207	22	244	113	77	34	70	287	73	19	17	36	44	83	34	101	28	69	55	40	38	225	40	113	39	1	41
31		4								1											1								
14		3				1				1																			

Note.—Sub-headings indicated by letters (*a*, *b*, *c*, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.
* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935.

INTERNATIONAL LONG LIST.																															
All Causes	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Renf. of Lanark Co.	Edinburgh B.	Renf. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Renf. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Renf. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Renf. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.		
317	566	15,530	468	759	316	3,532	6,132	1,015	572	131	328	196	425	1,140	1,108	1,200	274	1,339	1,000	584	312	474	334	1,300	266	936	432	321			
31	94	2,146	72	91	34	396	639	103	43	13	29	16	42	73	135	119	35	127	104	33	16	53	34	153	39	104	39	42			
1.	Typhoid fever	.	.	11	.	8	1	1	.	.	1	1	.	.	.		
2.	Paratyphoid fevers	.	.	4	.	1	.	1		
3.	Typhus fever		
6.	1. Small-pox, vaccinated		
	2. " not vaccinated		
	3. " vaccination doubtful	.	.	8	1	5	11	1	1	1	1	1	1	1	3	.	4	1	1	2	1	1	2	3	1	9	.	11			
7.	Measles	.	.	37	1	10	5	37	1	1	1	1	1	2	2	6	7	5	7	3	8	2	2	6	26	1	6	2	.		
8.	Scarlet fever	1	3	271	10	5	1	24	5	1	1	1	3	2	26	9	7	5	7	1	1	2	2	3	8	1	11	4	.		
9.	Whooping-cough	3	12	119	6	4	3	27	14	10	2	.	1	3	6	9	3	6	3	1	1	2	2	6	26	1	8	6	.		
10.	Diphtheria	3	1	119	6	4	3	27	14	10	2	.	1	3	6	9	3	6	3	1	1	2	2	6	26	1	8	6	.		
11	Influenza—	8	23	296	19	18	5	113	22	19	6	9	6	11	23	25	4	35	24	12	3	13	7	22	15	16	4	1			
a 1.	with pneumonia	1	10	153	11	2	1	40	8	16	3	.	1	5	6	9	.	14	8	4	2	3	2	9	6	9	2	1			
2.	" bronchitis	1	3	35	.	1	1	16	2	1	1	1	1	2	5	.	.	6	3	3	2	1	1	4	8	1	2	1			
3.	" other resp. dis.	.	1	13	2	.	.	17	1	.	.	1	1	.	3	4	.	1	3	1		
b 1.	" tuberc. of resp. system	.	.	1	1	.	.	1	1		
2.	" dis. or accidents	.	.	2	.	1	.	2	1	.	1		
3.	" of preg., &c.	1	7	60	3	9	1	35	5	2	1	2	2	7	7	4	2	9	5	6	3	.	5	2	6	5	6	1	.		
4.	" sole cause	.	2	32	2	5	1	12	6	.	1	5	3	4	2	3	2	5	4	4	1	.	1	1	3	4	.	.	.		
13.	Dysentery	.	.	5	.	.	.	20	1	1	1	.	.	1	1	2	.	2	2	1	1	1	2	1	1	1	2	3	.		
15.	Erysipelas	2	1	54	.	.	.	11	2	.	.	1	.	.	.	2	.	2	2	1	1	1	2	1	1	1	2	1	.		
16.	Acute poliomyelitis	.	.	1	.	.	.	4	2	1	2	.	2	2	1	1	1	2	1	1	1	2	1	.		
17.	Lethargic encephalitis	1	5	24	2	.	.	11	2	.	.	.	1	.	1	2	.	5	5	1	1	1	1	1	1	1	2	1	.		
18.	Cerebro-spinal fever	1	2	39	2	2	.	6	2	2	.	2	2	1	1	1	1	1	1	1	2	1	.		
22.	Tetanus	.	.	2	.	.	.	2	1	2	.	2	1	1	1		
Tuberculosis—																															
23.	Respiratory system	16	44	1,213	31	47	19	335	53	16	5	13	8	41	68	65	15	62	68	13	6	28	15	61	20	44	17	29			
24.	Central nervous system	9	30	965	25	39	16	265	38	10	4	8	6	21	28	58	14	48	52	7	4	4	10	44	18	32	11	22			
25.	Intestines and peritoneum	5	3	131	8	4	2	24	4	2	.	1	.	2	2	4	1	7	4	3	2	2	4	7	1	7	1	3	.		
26.	Vertebral column	.	.	38	.	2	1	9	4	.	.	2	.	4	2	4	.	2	3	1	.	.	.	1	1	1	1	1	.		
27.	Other bones and joints	.	1	12	.	1	.	2	3	.	.	.	1	2	.	.	.	1	1	1		
28.	Skin and sub-cutaneous tissues	.	.	4	.	.	.	1	.	1	.	.	.	1		

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.	*Aberdeen B.	Remr. of Abderdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannan Co.	Glydebank B.	Dumbarton B.	Remr. of Dunb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	*Kincardine Co.	Kinross Co.	Kirkcaldy B.		
I. INFECTIOUS AND PARASITIC DISEASES—continued.																																
29.	Tuberculosis—continued.	12	.	.	.	1	1	1	2	
30.	Lymphatic system (bronch. and abdom. glands excepted)	31	1	1	.	1	4	2	.	.	.	1	1	.	.	1	1	
31.	Genito-urinary system	8	.	1	.	1	1	1	
32.	Other organs	82	3	1	.	4	1	
32.	Disseminated—acute	83	1	3	.	2	.	.	.	1	3	2	
32.	chronic (c)	102	7	2	.	10	1	5	
34.	Syphilis	4	1	
35.	Other venereal diseases	133	11	.	.	5	4	1	.	.	.	2	
36.	Purulent infection. Septicæmia	3	.	7	
38.	Malaria	3	
41.	Hydatid cysts	
43.	Mycoses	6	1	
44.	Other infect. or parasit. dis. (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42)	19	1	2	.	.	1	.	.	.	1	1	1	1	
II. CANCER AND OTHER TUMOURS.																																
45.	Cancer—	8,151	312	232	37	314	144	148	65	71	296	98	48	23	55	45	62	30	124	49	103	75	55	80	293	52	103	38	22	67		
45.	Buccal cavity, Pharynx.	7,798	296	217	37	305	134	141	63	66	283	90	45	28	52	43	61	28	117	47	102	71	49	74	282	50	96	37	21	64		
46.	Digestive organs, Peritoneum	414	15	10	4	17	12	8	2	3	17	4	23	1	4	3	3	1	4	3	7	6	2	1	20	3	5	22	2	3		
47.	Respiratory organs.	4,525	176	128	25	164	74	92	40	44	170	56	23	18	30	23	34	17	58	24	60	35	26	38	169	26	59	3	11	31		
48.	Uterus.	527	12	9	1	25	7	5	2	4	27	5	3	1	3	3	7	1	12	2	2	6	3	3	7	7	1	3	8	1		
49.	Other female genital organs	472	27	14	.	25	7	7	5	2	15	6	4	3	2	2	4	.	8	2	3	5	3	8	14	2	3	3	1	10		
50.	Breast.	197	7	2	1	10	14	.	1	4	6	1	.	3	1	1	1	.	6	3	4	1	9	2	2	7	2	2	2	3	3	
51.	Male genito-urinary organs.	667	27	23	2	28	14	9	3	2	19	5	4	3	4	5	4	2	13	4	10	10	9	6	25	6	7	3	2	4		
52.	Skin	369	14	13	.	12	7	6	2	1	7	3	3	1	.	3	1	.	8	3	4	3	2	3	17	5	6	3	4	5		
53.	Other or unspecified organs.	102	2	3	2	3	1	1	.	6	15	10	4	2	6	2	4	3	.	8	5	10	3	3	4	19	1	2	4	3	4	
55.	Tumours, non-malignant, or of undeter. nature (54)—	520	16	15	2	21	13	13	7
a 1.	Ovary.	44	1	2	.	1	2	2	.	1	.	1	.	1	1	1	.	.	1	.	.	.	1	.	2	1	2	.	.	.	1	
2.	Uterus.	46	1	2	.	.	1	2	.	1	4	.	2	3	2	1	.	.	1	.	.	.	1	.	2	2	2	.	.	.	1	
b 1.	Brain.	189	5	8	.	5	5	2	2	2	6	7	1	3	2	1	.	.	3	.	1	.	4	.	2	6	1	2	1	1	1	
2.	Bladder	20	.	.	.	2	2	1	.	2
3.	Others.	59	9	3	.	1	2	1	.	1	1	.	.	1	2

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.																													
SCOTLAND.																													
	*Aberdeen B.	Remr. of Aberrdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannan Co.	Clydebank B.	Dumbarton B.	Remr. of Dunb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	*Kincairdine Co.	Kinross Co.	Kirkcudbright Co.	
III. RHEUMATISM, DISEASES OF NUTRITION AND OTHER GENERAL DISEASES.	1,331	35	24	4	37	17	21	15	10	66	15	8	5	10	8	14	6	26	5	19	10	7	11	54	6	16	5	1	16
56. Rheumatic fever	182	5	3	.	2	2	1	2	1	9	4	1	.	1	1	3	1	2	.	1	1	1	4	1	6	1	.	1	
57. 1. Chronic rheumatism	31	.	1	.	1	1	2	.	3	3	.	.	2	.	1	1	1	5	.	.	1	1	3	3	2	.	.	1	
2. Rheumatoid arthritis, Osteo-arthritis	93	5	.	1	4	.	2	2	1	1	1	1	1	1	8	2	.	.	1	
58. Gout	740	19	14	1	23	12	12	8	5	42	6	5	4	6	6	7	3	14	2	9	6	5	4	31	2	6	2	1	
59. Diabetes mellitus	2	1	1	1	
60. Scurvy	14	1	1	6	
63. Rickets	7	.	.	.	4	1	1	2	1	8	1	1	1	.	.	1	1	2	2	5	1	1	1	2	1	.	.	.	
65. Diseases of pituitary gland	119	2	1	1	1	2	2	.	1	1	.	.	1	1	.	.	.	1	6	
66. Exophthalmic goitre	52	.	2	1	1	2	2	.	1	1	.	.	1	1	.	.	.	1	1	2	.	.	.	2	
c Myxoedema, Cretinism	21	1	1	
e Other diseases of thyroid and parathyroid glands	16	2	1	1	1	2	.	.	.	2	
67. Diseases of thymus	31	1	2	.	.	.	1	1	1	1	.	1	1	.	2	.	.	.	1	1	.	.	.	
68. Diseases of adrenals	23	1	1	.	2	.	.	1	1	1	.	.	.	1	.	.	.	1	.	1	.	.	.	1	1	.	.	.	
69. Other general diseases (61, 62, 64)																													
IV. DISEASES OF THE BLOOD, AND BLOOD-FORMING ORGANS.	565	11	18	2	17	8	8	6	4	21	4	8	10	4	5	8	2	10	2	6	5	6	5	24	2	4	3	1	6
70. a Purpura	25	1	2	1	.	.	1	1	1	.	.	1	1	
b Hemophilia	7	1	1	1	6	5	4	4	2	11	2	1	8	.	3	1	1	7	.	4	.	.	.	18	2	1	1	1	
71. a Pernicious anæmia	298	.	10	1	.	1	1	.	.	4	2	5	.	4	.	2	1	
b Other anæmias, Chlorosis	48	5	1	.	7	1	1	1	.	4	.	1	1	.	1	3	.	3	1	1	1	1	.	3	.	1	1	2	
72. a Leukæmia	101	3	2	.	3	1	2	1	2	5	1	1	1	.	.	.	1	.	1	1	
b Aleukæmia (Lymphadenoma)	69	1	2	1	1	1	1	.	.	1	
73. Diseases of spleen	13	.	.	1	1	.	.	1	
74. Other diseases of blood and blood-forming organs	4	
V. CHRONIC POISONINGS.	33	1	1	1	1	.	1	1	1	1	
75. Alcoholism (acute or chronic)	31	1	1	1	1	.	1	1	1	1	
76. Chronic poisoning by other organic substances	2	
77. 1. Occupational lead poisoning	
2. Other chronic poisoning by mineral substances	

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.	SCOTLAND.	*Aberdeen B.	Remr. of Abdrdn. Co. B.	Arbroath B.	Dundee B.	Remr. of Angus Co. B.	Argyll Co. B.	Ayr B.	Kilmarnock B.	Remr. of Ayr Co. B.	Banff Co. B.	Bervick Co. B.	Bute Co. B.	Galloway Co. B.	Black-mannan Co. B.	Clydebank B.	Dumbarton B.	Remr. of Dumb. Co. B.	Dumfries B.	Remr. of Dumf. Co. B.	East Lothian Co. B.	Dunfermline B.	Kirkcaldy B.	Remr. of Fife Co. B.	Inverness B.	Remr. of Inver. Co. B.	*Kincardine Co. B.	Kinross Co. B.	Kirkcudbright Co. B.
VII. DISEASES OF CIRCULATORY SYSTEM—continued.																													
94. Dis. of coronary arteries, Angina pectoris	1,397	60	49	7	43	27	30	16	22	76	10	9	4	4	2	15	5	27	11	21	8	10	2	70	8	8	13	1	6
95. Other diseases of heart	1,115	26	26	.	16	13	21	10	4	34	29	5	7	15	5	9	18	30	4	12	15	6	12	52	5	5	1	16	
96. Aneurysm (heart excepted)	136	5	2	.	10	4	1	1	1	2	1	4	.	1	3	6	2	3	3	1	1	2	.	4	1	1	1	1	
97. Arterio sclerosis (coronary arter. excepted)	835	50	32	.	37	12	17	3	14	27	17	4	2	8	3	6	2	11	3	9	11	.	8	41	6	5	9	10	
98. <i>a</i> Senile gangrene	233	2	7	2	12	7	5	1	3	6	3	2	.	4	4	.	.	2	.	2	5	1	2	7	2	9	1	3	
98. <i>b</i> Other gangrene	25	2	2	1	2	1	.	2	4	1	.	1	.	1	3	.	.	.	1	1	.	3	.	1	
99. Other diseases of arteries	90	5	2	1	5	2	.	1	1	4	1	1	.	1	1	.	.	.	1	2	.	1	5	
100. Diseases of veins	49	5	1	1	.	.	2	1	1	1	1	1	.	.	1	.	.	2	.	1	.	1	.	.	2	.	.	.	
101. Diseases of lymphatic system	17	1	1	.	1	.	.	1	.	2	.	1	1	.	1	.	.	.	2	
102. Abnormalities of blood pressure	45	.	1	.	1	2	.	1	1	1	.	.	
103. Other dis. of circulatory system	14	1	1	.	.	.	1	1	1	.	.	
VIII. DISEASES OF RESPIRATORY SYSTEM.	8,591	343	242	32	290	80	74	65	74	279	84	32	16	37	49	69	33	114	35	74	42	47	58	245	48	91	36	11	48
104. Dis. of nasal fossæ and annexa	26	1	.	.	1	.	1	2	.	2	.	1	1	.	.	.	1	1	.	1	1	1	.	1	1
105. 1. Laryngismus stridulus	8	.	1	1	1	2	1	.	.	1
105. 2. Laryngitis (including croup)	27	.	1	1	1
105. 3. Other diseases of larynx	4
106. Bronchitis	3,079	100	79	18	106	25	32	19	24	65	44	13	7	18	19	19	22	45	13	28	20	19	28	88	17	26	19	3	18
107. Broncho-pneumonia	2,368	122	74	4	67	18	15	17	19	72	15	5	3	2	14	18	3	25	13	16	10	14	8	45	10	23	5	1	7
108. Lobar pneumonia	1,442	84	33	6	52	15	5	20	20	40	9	4	2	4	6	21	1	24	4	15	5	2	10	20	8	11	5	2	9
109. Pneumonia (not otherwise defined)	797	13	18	1	33	10	10	6	2	27	9	3	1	6	7	5	3	7	2	2	1	3	2	20	7	23	3	.	8
110. Pleurisy	146	3	5	.	3	.	7	1	2	7	1	1	2	1	2	1	1	3	3	2	1	4	5	9	2	4	1	1	1
111. 1. Congestion of lungs	426	12	17	2	15	5	7	1	3	24	2	1	2	4	.	5	1	4	1	3	3	.	5	16	2	4	1	1	3
111. 2. Embolism, Thrombosis, Infarct	48	1	7	.	1	1	2	.	1	5	3	1	.	1	.	.	.	1	2	3	2	.	4	1	1
112. Asthma	130	5	.	.	9	1	1	.	1	2	3	1	.	1	.	.	.	1	2	1	1	.	4	1	1
113. Pulmonary emphysema	19	.	1	.	1	1	1	.	1	2	.	1	.	1	.	.	.	1	2	3	2	.	1	5
114. <i>a</i> Chronic interstitial pneumonia	49	2	1	.	1	2	.	.	1	4	1	.	.	1	.	.	.	1	.	1
114. <i>b</i> 1. Gangrene of lung	5	.	.	.	1	.	.	.	1	2	1
114. <i>b</i> 2. Other dis. of respiratory system	22	.	2	.	.	1	1	1	.	.	.

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.																															
VII. DISEASES OF CIRCULATORY SYSTEM—continued.																															
Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Kilnherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remr. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Pailkirk B.	Stirling B.	Remr. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.			
94. Diseases of coronary arteries, Angina pectoris																															
7	10	298	5	13	6	84	127	23	10	2	7	6	10	18	19	16	4	40	13	9	12	16	4	29	2	22	17	4			
95. Other diseases of heart																															
1	13	149	7	4	2	64	218	18	7	1	8	3	8	43	9	14	2	16	31	7	8	3	9	28	8	14	2	8			
96. Aneurysm (heart excepted)																															
1	.	43	1	1	2	10	17	2	2	.	.	.	1	.	1	1	.	4	1	3	2	.	.	2	9	1	5	.			
97. Arterio-sclerosis (coronary arter. excepted)																															
3	4	151	2	8	10	28	77	20	13	5	2	3	2	30	16	16	.	14	8	17	6	6	4	22	9	7	5	.			
98. a Senile gangrene																															
.	.	33	3	1	.	9	26	7	4	.	.	1	2	9	5	5	.	10	8	2	.	2	.	1	2	5	4	2			
98. b Other gangrene																															
.	.	2	.	.	1	2	8	1	.	.	.	1	2	1	2	2	.	3	1	1	1	1	.	2			
99. Other diseases of arteries																															
.	.	18	.	.	.	4	5	2	1	.	1	1	2	2	1	1	.	.	1	1	1	1	.	2			
100. Diseases of veins																															
.	.	12	.	.	.	2	5	.	1	.	1	.	2	2	2	.	.	.	1	1	.	.	1	1		
101. Diseases of lymphatic system																															
.	.	3	.	.	1	1	2	.	2	.	.	.	1	.	1	1	.	1	1	1	1		
102. Abnormalities of blood pressure																															
.	.	18	.	.	1	2	7	1	2	.	.	.	1	.	.	2	1	1		
103. Other dis. of circulatory system																															
.	.	3	.	.	.	2	.	1	2		
VIII. DISEASES OF RESPIRATORY SYSTEM.																															
43	75	2,747	76	106	44	473	820	112	62	19	26	10	45	95	145	181	43	166	102	54	25	66	35	177	19	119	31	27			
104. Dis. of nasal fossae and annexa																															
105. 1. Laryngismus stridulus																															
.	.	2	.	.	1	1	3	1	2		
105. 2. Laryngitis (including croup)																															
.	.	7	.	2	.	2	1	1	2	1	.	.	.		
106. 3. Other diseases of larynx																															
14	29	927	31	45	18	198	272	41	27	10	15	5	20	31	55	39	17	58	46	22	15	22	15	61	8	43	19	12			
107. Bronchitis																															
3	17	938	17	13	10	82	219	25	25	4	6	.	10	19	44	70	12	35	24	8	5	19	17	35	7	25	7	7			
108. Broncho-pneumonia																															
11	15	443	9	10	12	73	135	22	5	5	1	1	2	7	27	31	5	41	15	11	1	16	1	36	2	31	4	3			
109. Lobar pneumonia																															
7	11	233	11	30	10	64	90	9	1	.	1	1	2	11	9	18	5	16	9	3	2	4	1	23	1	11	1	1			
110. Pneumonia (not otherwise defined)																															
3	1	27	3	1	1	13	20	2	1	.	2	2	7	10	2	13	2	5	2	1	1	1	.	6	1	1	1	1			
111. Pleurisy																															
.	.	109	3	3	2	26	51	7	2	2	2	2	7	5	4	4	2	7	1	4	1	4	.	8	1	3	.	.			
111. 1. Congestion of lungs																															
.	.	5	4	.	.	2	12	1	1	1	.	.	1	6	1	2	.	.	1	2	1	.	1	4	.	1	.	.			
111. 2. Embolism, Thrombosis, Infarct																															
4	1	25	.	.	.	3	4	2	2	4	1	4	3	.	1	.	.	.		
112. Asthma																															
.	.	3	.	.	.	2	4	1	2	.	.	1	1	.	1	.	.	.		
113. Pulmonary emphysema																															
1	1	11	.	2	.	5	5	1	1	.	.	.		
114. a Chronic interstitial pneumonia																															
1	1	11	.	.	.	2	4	1	1	.	.	.		
114. b 1. Gangrene of lung																															
.	.	2	1	.	.	2	1	.	.	.	1	1		
114. b 2. Other dis. of respiratory system																															
.	.	6	.	.	.	2	1	1	1	.	.	.		

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.	* Aberdeen B.	Remr. of Aberdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Bervick Co.	Bute Co.	Gaithness Co.	Clackmannann Co.	Clydebank B.	Dumbarton B.	Remr. of Dumb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	* Kincairdine Co.	Kinross Co.	Kirkcaldy Bright Co.	
IX. DISEASES OF DIGESTIVE SYSTEM.		3,660	113	94	14	116	56	52	25	39	173	45	22	16	28	22	41	19	62	14	29	25	21	34	134	21	44	19	5	27	
115.	1. Diseases of teeth and gums	24																													
	2. Diseases of tonsils	111	5	3	1	1	4	3	1	3	6	1	1	1	1	2	1	1	1	2	1	1	1	1	6	1	4	1	1	1	
	3. Other diseases of buccal cavity or pharynx	70	2	3	2	2	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	5	1	1	1	1	1	1	
116.	Diseases of oesophagus	4	15	7	4	7	9	6	2	2	16	9	1	5	1	1	6	2	9	3	1	1	3	5	8	1	7	1	1	6	
117.	a Ulcer of stomach	352	15	8	1	7	4	3	3	1	6	5	4	4	1	1	1	1	7	1	1	1	3	2	9	4	5	3	1	2	
	b Ulcer of duodenum	274	15	6	1	3	4	1	2	1	9	2	1	1	2	1	1	1	4	1	1	1	3	2	5	2	5	3	1	2	
118.	Other diseases of stomach	135	2	9	2	18	4	1	2	3	38	2	1	1	6	3	9	4	6	2	3	3	1	3	14	1	1	1	1	2	
119.	Diarrhoea and enteritis (under 2 years)	653	6	9	2	18	4	1	2	3	38	2	1	1	6	3	9	4	6	2	3	3	1	3	14	1	1	1	1	2	
120.	a Diarrhoea and enteritis (over 2 years)	210	2	4	3	3	1	4	4	4	10	3	2	2	4	3	2	1	4	4	4	2	2	2	6	2	2	2	2	2	
	b Ulceration of intestines	74	6	1	1	1	1	1	3	12	24	2	6	1	4	3	1	2	1	2	2	1	2	2	25	1	10	2	1	1	
121.	Appendicitis	480	13	11	2	28	12	7	5	2	12	5	3	1	3	3	7	2	6	3	3	3	1	1	7	3	3	2	2	2	
122.	a Hernia	217	5	7	3	9	3	4	5	2	7	3	3	2	2	3	2	3	6	3	3	3	1	1	8	4	2	2	2	2	
	b Intestinal obstruction	275	6	14	6	6	8	7	1	2	7	7	3	2	2	3	2	2	3	3	3	3	2	2	8	4	4	2	2	2	
123.	Other diseases of intestines	108	4	5	3	3	3	1	2	1	10	2	1	1	1	1	3	3	2	2	2	2	2	3	3	3	1	3	3	3	
124.	Cirrhosis of liver	160	8	5	1	5	3	4	2	4	5	2	1	1	1	1	2	1	2	2	2	1	1	2	3	3	1	1	1	1	
125.	1. Acute yellow atrophy of liver	17					1	1	1	1	3	1	1	1	1	1	1	1	2	2	2	1	1	2	3	1	1	1	1	1	
	2. Other diseases of liver	38	2	1	1	1	1	1	1	2	1	1	2	1	1	1	1	1	2	2	2	1	1	2	4	1	1	1	1	1	
126.	Biliary calculi	112	12	6	14	2	5	3	1	1	6	1	2	1	1	1	1	1	2	2	2	1	2	7	15	2	3	1	1	1	
127.	1. Cholecystitis	205	2	1	1	1	1	1	1	1	11	1	1	2	1	1	1	1	1	5	1	1	2	7	1	1	1	1	1	1	
	2. Other diseases of gall bladder and ducts	15	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
128.	Diseases of pancreas	44	1	1	2	2	1	3	1	1	5	1	1	1	1	1	1	1	1	1	1	2	2	1	4	1	1	1	1	1	
129.	Peritonitis without stated cause	82	7	2	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	4	1	1	1	1	1	
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.		2,813	97	85	14	76	50	60	24	19	131	39	20	17	13	9	21	11	45	10	43	26	25	25	104	16	36	17	10	19	
130.	Acute nephritis	214	6	10	1	4	5	4	2	3	8	2	1	1	1	1	1	1	5	1	1	1	1	1	13	1	1	1	1	3	
131.	Chronic nephritis	1,178	42	22	8	25	12	34	11	9	62	14	14	10	4	2	11	3	16	1	31	11	9	12	43	5	21	10	8	5	
132.	Nephritis unspecified	367	6	13	4	13	6	5	2	2	19	8	1	1	1	2	2	5	1	2	3	3	10	3	18	4	2	2	2	1	1
133.	Oth. dis. of kidney and annexa	200	11	9	1	4	1	4	1	1	7	3	1	2	1	1	2	1	1	1	1	2	2	1	4	1	1	1	1	2	

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.																													
Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Remur. of Lanark Co.	Edinburgh B.	Remur. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remur. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remur. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Seikirk Co.	Falkirk B.	Stirling B.	Remur. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	
IX. DISEASES OF DIGESTIVE SYSTEM.																													
115. 1. Diseases of teeth and gums																													
2. Diseases of tonsils																													
3. Other diseases of buccal cavity or pharynx																													
116. Diseases of oesophagus																													
117. a Ulcer of stomach																													
b Ulcer of duodenum																													
118. Other diseases of stomach																													
119. Diarrhoea and enteritis (under 2 years)																													
120. a Diarrhoea and enteritis (over 2 years)																													
b Ulceration of intestines																													
121. Appendicitis																													
122. a Hernia																													
b Intestinal obstruction																													
123. Other diseases of intestines																													
124. Cirrhosis of liver																													
125. 1. Acute yellow atrophy of liver																													
2. Other diseases of liver																													
126. Biliary calculi																													
127. 1. Cholecystitis																													
2. Other diseases of gall bladder and ducts																													
128. Diseases of pancreas																													
129. Peritonitis without stated cause																													
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.																													
130. Acute nephritis																													
131. Chronic nephritis																													
132. Nephritis unspecified																													
133. Oth. dis. of kidney and annexa																													

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.	SCOTLAND.	*Aberdeen B.	Remr. of Aberdeen Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannann Co.	Glydebank B.	Dumbarrow B.	Remr. of Dunb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	*Kincardine Co.	Kinross Co.	Kirkcaldy Co.	
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM—continued.																														
184. Calculi of urinary passages . .	47	2			2	2	3	1		6	4		2	1	1				1	2		1	1		3		1			
185. Diseases of bladder	184	5	5		4	5		1		1			1	4		2		7	2	2	1	1	1		3		2			
186. Diseases of urethra, urinary abscess, &c. . . .	49	4			3			1										2	1											
187. Diseases of prostate	477	16			18	19	9	4	4	22	5		2	2	2	3	1	10	2	3	5	2	5	16	3	3	7	3	1	
188. Diseases of male genital organs . .	6				1															1										
189. <i>a</i> Diseases of ovary, fallopian tube and parametrium	35		2		1			2			2							1	1						1					
<i>b</i> Diseases of uterus	51	4			1		1			5	1				1			1	1		1					2	1		2	
<i>c</i> Diseases of breast																														
<i>d</i> Other diseases of female genital organs	5	1								1																				
XI. DISEASES OF PREGNANCY AND CHILD-BIRTH.																														
140. Post-abortive sepsis	554	12		20	2	18	7	7	5	3	19	5	1	1	2	2	6	2	8	2	7	5	1	1	26	3	6	1		
141. Abortion not returned as septic . .	49						1			1					1				2											
142. Ectopic gestation	16		1					1		2											1									
143. Other accidents of pregnancy . .	11																													
144. <i>a</i> Placenta prævia	6							1									1													
<i>b</i> 1. Accidental hæmorrhage	18					1		1		2	1					1		1		1	1									
2. Other puerperal hæmorrhage . .	21			2		1				4	1									1	1									
145. Puerperal sepsis	40	7	14	2	1	1	2			3	3	1		1	1	1	3		2	1	1	1	1	11						
146. Puerperal albuminuria, Convulsions	77	1	2				1	1	1	3				1					2	1					5	1	1			
147. 1. Uncontrollable vomiting . . .	24					4				1	1					1														
2. Other toxæmias of pregnancy . .	17	2	1			1				2															1	1				
148. Puerperal phlegmasia alba dolens, Embolism	35					2	1	1											1							1				
149. Other accidents of childbirth . .	53	1				4	1	1	1	1															2					
150. Other or unspecified conditions of the puerperal state	9												1								3									

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.	PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.																										Zealand Co.			
	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Moherwell and Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remr. of Glasgow B.	Remr. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remr. of Stirling Co.		Sutherland Co.	West Lothian Co.	Wicktown Co.
XII. DISEASES OF SKIN AND CELLULAR TISSUE.																														
151. Carbuncle, Boil	2	2	52	2	1	1	15	29	2	2	1	1	1	4	3	11	6	1	1	8	3	1	1	4	10	2	2	2	1	
152. Cellulitis, Acute abscess . . .	1	2	8	2	1	1	2	6	1	1	1	1	1	2	1	1	1	1	2	5	1	1	1	4	2	1	1	1	1	
153. Oth. dis. of skin and its annexa	1	1	12	1	1	1	1	9	1	1	1	1	1	2	2	3	1	1	1	1	2	1	1	1	2	1	1	1	1	
XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION.																														
154. Acute infective osteomyelitis and periostitis	1	1	20	2	1	1	11	10	2	2	1	1	1	1	1	1	2	1	1	5	3	1	1	2	3	6	1	1	2	
155. Other diseases of bones . . .	1	1	6	2	1	1	8	3	2	1	1	1	1	1	1	1	2	1	2	2	3	1	1	1	1	4	1	1	1	
156. Dis. of joints and other organs of locomotion	1	1	4	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
XIV. CONGENITAL MALFORMATIONS.																														
157. Congenital malformations . .	6	3	133	4	9	1	28	40	9	8	2	1	1	2	11	9	7	1	1	19	4	6	2	2	1	11	1	16	8	1
XV. DISEASES OF EARLY INFANCY.																														
158. Congenital debility	17	35	794	27	37	8	200	197	41	20	8	7	5	21	28	70	56	15	55	18	16	8	19	19	60	8	45	25	5	
159. Premature birth	8	9	191	7	7	3	60	27	11	4	2	2	2	4	4	41	17	4	14	9	7	2	5	5	5	20	1	6	13	1
160. Injury at birth	7	24	484	11	27	3	99	110	24	14	4	4	3	11	17	26	31	8	29	7	5	5	12	13	20	6	23	11	1	1
161. Other diseases peculiar to early infancy	1	1	58	5	2	1	28	33	3	1	1	1	1	3	3	1	3	2	1	1	1	1	1	1	1	10	10	10	1	1

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.	SCOTLAND.	Remr. of																Kirkcud- bright Co.												
		*Aberdeen B.	Aberdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Bervick Co.	Bute Co.	Gaithness Co.	Clack- mannan Co.	Clydebank B.	Dumbarton B.		Remr. of Dunb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunferm- line B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	*Kincar- dine Co.	Kinross Co.	
162. Senility, Senile dementia . .	2,584	51	40	8	76	75	78	21	13	124	22	13	10	31	35	16	10	53	15	24	20	12	30	106	16	114	19	1	14	
XVII. DEATHS FROM VIOLENCE.		2,705	105	84	17	117	37	33	22	12	123	31	11	18	13	23	7	39	13	38	31	20	25	133	14	43	21	9	17	
171. Suicide (163 to 170) . .	467	27	9	6	34	9	5	2	2	18	5	2	1	1	3	6	3	4	2	4	4	7	21	3	8	3	2	1		
175. Homicide (172, 173, 174) . .	20	1	1	
177. Food poisoning . .	1	2	.	1	7	.	.	1	1	7	2	
178. Accidental gaseous poisoning . .	39	1	2	
179. Other acute accidental poisoning . .	14	
180. Conflagration . .	16	2	1	
181. Accidental burns (conflagration excepted)	241	9	6	1	7	2	3	2	1	13	4	.	.	1	1	3	.	6	1	3	3	2	3	15	1	8	1	.	1	
182. Accidental mechanical suffocation . .	86	3	3	.	3	1	2	.	.	3	2	.	.	2	.	1	.	3	3	1	.	.	1	.	3
183. Accidental drowning . .	266	14	14	.	10	4	6	2	.	4	10	1	3	6	.	1	.	4	2	6	2	.	.	15	3	9	2	4	.	.
184. Accidental injury by firearms . .	8	1	1	.	.	.	1	1	1
186. Crushing, Falls, &c.—																														
1. Motor Vehicles . .	555	18	18	3	19	4	4	5	5	27	1	4	.	2	4	6	1	7	3	6	7	5	6	20	2	11	5	1	3	
2. Other crushing accidents . .	910	31	23	6	34	14	12	9	3	49	7	4	4	6	5	5	3	12	4	17	12	5	9	55	4	14	8	.	6	
Hunger, Thirst
Weather agencies (190, 191) . .	19	.	1	2	1
Electricity (lightning excepted) . .	8	.	1	1	1
Other accidents (176, 185, 187, 188, 195)	47	1	2	.	3	1	1	.	1	1	.	1	.	.	.	2	1	.
Wounds of war (197) . .	8	.	2	1
Execution
XVIII. ILL-DEFINED DISEASES.		1,119	27	16	1	12	18	33	7	5	47	14	7	13	14	8	1	8	5	15	12	5	6	33	10	23	9	2	6	
Sudden death, Syncope . .	205	2	3	.	3	3	12	1	1	7	6	1	1	4	2	1	.	.	2	5	1	.	1	8	.	6	2	.	1	5
1. Heart failure . .	720	18	10	1	9	15	13	6	2	34	5	5	9	10	5	5	1	7	3	5	10	5	1	20	6	12	5	2	5	
2. Other ill-defined causes . .	162	7	2	.	.	.	5	.	.	3	.	.	3	.	1	2	.	1	.	8	1	.	4	5	3	4	1	.	.	.
3. Cause not specified . .	32	.	1	.	.	.	3	.	.	3	3	1	.	.	.	2	2	1	.	.	.

* See footnote Table 4.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1935—continued.

INTERNATIONAL LONG LIST.		Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remr. of Glasgow B.	Remr. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remr. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	
XVI. SENILITY.																																
162.	Senility, Senile dementia . . .	20	23	359	25	29	7	148	200	37	31	9	48	11	17	58	48	26	12	42	108	17	25	20	21	69	31	33	29	34		
XVII. DEATHS FROM VIOLENCE.																																
171.	Suicide (163 to 170)	12	21	570	15	38	8	142	256	56	22	3	13	7	20	63	44	54	10	49	29	14	7	18	15	68	7	41	19	12		
175.	Homicide (172, 173, 174)	3	1	112	1	5	3	15	66	2	1	.	1	2	5	10	4	10	2	6	6	1	2	4	.	8	.	2	2	2		
177.	Food poisoning	.	.	6	.	.	.	1	5	1	.	1	.	.	.	1	1	.	.	.	
178.	Accidental gaseous poisoning	.	.	5	4	1	1	3	1	.	.	.	
179.	Other acute accidental poisoning	.	.	8	.	.	.	2	2	1	1	3	.	.	1	.	.	.	
180.	Conflagration	3	.	.	.	3	.	1	2	1	2	2	7	1	1	.	1	1	8	.	.	8	3	3	
181.	Accidental burns (conflagration excepted)	1	1	62	4	4	.	9	14	4	4	.	.	.	1	.	1	4	2	2	.	1	1	.	1	8	.	.	8	3	3	
182.	Accidental mechanical suffocation	1	.	32	2	1	1	10	12	5	1	1	2	1	4	9	1	2	1	2	1	1	2	.	3	.	1	.	1	3	.	
183.	Accidental drowning	.	1	54	.	1	1	1	10	.	3	1	2	.	.	.	8	2	1	2	2	2	2	.	.	.	10	.	2	1	.	
184.	Accidental injury by firearms	1	.	1	1	1	
186.	Crushing, Falls, &c.—	
189.	1. Motor Vehicles	2	6	104	4	11	1	40	48	12	5	1	1	1	2	15	14	10	2	13	6	4	.	3	5	23	4	15	6	3	.	
192.	2. Other crushing accidents	5	10	174	4	15	2	60	84	28	8	1	6	2	7	23	14	21	2	15	9	5	3	4	4	16	2	11	6	6	.	
193.	Hunger, Thirst	.	1	1	.	1	.	.	.	1	.	1	1
194.	Weather agencies (190, 191)	1	1	1
198.	Electricity (lightning excepted)	.	1	2	.	.	.	1	.	1	1	1
194.	Other accidents (176, 183, 187, 188, 195)	.	1	15	.	.	.	2	7	1	1	.	3	.	1
196.	Wounds of war	.	.	1	.	.	1	1	.	2
198.	Execution (197)
XVIII. ILL-DEFINED DISEASES.																																
199.	Sudden death, Syncope	5	11	392	10	10	7	37	19	16	14	1	21	3	12	21	24	13	6	23	46	10	3	3	7	11	2	12	6	9	.	
200.	1. Heart failure	2	5	69	3	2	2	8	4	3	3	.	1	.	.	4	8	3	.	.	2	1	1	1	2	2	4	5	5	1	1	.
	2. Other ill-defined causes	2	3	281	3	7	4	17	8	10	8	.	14	3	9	14	14	7	4	11	32	8	2	2	5	4	7	7	4	6	2	.
	3. Cause not specified	1	8	42	4	1	1	10	7	2	3	1	3	.	3	2	2	3	2	8	11	1	.	1	1	1	.	.

CAUSES OF DEATH IN SCOTLAND (BOTH SEXES), BY MONTHS, IN 1935.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	All Causes - - - -	65331	6531	6146	6500	5956	5560	4689	4679	4414	4368	4847	5051	6590
	I. INFECTIOUS AND PARASITIC DISEASES.	7246	847	846	940	814	638	469	400	421	379	420	471	601
1	Typhoid fever - - - -	31	2	1	1	2	4	4	-	8	2	1	2	4
2	Paratyphoid fevers - - - -	14	-	-	3	1	2	-	1	1	2	-	-	4
3	Typhus fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
6.1	Smallpox vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
2	" not vaccinated - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
3	" vaccination doubtful - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Measles - - - -	141	20	19	9	13	9	10	7	7	6	13	16	12
8	Scarlet fever - - - -	199	22	23	19	15	19	14	12	9	7	17	16	26
9	Whooping-cough - - - -	567	79	82	105	79	53	38	31	32	21	8	11	28
10	Diphtheria - - - -	513	62	51	63	38	44	33	23	33	33	35	44	54
11	Influenza— (Total)	1459	265	284	375	207	70	29	17	12	21	36	56	87
a1	with pneumonia - - - -	620	112	120	172	78	28	13	6	6	5	16	25	39
2	" bronchitis - - - -	160	30	33	35	31	7	2	-	-	5	3	3	11
3	" other resp. dis. - - - -	86	15	20	23	15	3	3	1	-	-	-	3	3
b1	" tuberc. of resp. system - - - -	14	1	2	4	3	2	-	-	-	-	1	-	1
2	" dis. or acc. of preg., &c. - - - -	13	3	2	1	1	-	-	1	-	1	-	1	3
3	" other cause - - - -	356	66	61	88	42	21	9	4	4	8	11	20	22
4	sole cause - - - -	210	38	46	52	37	9	2	5	2	2	5	4	8
13	Dysentery - - - -	12	1	-	-	1	-	1	2	1	1	1	1	3
15	Erysipelas - - - -	166	9	18	19	21	16	10	8	9	6	11	18	21
16	Acute poliomyelitis - - - -	10	1	-	1	1	1	2	1	-	1	1	-	1
17	Lethargic encephalitis - - - -	93	7	10	5	7	6	8	6	11	12	5	5	11
18	Cerebro-spinal fever - - - -	114	8	10	9	19	11	10	7	5	9	11	5	10
22	Tetanus - - - -	14	2	-	-	2	1	1	-	5	3	-	-	-
	Tuberculosis— (Total)	3646	351	328	310	335	377	290	269	260	227	260	271	318
23	Respiratory system - - - -	2812	273	242	244	284	283	242	194	198	176	203	214	259
24	Central nervous system - - - -	376	30	42	26	39	47	23	31	25	23	26	35	29
25	Intestines and peritoneum - - - -	167	12	15	16	20	16	11	18	14	10	13	10	12
26	Vertebral column - - - -	48	4	6	2	9	8	-	3	4	3	2	2	5
27	Other bones and joints - - - -	18	2	2	3	1	1	-	-	1	2	3	2	1
28	Skin and sub-cutaneous tissues - - - -	9	2	-	-	2	-	-	2	-	-	1	-	2
29	Lymphatic system (bronch. and abdom. glands excepted) - - - -	12	1	1	1	1	2	1	-	1	2	-	1	1
30	Genito-urinary system - - - -	31	2	2	1	6	2	1	1	4	3	4	2	3
31	Other organs - - - -	8	-	1	-	2	2	-	-	1	1	-	-	1
32.a	Disseminated—acute - - - -	82	7	8	8	14	11	8	8	8	2	2	3	3
b	" —chronic (c) - - - -	83	18	9	9	7	5	4	12	4	5	6	2	2
34	Syphilis - - - -	102	4	4	8	4	14	7	7	14	15	8	10	7
35	Other venereal diseases - - - -	4	-	-	-	-	1	1	1	-	-	-	1	-
36	Purulent infection, Septicæmia - - - -	133	13	14	12	14	9	7	5	12	10	11	13	13
38	Malaria - - - -	3	-	-	-	-	-	1	-	-	2	-	-	-
41	Hydatid cysts - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
43	Mycoses - - - -	6	-	-	-	1	-	3	-	-	-	-	1	1
44	Other infect. or parasit. dis. (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42)	19	1	2	1	4	1	-	3	2	1	2	1	1
	II. CANCER AND OTHER TUMOURS.	8151	721	611	631	702	724	629	719	659	663	662	680	750
	Cancer— (Total)	7793	687	581	601	675	693	596	687	634	629	630	653	722
45	Buccal cavity, Pharynx - - - -	414	34	41	25	28	30	35	38	39	35	34	38	37
46	Digestive organs, Peritoneum - - - -	4525	407	314	339	406	400	354	399	369	358	364	384	431
47	Respiratory organs - - - -	527	44	37	43	43	56	39	54	37	41	43	44	46
48	Uterus - - - -	472	48	31	35	37	41	36	45	28	34	41	52	44
49	Other female genital organs - - - -	197	13	20	17	18	26	13	15	17	12	16	15	15
50	Breast - - - -	667	62	56	54	50	57	50	60	55	63	48	59	53
51	Male genito-urinary organs - - - -	369	23	40	31	34	34	23	25	32	26	31	32	38
52	Skin - - - -	102	11	3	11	15	5	6	7	7	5	10	8	14
53	Other or unspecified organs - - - -	520	45	39	46	44	44	40	44	50	55	43	26	44

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
II. CANCER AND OTHER TUMOURS—continued.														
55	Tumours, non-malignant, or of undetermined nature (54)—													
a1	Ovary - - - - -	44	2	7	4	3	4	3	2	4	6	3	3	3
2	Uterus - - - - -	46	4	2	3	3	6	6	9	2	4	-	2	5
b1	Brain - - - - -	189	19	12	17	14	15	20	12	13	20	21	14	12
2	Bladder - - - - -	20	1	3	1	2	3	1	2	-	1	3	-	3
3	Others - - - - -	59	8	6	5	5	3	3	7	6	3	5	3	5
III. RHEUMATISM, DISEASES OF NUTRITION, AND OTHER GENERAL DISEASES.														
		1331	131	120	108	118	105	96	107	86	104	114	100	142
56	Rheumatic fever - - - -	182	16	23	11	15	19	12	13	14	13	16	15	15
57.1	Chronic rheumatism - - -	31	1	1	5	4	3	3	6	4	1	2	1	-
2	Rheumatoid arthritis, Osteo arthritis	93	7	6	11	9	9	8	4	5	7	5	10	12
58	Gout - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
59	Diabetes mellitus - - - -	740	76	74	62	61	48	55	59	44	59	66	53	83
60	Scurvy - - - - -	2	1	-	-	-	1	-	-	-	-	-	-	-
63	Rickets - - - - -	14	2	-	1	6	2	-	1	1	-	-	-	1
65	Diseases of pituitary gland - -	7	1	-	1	1	-	1	-	-	1	2	-	-
66.b	Exophthalmic goitre - - -	119	8	10	7	8	9	8	11	9	9	15	10	15
c	Myxœdema, Cretinism - - -	52	5	4	4	3	3	2	6	3	5	5	4	8
e	Other diseases of thyroid and parathyroid, Tetany (a, d)	21	4	-	1	5	2	4	-	2	1	-	1	1
67	Diseases of thymus - - - -	16	1	2	1	3	1	-	2	-	2	1	1	2
68	Diseases of adrenals - - - -	31	6	-	4	2	5	-	2	3	4	2	2	1
69	Other general diseases (61, 62, 64) -	23	3	-	-	1	3	3	3	1	2	-	3	4
IV. DISEASES OF THE BLOOD, AND BLOOD-FORMING ORGANS.														
		565	45	59	43	55	46	49	49	36	52	45	41	45
70.a	Purpura - - - - -	25	5	4	2	2	2	2	2	2	-	2	-	2
b	Hæmophilia - - - - -	7	1	1	-	2	1	-	-	-	-	-	1	1
71.a	Pernicious anæmia - - - -	298	21	31	25	31	25	29	29	15	26	25	19	22
b	Other anæmias, Chlorosis - -	48	5	6	6	5	1	2	6	2	4	2	3	6
72.a	Leukæmia - - - - -	101	7	7	4	6	10	8	5	11	12	9	13	9
b	Aleukæmia (Lymphadenoma) -	69	6	7	5	7	6	5	5	4	10	5	4	5
73	Diseases of spleen - - - -	13	-	3	1	1	1	2	1	1	-	2	1	-
74	Other diseases of blood and blood-forming organs	4	-	-	-	1	-	1	1	1	-	-	-	-
V. CHRONIC POISONINGS.														
		33	1	-	1	2	2	3	5	4	1	8	2	4
75	Alcoholism (acute or chronic) -	31	1	-	-	2	2	3	5	4	1	8	2	3
76	Chronic poisoning by other organic substances	-	-	-	-	-	-	-	-	-	-	-	-	-
77.1	Occupational lead poisoning - -	2	-	-	1	-	-	-	-	-	-	-	-	1
2	Other chronic poisoning by mineral substances	-	-	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.														
		8160	749	709	734	731	734	620	593	589	574	621	613	793
78.a	Cerebral abscess - - - - -	25	2	3	-	3	-	-	3	2	3	4	2	3
b	Other forms of encephalitis - -	59	2	1	11	5	10	4	9	1	3	5	3	5
79	Meningitis - - - - -	213	18	20	21	21	20	9	14	18	16	12	18	26
80	Tabes dorsalis (Locomotor ataxy) -	53	4	6	8	5	2	5	4	4	7	5	1	2
81.1	Progressive muscular atrophy - -	63	5	5	3	3	8	5	6	4	11	2	4	7
2	Sub-acute combined sclerosis - -	17	2	-	1	1	2	2	-	2	-	4	2	1
3	Myelitis of unstated origin - - -	30	2	2	2	2	5	4	1	-	1	5	2	4

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
VI. DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS— <i>continued.</i>														
81.4	Other diseases of spinal cord -	66	7	7	6	5	5	6	4	5	3	4	2	12
82.a	Cerebral hæmorrhage, Apoplexy -	4489	422	376	433	430	379	346	341	347	323	324	347	421
b1	Cerebral embolism - - -	120	7	9	12	13	9	16	8	9	4	16	10	7
2	Cerebral thrombosis - - -	1293	128	128	107	100	121	88	94	93	85	104	108	137
3	Cerebral softening - - -	168	14	18	21	18	12	15	5	8	16	10	14	17
c1	Hemiplegia - - - -	362	25	24	31	53	44	20	28	24	23	20	23	47
2	Other paralyses of unstated origin	48	4	4	7	5	8	3	4	2	2	3	2	4
83	General paralysis of insane - -	100	10	7	7	9	8	6	14	5	9	8	8	9
84	Other forms of insanity - - -	74	4	6	5	9	6	6	11	8	4	1	9	5
85	Epilepsy - - - - -	198	18	17	25	24	14	15	4	12	16	22	13	18
86	Infantile convulsions (age under 5)	192	17	22	22	18	17	13	12	12	12	9	13	25
87.a	Chorea - - - - -	4	-	1	2	1	-	-	-	-	-	-	-	-
b	Neuritis - - - - -	23	3	1	3	1	3	2	2	1	1	2	2	1
c	Paralysis agitans - - - -	82	8	7	7	7	3	6	9	5	7	12	6	5
d	Disseminated sclerosis - - -	147	18	9	15	22	18	7	5	11	9	15	7	11
e	Other diseases of nervous system -	139	17	12	11	6	17	20	8	6	9	13	10	10
88	Diseases of eye and annexa - -	6	2	1	1	-	1	-	1	-	-	-	-	-
89.a	Otitis, diseases of ear - - -	122	7	13	16	13	16	16	3	3	9	13	5	8
b	Mastoid disease - - - -	67	3	10	7	7	6	5	3	7	1	8	2	8
VII. DISEASES OF CIRCULATORY SYSTEM.														
		13969	1270	1306	1270	1208	1210	1065	1067	997	947	1062	1089	1478
90	Pericarditis - - - - -	37	3	5	1	1	-	3	2	2	3	6	4	7
91	Acute endocarditis - - - -	143	10	11	9	11	14	11	15	14	17	10	14	7
92	Chronic endocarditis, Valvular dis.	2574	226	236	256	226	227	191	209	198	175	181	188	261
93.a	Acute myocarditis - - - -	204	17	21	29	19	17	15	15	14	9	14	20	14
b1	Fatty heart - - - - -	214	22	16	13	16	21	15	15	19	11	13	28	25
2	Cardiovascular degeneration -	923	83	96	79	98	82	64	63	53	59	88	75	83
3	Chronic myocarditis, Other myo- cardial disease	3075	271	268	283	274	265	241	233	206	211	224	244	355
c	Myocard. not spec. as acute or chronic	2843	245	275	257	227	250	221	216	225	178	221	216	312
94	Diseases of coronary arteries, Angina pectoris	1397	146	124	105	95	121	102	110	105	99	114	119	157
95	Other diseases of heart - - -	1115	110	112	113	106	90	81	81	67	71	87	76	121
96	Aneurysm (heart excepted) - -	136	9	10	17	18	10	12	14	10	8	17	6	5
97	Arterio-sclerosis (coron. art. except.)	835	91	83	69	68	69	72	60	54	65	59	62	83
98.a	Senile gangrene - - - - -	233	20	27	21	27	22	17	16	12	23	12	14	22
b	Other gangrene - - - - -	25	1	2	2	4	1	1	2	2	4	-	3	3
99	Other diseases of arteries - -	90	5	10	5	11	9	5	10	8	4	3	9	11
100	Diseases of veins - - - -	49	5	4	6	3	5	3	3	5	5	4	5	1
101	Diseases of lymphatic system -	17	-	2	2	1	-	3	2	-	1	2	1	3
102	Abnormalities of blood pressure -	45	6	3	2	1	4	6	1	3	3	4	5	7
103	Other dis. of circulatory system -	14	-	1	1	2	3	2	-	-	1	3	-	1
VIII. DISEASES OF RESPIRATORY SYSTEM.														
		8591	1135	1017	1155	818	667	476	360	314	368	466	644	1171
104	Diseases of nasal fossæ and annexa	26	1	5	2	3	3	2	3	2	-	1	-	4
105.1	Laryngismus stridulus - - -	8	-	-	2	-	1	2	1	-	-	-	1	1
2	Laryngitis (including croup) -	27	4	3	3	3	2	1	1	1	2	1	1	5
3	Other diseases of larynx - - -	4	-	-	1	1	1	-	-	-	-	1	-	-
106	Bronchitis - - - - -	3079	424	405	422	291	208	148	120	101	120	151	234	455
107	Broncho-pneumonia - - - -	2363	358	300	341	229	172	96	87	72	80	108	176	344
108	Lobar pneumonia - - - - -	1442	163	154	180	132	136	114	71	60	72	96	103	161
109	Pneumonia (not otherwise defined)	797	96	81	106	73	68	59	31	26	43	52	61	101
110	Pleurisy - - - - -	146	11	13	21	12	18	16	14	4	9	6	12	10
111.1	Congestion of lungs - - - -	426	47	36	53	50	33	25	18	27	23	33	30	51
2	Embolism, Thrombosis, Infarct -	48	5	4	4	3	6	4	3	6	3	2	3	5
112	Asthma - - - - -	130	16	10	9	9	8	6	6	7	12	10	14	23
113	Pulmonary emphysema - - -	19	1	1	3	2	-	-	-	-	1	3	4	4
114.a	Chronic interstitial pneumonia -	49	5	4	4	8	8	3	3	5	1	-	3	5
b1	Gangrene of lung - - - -	5	1	-	-	1	1	-	1	-	-	-	1	-
2	Other dis. of respiratory system -	22	3	1	4	1	2	-	1	3	2	2	1	2

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF DIGESTIVE SYSTEM.														
		3660	311	283	296	318	306	247	305	312	303	329	332	313
115.1	Diseases of teeth and gums - -	24	2	1	3	2	2	1	2	2	1	5	3	-
2	Diseases of tonsils - - -	111	9	8	8	14	7	5	10	12	12	7	10	9
3	Other diseases of buccal cavity or pharynx	70	8	9	5	6	10	4	4	4	8	5	3	4
116	Diseases of oesophagus - - -	4	-	-	-	1	-	-	1	-	1	-	-	1
117.a	Ulcer of stomach - - -	352	34	27	23	31	37	27	37	32	25	17	33	29
b	Ulcer of duodenum - - -	274	27	27	25	31	29	17	28	15	17	20	19	19
118	Other diseases of stomach - -	135	9	16	14	12	12	11	4	9	11	9	6	22
119	Diarrhoea and enteritis (under 2 years)	653	47	33	52	53	43	36	60	52	73	79	67	58
120.a	Diarrhoea and enteritis (over 2 years)	210	19	19	8	13	18	14	20	17	27	23	16	16
b	Ulceration of intestines - -	74	7	5	8	9	10	6	4	7	3	7	4	4
121	Appendicitis - - -	480	41	43	37	43	48	34	33	40	43	39	43	36
122.a	Hernia - - -	217	20	17	21	16	12	12	14	14	19	21	26	25
b	Intestinal obstruction - - -	275	25	21	26	24	22	21	24	32	10	23	22	25
123	Other diseases of intestines -	108	12	11	8	7	10	7	9	10	6	8	11	9
124	Cirrhosis of liver - - -	160	8	15	18	16	7	13	10	16	9	19	16	13
125.1	Acute yellow atrophy of liver -	17	2	2	1	1	1	2	-	-	1	1	4	2
2	Other diseases of liver - - -	38	7	4	7	3	2	4	3	6	1	-	-	1
126	Biliary calculi - - -	112	9	9	5	5	4	12	9	10	10	14	18	7
127.1	Cholecystitis - - -	205	16	10	16	20	19	18	17	19	15	15	20	20
2	Other diseases of gall bladder and ducts	15	-	1	1	1	1	-	1	2	3	3	1	1
128	Diseases of pancreas - - -	44	2	4	3	4	4	-	5	4	3	7	4	4
129	Peritonitis without stated cause -	82	7	6	7	6	8	3	10	9	5	7	6	8
X. NON-VENEREAL DISEASES OF GENITO-URINARY SYSTEM.		2813	283	231	238	219	221	224	247	207	229	218	217	279
130	Acute nephritis - - -	214	26	16	16	23	19	17	18	15	9	15	15	25
131	Chronic nephritis - - -	1178	135	95	110	95	92	72	99	86	100	80	90	124
132	Nephritis unspecified - - -	367	36	29	28	29	43	27	39	26	32	25	20	33
133	Other dis. of kidney and annexa -	200	12	14	11	15	17	21	23	18	20	15	19	15
134	Calculi of urinary passages - -	47	5	3	2	5	6	6	2	3	4	3	1	7
135	Diseases of bladder - - -	184	15	14	18	10	8	21	12	14	17	22	20	13
136	Dis. of urethra, urinary abscess, &c.	49	9	6	6	3	3	4	3	2	7	1	1	4
137	Diseases of prostate - - -	477	39	42	42	32	30	52	38	34	31	46	41	50
138	Diseases of male genital organs -	6	1	1	-	1	-	1	-	1	-	-	1	-
139.a	Diseases of ovary, fallopian tube and parametrium	35	1	6	2	3	-	-	1	6	7	2	1	6
b	Diseases of uterus - - -	51	2	5	3	3	3	3	11	-	2	9	8	2
c	Diseases of breast - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Other dis. of female genital organs	5	2	-	-	-	-	-	1	2	-	-	-	-
XI. DISEASES OF PREGNANCY AND CHILDBIRTH.		554	47	39	43	51	46	50	46	52	49	47	39	45
140	Post-abortive sepsis - - -	49	5	4	5	4	2	3	2	8	3	7	2	4
141	Abortion not returned as septic -	16	-	-	-	2	2	1	2	3	1	1	3	1
142	Ectopic gestation - - -	11	-	2	1	2	1	1	1	-	1	-	2	-
143	Other accidents of pregnancy -	6	-	-	1	2	-	-	-	-	-	2	1	-
144.a	Placenta prævia - - -	18	-	3	-	3	-	1	1	2	3	1	3	1
b1	Accidental hæmorrhage - - -	21	3	2	-	2	4	1	1	-	4	1	2	1
2	Other puerperal hæmorrhage - -	40	2	3	1	5	5	3	4	4	3	3	4	3
145	Puerperal sepsis - - -	178	18	14	16	15	17	22	16	13	12	12	12	11
146	Puerperal albuminuria, Convulsions	77	9	2	3	10	4	10	8	6	8	8	4	5
147.1	Uncontrollable vomiting - -	24	4	-	4	1	2	-	2	5	1	2	-	3
2	Other toxæmias of pregnancy -	17	4	1	-	1	1	2	1	1	1	1	1	3
148	Puerperal phlegmasia alba dolens, Embolism	35	1	4	4	1	1	-	1	4	3	6	3	7
149	Other accidents of childbirth -	53	1	3	8	3	6	6	4	6	8	2	2	4
150	Other or unspecified conditions of the puerperal state	9	-	1	-	-	1	-	3	-	1	1	-	2

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	XII. DISEASES OF SKIN AND CELLULAR TISSUE.													
		285	37	19	30	27	22	14	24	17	24	28	23	20
151	Carbuncle, Boil - - - -	44	5	3	5	6	2	4	1	1	8	3	2	4
152	Cellulitis, Acute abscess - -	167	23	12	19	13	13	7	15	8	11	19	16	11
153	Other dis. of skin and its annexa -	74	9	4	6	8	7	3	8	8	5	6	5	5
	XIII. DISEASES OF BONES AND ORGANS OF LOCOMOTION.	116	10	8	5	13	10	8	7	13	14	8	11	9
154	Acute infective osteomyelitis and periostitis	63	3	3	4	8	6	4	3	6	8	3	7	8
155	Other diseases of bones - - -	15	1	-	-	2	1	2	-	2	2	3	1	1
156	Diseases of joints and other organs of locomotion	38	6	5	1	3	3	2	4	5	4	2	3	-
	XIV. CONGENITAL MALFORMATIONS.													
157	Congenital malformations - - -	530	46	51	44	45	52	49	44	39	25	52	48	35
	XV. DISEASES OF EARLY INFANCY.	2919	264	236	337	267	261	230	211	193	178	223	229	290
158	Congenital debility - - - -	746	62	60	93	78	70	62	47	37	40	62	54	81
159	Premature birth - - - -	1656	158	139	195	144	146	125	125	109	103	119	131	162
160	Injury at birth - - - -	234	10	16	18	20	19	26	23	25	19	24	18	16
161	Other dis. peculiar to early infancy	283	34	21	31	25	26	17	16	22	16	18	26	31
	XVI. SENILITY.													
162	Senility, Senile dementia - - -	2584	285	302	264	215	215	151	180	184	158	204	174	252
	XVII. DEATHS FROM VIOLENCE.	2705	230	218	208	218	217	230	240	204	217	247	242	234
171	Suicide (163-170) - - - -	467	37	37	45	32	45	49	50	28	36	35	49	24
175	Homicide (172, 173, 174) - -	20	2	2	2	2	1	-	2	2	6	-	-	1
177	Food poisoning - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
178	Accidental gaseous poisoning -	39	8	5	1	5	1	1	3	1	1	2	6	5
179	Other acute accidental poisoning -	14	3	1	-	2	1	-	-	2	1	-	1	3
180	Conflagration - - - -	16	-	1	-	-	-	-	1	-	2	-	4	8
181	Accidental burns (conflagration excepted)	241	23	24	23	22	17	19	10	17	13	24	19	30
182	Accidental mechanical suffocation	86	7	11	7	4	5	8	5	5	3	13	10	8
183	Accidental drowning - - -	266	14	13	20	32	23	27	37	21	21	17	23	18
184	Accidental injury by firearms -	8	-	1	-	1	-	2	1	1	-	-	-	2
186	Crushing, Falls, etc.—													
1	Motor vehicles - - - -	555	49	48	42	32	38	41	47	52	58	54	50	44
2	Other crushing accidents - -	910	79	68	64	79	80	80	72	69	69	88	76	86
189	Hunger, Thirst - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
192	Weather agencies (190, 191) - -	19	5	-	2	1	1	-	4	2	1	2	-	1
193	Electricity (lightning excepted) -	8	-	-	-	-	-	1	3	1	-	2	-	1
194	Other accidents (176, 185, 187, 188, 195)	47	3	6	2	5	3	2	4	2	5	9	3	3
196	Wounds of war - - - -	8	-	1	-	1	2	-	1	1	1	1	-	-
198	Execution (197) - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
	XVIII. ILL-DEFINED DISEASES.	1119	119	86	103	85	84	79	75	87	83	93	96	129
199	Sudden death, Syncope - -	205	21	10	14	16	11	11	18	16	22	16	23	27
200.1	Heart failure - - - -	720	75	57	65	59	60	51	46	59	47	54	67	80
2	Other ill-defined causes - -	162	21	18	16	9	12	14	10	11	11	19	5	16
3	Cause not specified - - - -	32	2	1	8	1	1	3	1	1	3	4	1	6

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS
OF SCOTLAND, 1935.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.		CAUSES OF DEATH.		ABERDEEN BURGH (including part in Kincardine Co.)														ABERDEEN COUNTY (excluding Aberdeen Burgh).													
				All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
All Causes—Both Sexes . . .		2,373	286	118	38	29	63	83	122	171	366	505	477	115	1,963	199	65	45	20	52	77	79	115	257	416	474	164				
Males . . .		1,154	170	60	22	16	31	41	62	84	183	262	185	38	972	138	31	21	10	23	33	40	58	127	205	229	57				
Females . . .		1,219	116	58	16	13	32	42	60	87	183	243	292	77	991	61	34	24	10	29	44	39	57	130	211	245	107				
1	Typhoid fever (including Paratyphoid) . . .	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
4	Measles . . .	16 12	3 5	10 5	3 2	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	1 4	1 4	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
5	Scarlet fever . . .	6 5	1 2	2 2	2 2	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	10 9	1 1	1 2	5 5	1 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1				
6	Whooping-cough . . .	3 4	2 2	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	8 2	8 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
7	Diphtheria . . .	17 15	11 7	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	4 4	13 17	2 2	5 3	3 8	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
8	Influenza . . .	12 23	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	27 24	1 1	1 1	1 1	1 1	1 1	2 1	2 1	1 1	4 4	8 8	9 6	1 4				
14(1)	Cerebro-spinal fever . . .	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 4	2 2	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
14(2)	Other epidemic diseases (2, 3, 9) * . . .	5 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	8 2	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
10	Tuberculosis of respiratory system . . .	37 34	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	17 19	1 1	1 1	1 1	1 1	1 1	4 7	6 8	5 1	1 1	1 1	1 1	1 1				
11	Other tuberculous diseases . . .	11 17	1 2	3 4	2 1	1 3	1 3	1 3	1 3	1 3	1 3	1 3	1 3	1 3	15 15	3 3	3 4	4 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
14(3)	Other infectious and parasitic diseases (12, 13) . . .	11 10	1 2	3 4	2 1	1 3	1 3	1 3	1 3	1 3	1 3	1 3	1 3	1 3	7 5	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
15	Cancer, malignant disease . . .	138 158	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	88 129	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
18	Diabetes mellitus . . .	9 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
20	Other general diseases, chronic poisonings (16, 17, 19) . . .	17 27	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	21 23	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
22	Cerebral hæmorrhage, &c. . .	119 170	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	98 156	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
23	Other diseases of nervous system and sense organs (21) . . .	45 26	10 6	5 1	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	20 19	3 4	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1				
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)				

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F.	199 246	1 .	1 1	5 3	1 4	1 .	1 .	13 16	37 38	72 71	59 82	10 22	205 244	3 .	3 .	34 32	66 74	19 40					
25	Other circulatory diseases	{ M. F.	38 33	1 .	1 .	1 .	1 .	1 .	1 .	3 1	3 4	9 6	20 12	3 9	29 19	1 .	1 .	4 1	8 3	16 5					
26	Bronchitis	{ M. F.	45 55	13 10	1 .	1 .	1 .	1 .	1 .	1 .	1 .	20 12	5 15	4 8	44 35	2 .	2 .	5 1	4 6	19 13					
27	Pneumonia (all forms)	{ M. F.	120 99	44 30	14 17	1 1	2 2	10 3	8 7	7 5	15 5	5 9	7 12	1 4	75 53	9 7	4 3	8 1	7 5	1 2					
28	Other respiratory diseases	{ M. F.	11 13	4 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 3	5 1	1 .	21 14	1 .	2 .	4 1	4 2	5 1					
32 (1)	Gastric and duodenal ulcer	{ M. F.	21 9	1 .	1 .	1 .	1 .	3 .	3 .	4 .	5 4	4 .	1 3	1 .	12 8	2 .	2 .	2 .	5 1	1 .					
29	Diarrhoea, &c. (all ages)	{ M. F.	8 6	4 2	1 .	1 .	1 .	1 .	1 .	1 .	2 .	2 .	1 .	1 .	5 9	1 3	1 .	1 .	1 .	1 .					
30	Appendicitis	{ M. F.	9 4	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	4 .	1 .	1 .	1 .	1 .	1 .					
31 (1)	Cirrhosis of liver	{ M. F.	6 2	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	4 1	1 .	1 .	1 .	2 .	1 .					
31 (2)	Other diseases of liver, &c.	{ M. F.	2 14	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 6	1 .	1 .	1 .	1 .	1 .					
32 (2)	Other digestive diseases	{ M. F.	21 11	4 .	2 2	1 1	1 .	1 .	1 .	2 1	4 2	4 1	3 2	1 .	20 22	1 .	1 .	7 4	6 4	1 5					
33	Acute and chronic nephritis	{ M. F.	29 25	1 .	1 1	2 1	1 .	4 .	4 2	5 4	6 7	6 3	4 5	1 .	25 20	1 .	1 .	2 3	6 5	2 1					
34	Other diseases of genito-urinary system	{ M. F.	27 16	1 1	1 .	1 .	1 2	1 .	1 .	2 3	1 4	14 2	8 2	1 .	33 7	1 .	1 .	6 1	9 2	14 2					
35	Puerperal sepsis	F.	7	1	1	2	4	1	1	1	1	1	1	1	14	1	1	1	1	1					
36	Other puerperal causes	F.	5	1	1	2	2	1	1	1	1	1	1	1	6	1	1	1	1	1					
37	Diseases of skin and locomotor system	{ M. F.	10 7	5 3	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 2	1 .	1 .	4 12	1 .	1 .	2 4	2 .	2 .					
38	Congenital debility, premature birth, malformation, &c.	{ M. F.	74 49	2 1	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	67 27	1 .	1 .	1 .	1 .	1 .					
39	Old age	{ M. F.	14 37	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	2 .	7 21	7 14	14 26	1 .	1 .	1 .	1 .	8 10					
40	Suicide	{ M. F.	16 11	1 .	1 .	1 .	1 .	1 .	1 .	4 1	4 4	3 3	1 .	1 .	7 2	1 .	1 .	2 .	1 .	1 .					
42	Other violence (41)	{ M. F.	43 35	2 1	3 5	2 .	5 1	2 .	2 .	3 5	4 4	3 5	5 10	2 .	47 28	5 2	6 4	4 3	4 5	2 4					
43	Causes ill-defined or unknown	{ M. F.	11 16	1 .	1 .	1 .	1 .	1 .	1 .	1 .	1 .	3 3	1 4	1 .	11 5	1 .	1 .	2 .	2 .	4 1					

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.	CAUSES OF DEATH.	ARBROATH BURGH.														DUNDEE BURGH.													
		All Ages,	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes . .	270	16	4	2	.	2	10	17	13	34	79	71	22	2,346	218	77	31	20	73	97	139	185	374	531	501	100		
	Males . .	114	11	2	.	.	3	6	8	16	30	30	30	8	1,077	138	44	23	12	38	47	56	100	176	264	157	22		
	Females . .	156	5	2	2	.	7	11	5	18	49	41	41	14	1,269	80	33	8	8	35	50	83	85	198	267	344	78		
1	Typhoid fever (including typhoid)		
4	Measles	8	2	6		
5	Scarlet fever . .	1	1	1	.	.	1		
6	Whooping-cough	5	2	3	1		
7	Diphtheria . .	1	.	1	7	1	2	3	1	2		
8	Influenza . .	6	.	.	1	3	.	9	1	.	1	1	1	1	2	4		
14 (1)	Cerebro-spinal fever	2	1	1		
14 (2)	Other epidemic diseases (2, 3, 9)* . .	1	1	.	.	.	1	.	1	1	.	3	1	.	.		
10	Tuberculosis of respiratory system . .	6	1	3	2	1	2	.	.	.	65	.	2	.	1	9	13	17	15	5	5	3	.		
11	Other tuberculous diseases . .	1	1	1	24	1	5	7	3	4	1	1	2	1	.	1	.		
14 (3)	Other infectious and parasitic diseases (12, 13)	8	1	1	3	2	4	1	.		
15	Cancer, malignant disease . .	14	3	1	3	6	3	2	126	4	1	5	13	37	47	19	3		
18	Diabetes mellitus . .	1	1	.	.	8	.	.	.	1	1	.	2	1	4	2	2	.		
20	Other general diseases, chronic poisonings (16, 17, 19) . .	3	1	.	.	2	2	.	.	12	.	1	4	.	2	4	.	2	1	3	3	.		
22	Cerebral hæmorrhage, &c. . .	13	1	5	6	9	3	95	1	1	4	3	41	21	3		
23	Other diseases of nervous system and sense organs (21) . .	1	2	1	.	31	6	1	.	3	3	3	3	6	5	3	1	.		
(a)		2	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	26 37	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	1 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	7 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	6 5	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	7 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	1 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	4 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	3 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	5 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	4 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F.	106 123	1	1	1	1	1	1	5 6	15 10	33 40	33 47	12 8	122 111	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F.	12 14							1	3	3	4	1	12										
26	Bronchitis	{ M. F.	10 15								3	2	6	3	16										
27	Pneumonia (all forms)	{ M. F.	19 24	2	1	1	1	1	4	2	4	4	7	1	14	2	2	3	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F.	7 5	1				1		1	2	1	1	1	9	1									
32 (1)	Gastric and duodenal ulcer	{ M. F.	9 4							1	3	1	4	1	6										
29	Diarrhoea, &c. (all ages)	{ M. F.	4 2	2	1			1		1	1				1	5	1								
30	Appendicitis	{ M. F.	6 6					1	1	1	2	1			3	4	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F.	1 2								1	1	1		4										
31 (2)	Other diseases of liver, &c.	{ M. F.	1 6								4	1			1	5									
32 (2)	Other digestive diseases	{ M. F.	7 8	1						2	2	1	1		10	2	1	1	1	1	1	1	1	1	1
33	Acute and chronic nephritis	{ M. F.	9 14							2	1	3	1	1	25	1									
34	Other diseases of genito-urinary system	{ M. F.	23 5	1						1	1	1	1	2	18	1									
35	Puerperal sepsis	F.	1					1							13	4									
36	Other puerperal causes	F.	6					2							2										
37	Diseases of skin and locomotor system	{ M. F.	2 3	1					1			1			3										
38	Congenital debility, premature birth, malformation, &c.	{ M. F.	28 21	2	1										12	14	1								
39	Old age	{ M. F.	29 46									3	2	15	27	51									
40	Suicide	{ M. F.	8 1					1	2	1	2	1	1		4										
42	Other violence (41)	{ M. F.	19 9	1				2	4	1	3	1	4	1	22	6	3	1	2	1	1	1	1	1	1
43	Causes ill-defined or unknown	{ M. F.	11 7									1	6	1	23	10									

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.	CAUSES OF DEATH.	AYR BURGH.													KILMARNOCK BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes--Both Sexes . .	515	45	11	7	6	21	25	31	36	78	118	115	22	553	61	28	11	9	18	15	30	47	97	109	95	83
	Males . .	264	26	8	6	2	9	12	19	23	46	54	52	7	277	33	15	5	1	9	7	14	25	54	58	45	11
	Females . .	251	19	3	1	4	12	13	12	13	32	64	63	15	276	28	13	6	8	9	8	16	22	43	51	50	22
1	Typhoid fever (including Para-typhoid)	{ M. F.
4	Measles	{ M. F.
5	Scarlet fever	{ M. F.	1	2	.	1	1	.	.	2	2	1
6	Whooping-cough	{ M. F.	1	2	4	1
7	Diphtheria	{ M. F.	2	3	2	2	5	4	2	.	1	.	1
8	Influenza	{ M. F.	2	3	1	.	1	.	2	.	8	13	.	.	.	1	2	1	3	3	2	3	1
14 (1)	Cerebro-spinal fever	{ M. F.	2	2	2
14 (2)	Other epidemic diseases (2, 3, 9)*	{ M. F.	1	1	1	1	.	.	.
10	Tuberculosis of respiratory system	{ M. F.	5	7	1	3	2	1	1	1	1	.	1	.	6	14	.	.	3	6	1	2	2	1	2	.	.
11	Other tuberculous diseases	{ M. F.	3	4	1	1	2	3	1	.	1	1	.	1
14 (3)	Other infectious and parasitic diseases (12, 13)	{ M. F.
15	Cancer, malignant disease	{ M. F.	32	31	.	1	1	1	5	2	10	8	5	3	29	37	1	1	8	9	10	1	2
18	Diabetes mellitus	{ M. F.	2	6	.	.	1	.	1	.	1	2	.	.	3	2	1	.	.	.	1	1	2
20	Other general diseases, chronic poisonings (16, 17, 19)	{ M. F.	5	11	1	.	1	1	4	2	2	2	.	.	3	11	.	1	1	.	.	2	2	1	1	2	.
22	Cerebral hæmorrhage, &c.	{ M. F.	26	28	1	1	5	10	7	1	30	34	1	.	.	.	1	.	3	4	15	7	5
23	Other diseases of nervous system and sense organs (21)	{ M. F.	11	4	.	.	2	.	3	2	2	1	1	.	8	7	2	2	.	1	1	2	1	1	1	.	(o)
(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	58 54	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	2 1	
25	Other circulatory diseases	{ M. F. }	3 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
26	Bronchitis	{ M. F. }	8 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
27	Pneumonia (all forms)	{ M. F. }	25 18	4 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
28	Other respiratory diseases	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
29 (1)	Gastric and duodenal ulcer	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
29	Diarrhea, &c. (all ages)	{ M. F. }	4 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
30	Appendicitis	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (c)	Other digestive diseases	{ M. F. }	3 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
33	Acute and chronic nephritis	{ M. F. }	11 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
34	Other diseases of genito-urinary system	{ M. F. }	7 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
35	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
36	Other puerperal causes	F.	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	20 12	19 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
39	Old age	{ M. F. }	8 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
40	Suicide	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
42	Other violence (41)	{ M. F. }	13 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
43	Causes ill-defined or unknown	{ M. F. }	4 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.	CAUSES OF DEATH.	AYR COUNTY (excluding Large Burghs).														BANFF COUNTY.													
		All Ages.	-1	1- 5	10- 15	25- 35	45- 55	65- 75	85 and over.	All Ages.	-1	1- 5	10- 15	25- 35	45- 55	65- 75	85 and over.	All Ages.	-1	1- 5	10- 15	25- 35	45- 55	65- 75	85 and over.				
	All Causes—Both Sexes	2,636	288	89	54	41	88	115	148	228	356	583	518	128	728	68	27	8	5	23	27	29	53	89	164	173	62		
	Males	1,331	162	47	36	27	53	47	72	113	193	291	239	51	371	41	14	3	4	16	13	14	30	41	90	82	23		
	Females	1,305	126	42	18	14	35	68	76	115	163	292	279	77	357	27	13	5	1	7	14	15	23	48	74	91	39		
1	Typhoid fever (including typhoid)	{ M. F.	2							2																			
4	Measles	{ M. F.	1												1		1												
5	Scarlet fever	{ M. F.	4	1	2	1			1	1					1														
6	Whooping-cough	{ M. F.	7	3	4										1														
7	Diphtheria	{ M. F.	27	1	6	16	1		1	1					2														
8	Influenza	{ M. F.	29	2			2	2	4	6	4		3	2	11		1	1		1			2	1	4	2	3		
14 (1)	Cerebro-spinal fever	{ M. F.	4	2	1	1	1	1																					
14 (2)	Other epidemic diseases (2, 3, 9) *	{ M. F.	10	1				4	1	1	2	1	1		1			1							1				
10	Tuberculosis of respiratory system	{ M. F.	43				1	10	16	4	4	3	1	3	15		1			4	3	2	2	1	1	1	1		
11	Other tuberculous diseases	{ M. F.	18	2	4	4	1	1	2	3	1		1		9		4		2	1	1		1						
14 (3)	Other infectious and parasitic diseases (12, 13)	{ M. F.	4		1	1	1	1			2	1			2									1					
15	Cancer, malignant disease	{ M. F.	129				2	3	3	15	42	41	17	6	40							2	1	11	18	4	2		
18	Diabetes mellitus	{ M. F.	9				1	1			1	6	5		3									1	1	1			
20	Other general diseases, chronic poisonings (16, 17, 19)	{ M. F.	25	1		1	2	1	2	7	4	3	1		10		1		1	1	1		1	3	4				
22	Cerebral hemorrhage, &c.	{ M. F.	122	1					1	7	29	48	31	5	31								2	6	11	10	2		
23	Other diseases of nervous system and sense organs (21)	{ M. F.	44	6	4	3	7	2	4	4	4	6	2	1	8	2	1	1		2		1	1	1	3	1	1		
(a)			34	5	4		2	3	5	7	5		3		12		1	1		1		1	2	1	1	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)					
24	Heart disease	{ M. F.	251 237	2 1	4 5	2 1	2 1	3 5	10 9	21 20	43 36	81 79	74 63	13 17	72 66	8 5	6 9	26 22	7 10
25	Other circulatory diseases	{ M. F.	28 17						1 1	2 1	5 1	7 5	12 7	1 2	12 10		1 2	7 4	3 3
26	Bronchitis	{ M. F.	54 41	2 3					1 2	3 1	6 5	16 13	22 14	1 3	19 25	1 5	2 1	8 11	1 5
27	Pneumonia (all forms)	{ M. F.	81 58	16 16	10 8	2 1	6 4	2 6	2 6	9 2	8 7	16 8	8 4	1 2	21 12	1 2	3 1	4 1	5 .
28	Other respiratory diseases	{ M. F.	18 27	3 1	2 2	1 2	1 2	1 2	1 2	2 2	3 1	7 3	2 12	3 3	2 5		1 2	1 .	1 .
32 (1)	Gastric and duodenal ulcer	{ M. F.	15 7					3 .	3 2	4 2	1 2	2 .	1 .	1 .	12 2		2 1	1 1	1 .
29	Diarrhoea, &c. (all ages)	{ M. F.	27 23	23 12	3 1	1 1	1 .	1 .	1 .	1 .	1 .	1 1	2 2	2 .	5 2			2 1	2 .
30	Appendicitis	{ M. F.	13 11		1 1	2 1	1 3	2 1	1 3	2 .	3 .	2 .	1 .	1 .	5 .		1 .	1 .	1 .
31 (1)	Cirrhosis of liver	{ M. F.	4 1								2 .	2 1	2 .	2 .	2 .			1 .	1 .
31 (2)	Other diseases of liver, &c.	{ M. F.	5 17						1 4		1 5	2 2	1 4	1 .	1 .			1 .	1 .
32 (2)	Other digestive diseases	{ M. F.	22 28	4 2	2 1	1 1	1 .	2 .	1 .	3 1	2 4	3 5	1 6	3 .	11 5		1 1	2 1	1 .
33	Acute and chronic nephritis	{ M. F.	35 54					2 2	2 1	2 6	10 12	8 15	8 11	1 .	10 14		2 1	2 3	1 2
34	Other diseases of genito-urinary system	{ M. F.	31 11	1 1	1 1				1 .	3 4	3 3	9 .	10 1	5 .	9 6		1 .	5 .	2 .
35	Puerperal sepsis	F.	4						3 1						3 .				
36	Other puerperal causes	F.	15				4 7								2 .		1 .		
37	Diseases of skin and locomotor system	{ M. F.	9 8	2 .	1 1	2 1	1 1	1 1	2 1	1 1	1 1		1 .		3 1		1 .		
38	Congenital debility, premature birth, malformation, &c.	{ M. F.	95 74	92 74	1 .	1 .									24 15				
39	Old age	{ M. F.	55 69									5 8	36 39	14 22	8 14				4 4
40	Suicide	{ M. F.	14 4					2 .	1 1	2 1	2 1	4 2	1 .		4 1		1 .	2 .	1 .
42	Other violence (41)	{ M. F.	70 35	1 2	7 4	4 3	14 1	5 1	9 .	10 2	7 2	5 7	4 9	4 .	12 14		2 2	4 1	1 .
43	Causes ill-defined or unknown	{ M. F.	28 19	1 .				1 .		6 .	5 2	9 9	4 5	2 1	6 8		2 1	1 .	1 .

Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.	CAUSES OF DEATH.	BERWICK COUNTY.													BUTE COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	357	27	4	2	1	8	9	14	21	54	89	94	84	247	6	4	2	1	7	7	11	18	37	63	68	23
	Males	169	18	3	2	1	5	7	7	6	23	45	42	13	110	3	2	1	1	4	4	6	9	17	27	29	8
	Females	188	9	1	2	1	3	2	7	15	31	44	52	21	137	3	2	1	1	3	3	5	9	20	36	39	15
1	Typhoid fever (including Paratyphoid) { M. { F.
4	Measles { M. { F.
5	Scarlet fever { M. { F.
6	Whooping-cough { M. { F.	1	1	1	.	1
7	Diphtheria { M. { F.	2	.	1	1	.	.	.
8	Influenza { M. { F.	4	1	1	1	1	1	.	2	1
14 (1)	Cerebro-spinal fever { M. { F.	1	.	1
14 (2)	Other epidemic diseases (2, 3, 9) * . { M. { F.	1	1	1	.	.	.
10	Tuberculosis of respiratory system . { M. { F.	3	1	1	1	1	5	1	.	2	1	.	.	.	1
11	Other tuberculous diseases { M. { F.	2	.	1	1	1	1
14 (3)	Other infectious and parasitic diseases (12, 13) { M. { F.	2	2	1	1
15	Cancer, malignant disease { M. { F.	22	1	1	6	7	7	1	7	2	.	3	6	.	.
18	Diabetes mellitus { M. { F.	5	1	1	2	1	.	4	1	.	.	1	.	.	.
20	Other general diseases, chronic poisonings (16, 17, 19) { M. { F.	3	1	.	1	.	.	.	2	3	2	.	2	1	3	.	.	1	.	1	1	1	1	.	2	4	3
22	Cerebral hæmorrhage, &c. { M. { F.	17	1	2	6	7	1	15	4	2	7	1
23	Other diseases of nervous system and sense organs (21) { M. { F.	2	1	.	.	3	.	1	1	4	.	.	1	.	.	1	1	.	.	2	1	.
(a)		5	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 35 51
25	Other circulatory diseases	{ M. F. } 4 5
26	Bronchitis	{ M. F. } 8 5
27	Pneumonia (all forms)	{ M. F. } 5 7
28	Other respiratory diseases	{ M. F. } 3 4
32 (1)	Gastric and duodenal ulcer	{ M. F. } 4 1
29	Diarrhoea, &c. (all ages)	{ M. F. }
30	Appendicitis	{ M. F. } 6
31 (1)	Cirrhosis of liver	{ M. F. }
31 (2)	Other diseases of liver, &c.	{ M. F. } 2 1
32 (2)	Other digestive diseases	{ M. F. } 3 4
33	Acute and chronic nephritis	{ M. F. } 8 7
34	Other diseases of genito-urinary system	{ M. F. } 4 1
35	Puerperal sepsis	F. 1
36	Other puerperal causes	F.
37	Diseases of skin and locomotor system	{ M. F. } 4
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 11 7
39	Old age	{ M. F. } 6 7
40	Suicide	{ M. F. } 2
42	Other violence (41)	{ M. F. } 5 4
43	Causes ill-defined or unknown	{ M. F. } 8 4

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS OF THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.	Short List.	CAUSES OF DEATH.	CAITHNESS COUNTY.													CLACKMANNAN COUNTY.												
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		All Causes—Both Sexes	415	35	4	4	7	13	17	8	24	47	102	112	42	407	38	4	3	8	17	8	25	31	52	98	95	28
		Males	197	19	3	2	5	9	6	4	7	27	50	47	18	187	23	3	.	4	10	1	14	13	26	44	42	7
		Females	218	16	1	2	2	4	11	4	17	20	52	65	24	220	15	1	3	4	7	11	18	26	54	53	21	
1		Typhoid fever (including Para-typhoid) {M. {F.
4		Measles {M. {F.
5		Scarlet fever {M. {F.	1	.	1
6		Whooping-cough {M. {F.
7		Diphtheria {M. {F.	1	.	1	1	1	2	.	.	1	.	1
8		Influenza {M. {F.	17	.	.	.	1	2	1	1	.	4	1	3	.	8	1	1	2	1	1
14 (1)		Cerebro-spinal fever {M. {F.	3	2	1
14 (2)		Other epidemic diseases (2, 3, 9)* {M. {F.	1	1
10		Tuberculosis of respiratory system {M. {F.	2	.	.	.	1	1	.	1	.	1	1	.	.	7	.	.	.	1	3	.	.	.	1	.	.	.
11		Other tuberculous diseases {M. {F.	1	.	.	1	1	1
14 (3)		Other infectious and parasitic diseases (12, 13) {M. {F.	2	1	2	1
15		Cancer, malignant disease {M. {F.	16	.	.	.	1	.	.	.	1	5	7	2	.	22	3	3	5	9	2	.
18		Diabetes mellitus {M. {F.	36	4	5	17	10	.	21	1	4	4	6	4	.
20		Other general diseases, chronic poisonings (16, 17, 19) {M. {F.	2	.	.	1	1	1	1	1	.	2	1	2	1	1	.
22		Cerebral hæmorrhage, &c. {M. {F.	4	1	2	.	2	5	.	4	.	.	.	1	1	.	1
23		Other diseases of nervous system and sense organs (21) {M. {F.	27	2	1	1	10	14	1	24	1	2	11	8	1
			4	2	1	.	1	.	1	1	.	6	3	1	.	1	1	.	.	.	1	.	.	.
			5	2	5	1
			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	39 42	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	10 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	13 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	8 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhea, &c. (all ages)	{ M. F. }	7 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	6 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	6 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	F.	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and locomotor system	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	9 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	8 23	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	10 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	7 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.	CAUSES OF DEATH.	CLYDEBANK BURGH.														DUMBARTON BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes	563	69	20	14	2	37	81	41	65	68	126	79	11	275	37	14	3	1	6	13	12	23	42	74	43	7		
	Males	297	41	9	10	1	17	16	25	31	42	64	35	6	142	23	9	1	1	3	9	5	9	23	32	25	2		
	Females	266	28	11	4	1	20	15	16	34	26	62	44	5	133	14	5	2	.	3	4	7	14	19	42	18	5		
1	Typhoid fever (including Para-typhoid)		
4	Measles		
5	Scarlet fever	1	.	1		
6	Whooping-cough	1	1	8	4	4		
7	Diphtheria	3	.	2	1	1	2	1	1		
8	Influenza	1	.	1	2	1	2	.	.	.	5	.	1	.	1	.	.	2	1	.	2	.	.		
14 (1)	Cerebro-spinal fever	1	1		
14 (2)	Other epidemic diseases (2, 3, 9)*	2	1	1		
10	Tuberculosis of respiratory system	34	1	.	1	1	8	4	7	8	5	.	.	.	7	.	.	1	.	2	1	.	2	1	.	.	.		
11	Other tuberculous diseases	3	1	1	1	.	1	.	.	2	2		
14 (3)	Other infectious and parasitic diseases (12, 13)	1	.	.	1	1	.	1		
15	Cancer, malignant disease	27	1	.	3	7	4	13	3	.	13	1	1	1	2	6	3	.		
18	Diabetes mellitus	5	.	.	1	.	.	.	1	1	1	1	1	.	3	1	1	.	2	.	.		
20	Other general diseases, chronic poisonings (16, 17, 19)	7	.	1	.	.	1	.	1	2	1	3	1	.	3	1	2	1	1	.	1	.		
22	Cerebral hæmorrhage, &c.	28	1	1	3	14	8	1	21	3	7	6	7	1	.		
23	Other diseases of nervous system and sense organs (21)	10	4	.	1	.	1	1	2	1	.	1	1	.	1	1	1		
(a)		7	3	.	.	.	1	1	.	1	.	1	.	.	2	1	1	(c)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 44 42	1	7 4 6 8	3 1	2 13 10 8	2 10 8	2 1
25	Other circulatory diseases	{ M. F. } 4 2	1	1 . .	1
26	Bronchitis	{ M. F. } 8 11	1	2	2 8	2 8	2 1
27	Pneumonia (all forms)	{ M. F. } 32 12	6 1	2 1	1 1	3 3	3 3	6 2 2	1 1	. . .
28	Other respiratory diseases	{ M. F. } 2 4	1 1	1 3	1 1	. . .
32 (1)	Gastric and duodenal ulcer	{ M. F. } 5 2	1 1	1 1	2 1
29	Diarrhea, &c. (all ages)	{ M. F. } 5 7	5 3	1	4 3	1 1	. . .
30	Appendicitis	{ M. F. } 2 1	1 . .	1	1 1
31 (1)	Cirrhosis of liver	{ M. F. } 1 1	1
31 (2)	Other diseases of liver, &c.	{ M. F. } 1	1 2
32 (2)	Other digestive diseases	{ M. F. } 8 8	1 . .	1	1 1	2 1	1 3
33	Acute and chronic nephritis	{ M. F. } 7 7	1 . .	2 2	4 4
34	Other diseases of genito-urinary system	{ M. F. } 5 2	1	2 1
35	Puerperal sepsis	F. 3	2 1
36	Other puerperal causes	F. 3
37	Diseases of skin and locomotor system { M. F. } 2 1	1	1
38	Congenital debility, premature birth, { M. F. } 19 18	18 18
39	Old age	{ M. F. } 8 8	1 7	6 7	1 1
40	Suicide	{ M. F. } 5 1	1	3 3
42	Other violence (41)	{ M. F. } 13 4	1 . .	1 1	2 1	2 1
43	Causes ill-defined or unknown	{ M. F. } 4 4	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.	CAUSES OF DEATH.	DUNBARTON COUNTY (excluding Large Burghs).													DUMFRIES BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	991	93	33	14	10	34	37	57	101	159	214	189	50	333	34	5	4	3	10	15	13	33	43	82	72	19
	Males . .	485	62	17	6	5	18	20	31	51	84	98	75	18	163	22	3	2	1	6	9	7	20	20	37	33	3
	Females . .	506	31	16	8	5	16	17	26	50	75	116	114	32	170	12	2	2	2	4	6	6	13	23	45	39	16
1	Typhoid fever (including Paratyphoid) { M. { F.
4	Measles { M. { F.	2	1	1
5	Scarlet fever { M. { F.	3	.	2	1
6	Whooping-cough { M. { F.	3	3	4	1	1
7	Diphtheria { M. { F.	2	.	3	2	.	1	2	.	1	.	1
8	Influenza { M. { F.	14	.	1	.	.	.	1	3	4	4	2	2	5	2	1
14(1)	Cerebro-spinal fever { M. { F.	1	.	1
14(2)	Other epidemic diseases (2, 3, 9)* { M. { F.	1	.	.	1	1	.	.	2
10	Tuberculosis of respiratory system { M. { F.	24	7	5	8	4	.	1	.	.	10	1	2	1	6	1	.	.	.
11	Other tuberculous diseases { M. { F.	3	.	1	2	1	1	2	.	1	.	1	.	.	2	.	1	1	1	.	.	.
14(3)	Other infectious and parasitic diseases (12, 13) { M. { F.	1	.	.	.	1	2	.	.	.	1	.	1	.	1
15	Cancer, malignant disease { M. { F.	42	3	4	5	7	14	9	.	21	.	1	.	.	.	1	1	5	9	4	1	.
18	Diabetes mellitus { M. { F.	2	.	.	.	1	.	.	.	2	1	6	3	.	2	1	1
20	Other general diseases, chronic poisonings (16, 17, 19) { M. { F.	9	1	.	1	1	.	2	.	1	2	2	1	1	6	1	1	.	1	2	1	.	.
22	Cerebral hæmorrhage, &c. { M. { F.	47	1	3	14	18	10	2	17	1	.	2	1	9	5	2
23	Other diseases of nervous system and sense organs (21) { M. { F.	13	3	.	.	1	3	1	2	1	2	1	1	.	9	3	1	.	.	.	1	2	2	1	1	1	.
(a)		8	.	.	.	1	1	2	1	1	2	1	1	.	2	1
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }																							
25	Other circulatory diseases	{ M. F. }																							
26	Bronchitis	{ M. F. }																							
27	Pneumonia (all forms)	{ M. F. }																							
28	Other respiratory diseases	{ M. F. }																							
32 (1)	Gastric and duodenal ulcer	{ M. F. }																							
29	Diarrhea, &c. (all ages)	{ M. F. }																							
30	Appendicitis	{ M. F. }																							
31 (1)	Cirrhosis of liver	{ M. F. }																							
31 (2)	Other diseases of liver, &c.	{ M. F. }																							
32 (2)	Other digestive diseases	{ M. F. }																							
33	Acute and chronic nephritis	{ M. F. }																							
34	Other diseases of genito-urinary system	{ M. F. }																							
35	Puerperal sepsis	F.																							
36	Other puerperal causes	F.																							
37	Diseases of skin and locomotor system	{ M. F. }																							
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }																							
39	Old age	{ M. F. }																							
40	Suicide	{ M. F. }																							
42	Other violence (41)	{ M. F. }																							
43	Causes ill-defined or unknown	{ M. F. }																							

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.	CAUSES OF DEATH.	DUMFRIES COUNTY (excluding Dumfries Burgh).													EAST LOTHIAN COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes	810	68	16	4	4	24	31	35	52	136	196	186	58	556	50	9	9	7	9	21	40	44	100	115	118	34
	Males	397	37	12	1	3	17	15	18	21	76	87	86	24	281	30	4	6	4	7	6	19	17	48	64	61	15
	Females	413	31	4	3	1	7	16	17	31	60	109	100	34	275	20	5	3	3	2	15	21	27	52	51	57	19
1	Typhoid fever (including Para-typhoid) { M. { F.	1	1	.	.	.
4	Measles { M. { F.
5	Scarlet fever { M. { F.	2	.	.	1	.	.	.	1
6	Whooping-cough { M. { F.	3	1	1	.	.	1
7	Diphtheria { M. { F.	1	.	1	1	.	1	1	1	1
8	Influenza { M. { F.	7	1	1	2	1	1	2	2	1	5	9	.	.	.	1	1	.	.	3	2	1	1
14 (1)	Cerebro-spinal fever { M. { F.	2	.	.	1
14 (2)	Other epidemic diseases (2, 3, 9)* . . . { M. { F.	3	1	1	1	.	1	.	.	.	1	1	.
10	Tuberculosis of respiratory system . . . { M. { F.	14	.	.	.	1	5	3	2	1	2	.	.	.	13	6	3	6	1	2	1	.	.
11	Other tuberculous diseases { M. { F.	7	1	2	1	.	2	1	1	1	1	.	.	.	4	6	.	1	1	.	1	.	2	.	.	1	.
14 (3)	Other infectious and parasitic diseases (12, 13) { M. { F.	3	1	.	.	1	.	.	.	1	2	1	.	.	.	1	.	.	1
15	Cancer, malignant disease { M. { F.	46	.	.	.	1	1	2	2	3	9	18	9	3	33	1	2	4	6	13	7	2
18	Diabetes mellitus { M. { F.	2	1	.	1	2	3	1	.	2	4	1	.	1	.	1	.	.
20	Other general diseases, chronic poisonings (16, 17, 19) . . . { M. { F.	6	.	1	2	1	3	1	.	.	6	7	.	.	.	1	1	2	1	.	4	2	.
22	Cerebral hæmorrhage, &c. { M. { F.	38	.	1	1	4	13	12	4	35	.	.	.	1	.	.	1	3	6	15	9	3
23	Other diseases of nervous system and sense organs (21) { M. { F.	17	4	1	1	.	1	1	5	1	1	4	2	.	7	6	.	1	1	.	1	3	1	2	2	1	.
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	105 115	2 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	{ M. F. }	9 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. F. }	13 15	2 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia (all forms)	{ M. F. }	17 16	4 2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F. }	7 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea, &c. (all ages)	{ M. F. }	4 3	1 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. F. }	1 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. F. }	6 8	1 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Acute and chronic nephritis	{ M. F. }	16 18	1 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	6 8	1 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	4 3	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	17 20	1 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. F. }	6 18	1 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. F. }	3 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Other violence (41)	{ M. F. }	24 10	1 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Causes ill-defined or unknown	{ M. F. }	11 4	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	49 48	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 3
25	Other circulatory diseases	{ M. F. }	4 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	10 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	10 9	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2	3 2
28	Other respiratory diseases	{ M. F. }	6 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	4 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	7 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	7 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	2 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	{ M. F. }	9 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.	CAUSES OF DEATH.	FIFE COUNTY (excluding Large Burghs).													INVERNESS BURGH.												
		All Ages.	-1	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
		2,394	226	92	32.	77	88	114	185	330	560	501	109	403	37	14	3	1	8	14	16	38	55	94	102	21	
	All Causes—Both Sexes . . .	1,211	116	42	19	46	48	57	86	209	279	247	42	181	5	2	1	4	6	10	15	30	49	37	2		
	Males . . .	1,183	110	50	13	31	40	57	99	171	281	254	67	222	9	1	.	4	8	6	23	25	45	65	19		
	Females . . .																										
1	Typhoid fever (including Para-typhoid) . . .																										
4	Measles . . .	8	1	5	1									1	1	1											
5	Scarlet fever . . .	5	1	2			1							1													
6	Whooping-cough . . .	4	4	6										1	1												
7	Diphtheria . . .	13	2	7	2																						
8	Influenza . . .	25	1	1		1	3	6	1	2	6	11	1	3	1				1		2	3	1	1			
14 (1)	Cerebro-spinal fever . . .	3	1	3																							
14 (2)	Other epidemic diseases (2, 3, 9) * . . .	4	1										1														
10	Tuberculosis of respiratory system . . .	40		1		9	9	7	4	9	1			7				1	2	3	1	1					
11	Other tuberculous diseases . . .	12		6		2	1		1	1	1	1		5	3	1											
14 (3)	Other infectious and parasitic diseases (12, 13) . . .	8	1			1		1	2			2															
15	Cancer, malignant disease . . .	128	1				1	13	28	37	47	25	2	20			1		1	1	1	7	5	2			
18	Diabetes mellitus . . .	9								2	4	3		30													
20	Other general diseases, chronic poisonings (16, 17, 19) . . .	25	1		3		2	2	3	4	4	6		1				2									
22	Cerebral hæmorrhage, &c. . .	117						2	2	22	39	46	5	25													
23	Other diseases of nervous system and sense organs (21) . . .	39	7	5	2	3	4	2	5	1	4	2		8	2			1			2	3	1	1	1		
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 239 231
25	Other circulatory diseases	{ M. F. } 37 23
26	Bronchitis	{ M. F. } 47 41
27	Pneumonia (all forms)	{ M. F. } 62 53
28	Other respiratory diseases	{ M. F. } 23 19
32 (1)	Gastric and duodenal ulcer	{ M. F. } 13 4
29	Diarrhoea, &c. (all ages)	{ M. F. } 9 12
30	Appendicitis	{ M. F. } 15 10
31 (1)	Cirrhosis of liver	{ M. F. } 3
31 (2)	Other diseases of liver, &c.	{ M. F. } 11 14
32 (2)	Other digestive diseases	{ M. F. } 24 19
33	Acute and chronic nephritis	{ M. F. } 45 29
34	Other diseases of genito-urinary system	{ M. F. } 23 7
35	Puerperal sepsis	F. 13
35	Other puerperal causes	F. 13
37	Diseases of skin and locomotor system { M. F. } 9 9
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 64 74
39	Old age	{ M. F. } 41 63
40	Suicide	{ M. F. } 15 6
42	Other violence (41)	{ M. F. } 73 44
43	Causes ill-defined or unknown	{ M. F. } 18 15

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	M. { F. }	73 71	1 2	1 5	4 12	4 32	22 24	5 8	44 38	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	M. { F. }	9 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	M. { F. }	9 17	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	M. { F. }	27 30	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	M. { F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32(1)	Gastric and duodenal ulcer	M. { F. }	8 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	M. { F. }	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	M. { F. }	8 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31(1)	Cirrhosis of liver	M. { F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31(2)	Other diseases of liver, &c.	M. { F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32(2)	Other digestive diseases	M. { F. }	6 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	M. { F. }	9 15	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	M. { F. }	10 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	F. }	6 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and locomotor system { F. }	M. { F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	M. { F. }	15 15	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	M. { F. }	56 58	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	M. { F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Other violence (41)	M. { F. }	27 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	M. { F. }	11 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.	CAUSES OF DEATH.	KINROSS COUNTY.												KIRKCUDBRIGHT COUNTY.														
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	
	All Causes—Both Sexes	112	9	4	.	.	4	.	10	10	18	18	29	10	477	36	7	6	7	11	23	18	35	67	113	125	29	
	Males	53	3	1	.	.	3	.	5	6	7	10	14	4	221	22	4	4	5	7	14	8	16	29	51	48	13	
	Females	59	6	3	.	1	1	4	4	11	11	8	15	6	256	14	3	2	2	4	9	10	19	38	62	77	16	
1	Typhoid fever (including typhoid)	
4	Measles	
5	Scarlet fever	1	.	1	
6	Whooping-cough	
7	Diphtheria	5	.	2	1	2	1	1	
8	Influenza	4	.	.	1	.	.	.	1	.	1	3	1	.	
14 (1)	Cerebro-spinal fever	
14 (2)	Other epidemic diseases (2, 3, 9)*	
10	Tuberculosis of respiratory system. { M. { F. }	11	2	3	1	1	2	1	1	.	
11	Other tuberculous diseases	4	.	.	1	.	2	1	
14 (3)	Other infectious and parasitic diseases { M. { F. } (12, 13)	1	.	1	
15	Cancer, malignant disease	7 14	4	1	1	2	1	3	.	25 39	2	3	2	6	10	7	9	1
18	Diabetes mellitus	1	1	5	1	.	.	.	3	3	1	1	1
20	Other general diseases, chronic poisonings (16, 17, 19)	2	1	.	.	1	.	.	6	1	.	.	1	.	1	1	1	1	4	2	1	
22	Cerebral hæmorrhage, &c.	6 3	1	.	.	2	2	1	23 36	2	2	14	9	5	2
23	Other diseases of nervous system and sense organs (21)	3 4	2	2	.	.	7 12	1	2	.	.	1	1	1	3	1	2	2	2	(o)
(a)			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(a)	(s)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.		CAUSES OF DEATH.	AIRDRIE BURGH.											COATBRIDGE BURGH.														
			All Ages.	-1	1+	5+	10-	15-	25-	35-	45-	55-	65+	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		All Causes—Both Sexes	317	43	9	2	2	12	17	27	27	58	64	43	13	566	70	29	6	9	21	26	38	53	81	125	93	15
		Males	191	30	4	2	1	3	11	14	20	37	38	27	4	323	43	17	5	5	10	13	19	33	42	79	52	5
		Females	126	13	5	.	1	9	6	13	7	21	26	16	9	243	27	12	1	4	11	13	19	20	39	46	41	10
1		Typhoid fever (including typhoid)
4		Measles
5		Scarlet fever	1	1	2
6		Whooping-cough	1	1	4	2	3
7		Diphtheria	2	1	.	.	1	1
8		Influenza	1	1	2	.	15	.	1	.	.	2	1	.	3	1	2	2	.	.
14 (1)		Cerebro-spinal fever	1	1	1	1
14 (2)		Other epidemic diseases (2, 3, 9) *	2	1	1	1	.	.	6	3	.	1
10		Tuberculosis of respiratory system	5	2	1	1	1	.	.	.	10	.	.	.	1	2	2	3	1	4	1	.	.	.
11		Other tuberculous diseases	7	4	1	.	.	2	11	1	1	1	2	1	.	.	2
14 (3)		Other infectious and parasitic diseases (12, 13)	1	.	.	1	1	2	1	1
15		Cancer, malignant disease	32	3	1	5	11	4	1	36	1	.	2	.	5	12	4	2
18		Diabetes mellitus	3	1	.	.	.	2	1	.	2	8	1	.	.	.	2	4	.
20		Other general diseases, chronic poisonings (16, 17, 19)	4	.	1	.	.	1	1	.	1	1	1	.	6	5	2	.	.	.	1	.	2	.	.	1	1	.
22		Cerebral hæmorrhage, &c.	12	1	.	1	.	3	6	1	20	15	1	.	2	5	8	6	1
23		Other diseases of nervous system and sense organs (21)	5	4	1	.	.	.	2	9	7	1	.	.	1	.	1	2	2	1	2	1	.
(a)			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 30 18	1 2	3 4	1 1	3 4	8 4	7 4	6 2	.
25	Other circulatory diseases	{ M. F. } 2 2	1 1	1 1	.	.
26	Bronchitis	{ M. F. } 11 8	1 1	2 3	.	.	2 3	5 1	3 1	.
27	Pneumonia (all forms)	{ M. F. } 15 6	2 1	.	.	1 1	1 1	3 1	2 2	6 6	1 1	3 1	1 1	.
28	Other respiratory diseases	{ M. F. } 6 2	2 1	1 1	1 1	2 1	1 1	.	.
32 (1)	Gastric and duodenal ulcer	{ M. F. } 3	1 1	1 1	1 2	.	.
29	Diarrhoea, &c. (all ages)	{ M. F. } 4 .	4	5 5	5 1	1 1	.
30	Appendicitis	{ M. F. } 1 1	1 1	.	1 1	1 1	.	.	.
31 (1)	Cirrhosis of liver	{ M. F. } 1 1
31 (2)	Other diseases of liver, &c.	{ M. F. } 2
32 (2)	Other digestive diseases	{ M. F. } 3 2	2 1	.	.	2 1	.	.	.
33	Acute and chronic nephritis	{ M. F. } 3 4	.	1	.	.	1 1	1 1	.	1 1	7 3	1 1	1 1	.
34	Other diseases of genito-urinary system	{ M. F. }	4 2	2 1	1 1	.
35	Puerperal sepsis	F.	2
36	Other puerperal causes	F.	2 1	.	.	.	7
37	Diseases of skin and locomotor system { M. F. } .	3 .	.	.	1	.	.	1 .	.	.	2 .	1 .	.	.
38	Congenital debility, premature birth, { M. F. } malformation, &c.	14 9	14 9	28 10	.	.	.
39	Old Age	{ M. F. } 8 12	8 15	2 1	6 11	3
40	Suicide	{ M. F. } 3	1
42	Other violence (41)	{ M. F. } 6 8	1	1 1	4	.	2 1	3 2	2 1	.
43	Causes ill-defined or unknown	{ M. F. } 2 3	1	3	2 1	2 1	.	.

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.	CAUSES OF DEATH.	GLASGOW BURGH.												HAMILTON BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	5-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	15,530	2166	670	228	190	636	769	989	1588	2496	3165	2183	449	468	73	25	12	4	21	25	26	34	84	90	60	14
	Males . . .	†8,084	1256	360	111	91	290	364	520	899	1370	1719	965	138	254	48	13	8	1	7	7	13	17	55	52	30	3
	Females . . .	7,446	910	310	117	99	346	405	469	689	1126	1446	1218	311	214	25	12	4	3	14	18	13	17	29	38	30	11
1	Typhoid fever (including typhoid) . . .	{ M. F. }	5 10			1 2	3 1		1 1		3 2		1 1														
4	Measles . . .	{ M. F. }	2 6	1 4	2 2										1	1											
5	Scarlet fever . . .	{ M. F. }	14 23	2 3	7 8	3 7			2 1						1												
6	Whooping-cough . . .	{ M. F. }	128 143	64 67	62 71	2 5									4 6	4 2											
7	Diphtheria . . .	{ M. F. }	61 58	7 7	31 20	16 23	2 6		1 1						2 4	2 2	1 2										
8	Influenza . . .	{ M. F. }	129 167	8 7	2 3	3 1	13 15	16 11	20 20	25 31	25 38	25 38	12 30	2 6	12 7	1 1	1 1			1 1	1 1	2 2		4 1	2 1	1 2	
14 (1)	Cerebro-spinal fever . . .	{ M. F. }	27 12	14 4	5 7		1 2		2 1						1 1	1 1											
14 (2)	Other epidemic diseases (2, 3, 9)* . . .	{ M. F. }	44 40	10 4	1 1	2 1	5 2	8 3	1 3	5 5	9 11	6 6	2 1														
10	Tuberculosis of respiratory system . . .	{ M. F. }	518 447	2 6	7 12	7 8	94 164	108 105	89 62	113 39	64 23	21 10	4 2		11 14				1 1	3 4	2 2	4 2		1 1		1 1	
11	Other tuberculous diseases . . .	{ M. F. }	133 115	9 10	26 23	17 21	33 23	13 7	6 7	4 4	5 3	1 3	1 1		3 3		1 1	1 1		1 1							
14 (3)	Other infectious and parasitic diseases (12, 13) . . .	{ M. F. }	34 30	8 5		1 1	2 2	1 3	5 5	4 7	9 3	2 2	1 2		2 2	1						1					
15	Cancer, malignant disease . . .	{ M. F. }	793 862		3 3		4 2	12 19	49 57	119 154	245 242	269 228	84 140	8 20	29 21						1 1	2 3	3 3	9 7	5 5	6 1	1
18	Diabetes mellitus . . .	{ M. F. }	44 101				1 1	2 2	2 5	2 9	14 29	13 43	6 11	1 1	2 7					1 1			1 1	2 2	1 1	1 1	
20	Other general diseases, chronic poisonings (16, 17, 19) . . .	{ M. F. }	128 190	9 6	6 1		7 10	8 21	22 21	23 28	23 39	19 28	3 17	1 1	2 7			1 1			2 2	1 1		1 1	1 1	1 1	
22	Cerebral hæmorrhage, &c. . .	{ M. F. }	622 684	2 1	1 1		6 1	1 4	8 10	43 65	132 126	245 227	174 209	10 40	12 16						1 1			7 11	3 3	4 1	1 1
23	Other diseases of nervous system and sense organs (21) . . .	{ M. F. }	200 149	40 25	12 9	1 4	17 10	20 17	19 15	24 18	32 24	22 8	8 10	2 1	9 4	1 1	2 1	2 1			1 1		2 2	1 1	1 1	1 1	(o)
(a)															(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{M. F.}	1323 1281	1 1	6 5	8 11	18 26	25 38	63 70	152 119	274 262	469 353	259 333	47 63	36 39	.	.	.	1 1	1 4	2 5	11 7	13 10	6 7	2 3
25	Other circulatory diseases	{M. F.}	168 115	2 .	.	.	1 .	2 .	4 .	8 .	16 .	30 .	43 .	12 .	3	2 2	1 1	.
26	Bronchitis	{M. F.}	509 418	28 33	9 5	1 .	5 1	10 6	27 13	56 20	92 65	171 133	99 102	11 36	22 9	5 1	.	.	.	1 1	1 .	4 1	8 1	5 5	.
27	Pneumonia (all forms)	{M. F.}	893 726	258 218	103 95	4 7	29 18	51 35	88 50	106 53	114 65	87 90	36 64	7 19	23 14	10 5	3 2	.	.	.	1 1	4 1	1 1	2 2	1 .
28	Other respiratory diseases	{M. F.}	111 90	11 3	4 2	.	3 .	3 .	12 6	12 6	21 10	22 15	24 30	1 12	4 4	1 .	1 .	.	.	1 .	1 .	3 .	1 .	.	1 .
32 (1)	Gastric and duodenal ulcer	{M. F.}	92 35	.	.	1 .	.	8 3	23 6	18 5	26 11	15 4	2 3	.	3	1 .	1
29	Diarrhoea, &c. (all ages)	{M. F.}	215 153	174 112	14 12	3 2	3 1	2 1	4 3	1 6	4 4	7 7	3 5	.	4 4	3 2	1 1
30	Appendicitis	{M. F.}	64 43	1 .	3 2	5 9	8 5	10 5	5 2	9 4	6 6	10 5	.	.	2 2	.	.	1 .	.	.	1 .	1 .	1 .	.	.
31 (1)	Cirrhosis of liver	{M. F.}	25 18	1 .	1 2	4 3	9 8	8 2	.	.	1
31 (2)	Other diseases of liver, &c.	{M. F.}	15 52	.	1 .	.	1 .	3 .	7 .	10 12	12 5	1 5	.	1 .	2 1	1 .	1 .	.	.
32 (2)	Other digestive diseases	{M. F.}	110 99	14 13	9 7	1 2	3 3	4 6	9 8	13 8	27 13	21 19	6 15	2 2	2 3	.	.	.	1 .	.	1 .	2 1	1 .	.	.
33	Acute and chronic nephritis	{M. F.}	155 206	.	5 2	3 1	4 3	7 13	10 22	21 27	33 47	32 54	29 25	3 2	5 4	.	.	1 .	.	2 .	1 1	1 1	.	2 .	.
34	Other diseases of genito-urinary system	{M. F.}	142 78	6 5	3 1	.	1 5	1 7	3 10	9 9	32 17	46 11	37 10	4 2	5 2	.	.	.	1 .	.	1 .	1 .	3 .	1 .	.
35	Puerperal sepsis	F.	75	.	.	.	18	35	22	3 .	.	.	1 .	2
36	Other puerperal causes	F.	80	.	.	.	18	39	22	1	2 .	.	.	1 .	1
37	Diseases of skin and locomotor system	{M. F.}	40 32	4 3	5 3	1 5	1 1	1 1	2 2	7 5	7 2	8 6	1 4	.	3 1	1 .	.	1 .	1	1 .	.
38	Congenital debility, premature birth, malformation, &c.	{M. F.}	562 365	556 361	6 4	20 11	20 11
39	Old age	{M. F.}	134 225	32 40	78 107	24 78	12 13	4 2	8 6	5 .
40	Suicide	{M. F.}	77 35	.	.	.	6 3	19 5	12 9	21 9	11 6	6 3	2 .	.	1	1
42	Other violence (41)	{M. F.}	1318 140	23 14	30 14	27 9	32 8	27 8	32 3	37 18	50 23	23 16	17 8	2 8	9 5	.	2 2	1 .	1 .	.	2 .	3 .	1 .	.	1 .
43	Causes ill-defined or unknown	{M. F.}	249 143	3 2	3 3	1 .	1 1	4 1	7 7	56 26	66 33	83 40	21 25	4 5	7 3	2 .	1	1 3	3 .	.	.

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.
† Including one case not stated.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

CAUSES OF DEATH.		MOTHERWELL AND WISHAW BURGH.														RUTHERGLEN BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
International Nos.	Short List.	All Causes—Both Sexes														All Causes—Both Sexes													
		759	86	30	13	10	32	39	46	76	113	164	122	28	316	25	9	6	1	7	9	16	41	58	79	47	18		
1	Typhoid fever (including typhoid).	M. { F. {	2		
4	Measles	M. { F. {	1	2		
5	Scarlet fever	M. { F. {	2	.	.	1		
6	Whooping-cough	M. { F. {	8	2	5	1	2	3	1	1		
7	Diphtheria	M. { F. {	3	1	1	2	1	2	1	1		
8	Influenza	M. { F. {	9	9	.	1	1	1	5	1	1	1		
14 (1)	Cerebro-spinal fever	M. { F. {	2	.	1	1		
14 (2)	Other epidemic diseases (2, 3, 9)*	M. { F. {	1	1		
10	Tuberculosis of respiratory system.	M. { F. {	22	17	2	5	4	6	3	2	1	1	.	.	7	9	.	.	3	1	2	2	1	4	1	.	.		
11	Other tuberculous diseases	M. { F. {	6	2	1	3	2	1	.	3	.	1	1		
14 (3)	Other infectious and parasitic diseases (12, 13)	M. { F. {	1	1		
15	Cancer, malignant disease	M. { F. {	50	30	.	1	2	1	4	2	18	16	7	1	20	27	1	1	8	7	2	1	2	
18	Diabetes mellitus	M. { F. {	4	9	.	1	.	2	.	.	1	4	5	.	2	4	1	4	.	.	
20	Other general diseases, chronic poisonings (16, 17, 19)	M. { F. {	8	14	.	2	2	4	3	1	1	3	3	.	2	7	1	3	1	1	2	.	.	.	
22	Cerebral hæmorrhage, &c.	M. { F. {	35	33	.	.	1	1	3	3	8	14	10	1	8	12	1	2	3	4	.	.	2	
23	Other diseases of nervous system and sense organs (21)	M. { F. {	11	4	2	1	1	.	.	.	4	1	7	.	7	4	1	1	.	.	2	2	2	1	1	.	1	1	(o)
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	74 72	1 1	2 2	3 3	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
25	Other circulatory diseases	{ M. F. }	8 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
26	Bronchitis	{ M. F. }	27 18	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
27	Pneumonia (all forms)	{ M. F. }	36 17	10 2	4 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
28	Other respiratory diseases	{ M. F. }	4 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (1)	Gastric and duodenal ulcer	{ M. F. }	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
29	Diarrhœa, &c. (all ages)	{ M. F. }	10 6	9 2	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
30	Appendicitis	{ M. F. }	3 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (1)	Cirrhosis of liver	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (2)	Other digestive diseases	{ M. F. }	3 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
33	Acute and chronic nephritis	{ M. F. }	9 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
34	Other diseases of genito-urinary system	{ M. F. }	6 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
35	Puerperal sepsis	F.	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
36	Other puerperal causes	F.	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	20 26	20 25	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
39	Old age	{ M. F. }	15 14	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
40	Suicide	{ M. F. }	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
42	Other violence (41)	{ M. F. }	24 9	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
43	Causes ill-defined or unknown	{ M. F. }	6 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. 362 F. 316	1	2	3	7	10	24	90	127	87	11	618	1	1	5	16	26	45	151	211	143	19		
25	Other circulatory diseases	{ M. 39 F. 21	1	2	1	1	1	3	5	8	1	78	64	1	1	2	7	4	11	24	36	25	3		
26	Bronchitis	{ M. 119 F. 79	5	1	2	1	6	10	24	33	30	5	136	136	3	1	2	3	5	10	32	32	6		
27	Pneumonia (all forms)	{ M. 124 F. 95	20	13	8	1	5	13	16	16	10	1	236	45	24	10	13	17	28	36	29	28	8		
28	Other respiratory diseases	{ M. 33 F. 23	2	6	2	1	1	3	7	10	2	46	58	3	2	1	3	4	4	5	12	9	5		
32 (1)	Gastric and duodenal ulcer	{ M. 31 F. 11	1	1	1	1	6	5	6	5	1	47	19	1	2	2	4	6	8	11	11	4	1		
29	Diarrhoea, &c. (all ages)	{ M. 32 F. 27	16	17	1	1	2	1	1	6	2	38	37	21	1	1	1	1	2	4	2	2	1		
30	Appendicitis	{ M. 17 F. 8	1	1	1	1	1	1	5	2	2	27	16	1	1	6	4	3	2	4	2	2	2		
31 (1)	Cirrhosis of liver	{ M. 2 F. 3	1	1	1	1	1	1	1	2	1	11	2	1	1	3	2	2	3	4	1	1	1		
31 (2)	Other diseases of liver, &c.	{ M. 4 F. 14	1	1	1	1	1	5	3	2	1	11	34	1	1	1	2	2	6	13	8	3	5		
32 (2)	Other digestive diseases	{ M. 29 F. 27	4	2	2	1	3	4	7	8	3	57	74	1	3	2	1	1	1	14	11	4	2		
33	Acute and chronic nephritis	{ M. 53 F. 52	1	1	1	1	4	11	9	14	6	1	95	3	1	6	1	3	17	20	27	15	1		
34	Other diseases of genito-urinary system	{ M. 37 F. 7	1	1	1	1	2	8	13	11	2	74	41	3	1	2	1	7	5	16	26	22	2		
35	Puerperal sepsis	F. 16	1	1	1	1	3	6	1	1	1	11	2	1	3	7	1	1	1	3	1	5	8		
36	Other puerperal causes	F. 10	1	1	1	1	1	1	1	1	1	26	1	1	4	17	5	1	1	1	1	1	1		
37	Diseases of skin and locomotor system { M. { 13 F. 13	1	2	2	1	1	1	1	1	2	1	19	20	2	2	2	1	1	1	3	3	3	3		
38	Congenital debility, premature birth, malformation, &c.	{ M. 126 F. 102	125	100	1	1	1	1	1	1	1	133	129	1	1	1	2	1	1	1	1	1	1		
39	Old age	{ M. 61 F. 87	1	1	1	1	1	1	1	1	1	66	184	1	1	1	1	1	1	1	1	1	1		
40	Suicide	{ M. 12 F. 3	1	1	1	1	1	1	1	1	1	45	21	1	1	4	9	8	8	9	5	2	2		
42	Other violence (41)	{ M. 99 F. 25	1	1	1	1	1	1	1	1	1	110	80	5	10	9	7	12	20	11	13	10	4		
43	Causes ill-defined or unknown	{ M. 24 F. 13	4	1	1	1	1	1	1	1	1	11	8	1	1	1	1	1	1	4	2	2	1		

† Including one age not stated.

* Including typhus fever, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

24	Heart disease	{ M. F. }	84 107	1 2	1 2	3 3	6 7	1 1	1 1	2 3	3 3	6 10	31 30	29 38	2 6	52 51	1 1	1 1	2 2	4 3	6 6	15 15	19 19	4 7
25	Other circulatory diseases	{ M. F. }	17 16	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	4 6	13 9	1 1	1 1	1 1	1 1	2 1	4 5	19 19	2 2
26	Bronchitis	{ M. F. }	24 17	1 1	1 1	2 1	1 1	1 1	1 1	1 1	2 1	4 5	6 4	8 4	2 5	9 18	1 1	1 1	1 1	1 1	1 1	3 8	5 8	2 5
27	Pneumonia (all forms)	{ M. F. }	36 20	8 7	2 2	1 1	1 1	1 1	1 1	6 1	6 1	4 3	7 3	3 3	1 1	12 19	1 1	1 1	1 1	2 2	1 3	3 8	1 1	1 1
28	Other respiratory diseases	{ M. F. }	8 7	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	3 1	1 1	1 1	1 1	2 2	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	9 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	2 1	1 1	7 1	2 1	2 1	2 1	2 1	3 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	8 6	1 2	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	2 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	3 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	6 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	1 1	2 3	1 1	1 1	4 4	1 1	1 1	1 1	1 1	2 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	16 20	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	4 8	5 2	2 4	2 2	8 6	1 1	1 1	1 1	2 1	2 2	2 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	15 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	2 1	12 3	1 1	1 1	1 1	1 1	6 1	2 2	2 2	2 2
35	Puerperal sepsis	F.	10	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	4	1	1	1	1	1	1	1	1	1	1	1	1	8	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	2 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	24 26	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	18 10	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	12 25	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	7 6	7 24	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Other violence (41)	{ M. F. }	45 9	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	10 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	9 7	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	10 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.	CAUSES OF DEATH.	NAIRN COUNTY.														ORKNEY COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
		131	15	1	.	1	1	6	6	9	9	86	31	16	328	8	4	.	2	10	3	13	28	41	74	99	46		
	All Causes—Both Sexes . .																												
	Males . . .	62	8	1	.	1	.	5	2	5	5	15	5	141	6	2	.	5	1	1	5	15	20	32	40	15			
	Females . . .	69	7	.	.	1	1	1	4	4	4	21	16	11	187	2	2	.	2	5	2	8	13	21	42	59	31		
1	Typhoid fever (including Para-typhoid) { M. { F.		
4	Measles { M. { F.	1	1		
5	Scarlet fever { M. { F.	1		
6	Whooping-cough { M. { F.	2	.	2	.	1		
7	Diphtheria { M. { F.		
8	Influenza { M. { F.	3	1	1	1	.	.	.	2	5	1	.	.	.	2	4	1	1		
14 (1)	Cerebro-spinal fever { M. { F.		
14 (2)	Other epidemic diseases (2, 3, 9)* . . { M. { F.	1	1	.	1		
10	Tuberculosis of respiratory system . . { M. { F.	4	2	2	3	2	3	1	.	1		
11	Other tuberculous diseases { M. { F.	1	.	.	.	1	3	2	.	.	.	2	.	1	.	.		
14 (3)	Other infectious and parasitic diseases (12, 13) { M. { F.	1	1	1	1		
15	Cancer, malignant disease { M. { F.	7	1	4	5	3	19	1	2	5	9	2	.		
18	Diabetes mellitus { M. { F.	1	2	1	.	2	.	.		
20	Other general diseases, chronic poisonings (16, 17, 19) { M. { F.	1	.	1	1	.	2	1	1	2	2	3	.		
22	Cerebral hæmorrhage, &c. { M. { F.	6	1	5	3	2	18	1	.	.	5	7	3	2		
23	Other diseases of nervous system and sense organs (21) { M. { F.	3	1	1	.	.	.	1	.	3	2	1	1	1	.	.		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 24 30	11 9	8 9 12	1 1 2
25	Other circulatory diseases	{ M. F. } 1 4	2	1	1	1
26	Bronchitis	{ M. F. } 1 4	2 2	3 2	3 4	2
27	Pneumonia (all forms)	{ M. F. } 2	1	.	1	5	.	1	1	.
28	Other respiratory diseases	{ M. F. } 2 1	1	.	.	.	2	2 1	1 2	3
32 (1)	Gastric and duodenal ulcer	{ M. F. } 4	1	.	1	1	1	.	.	.
29	Diarrhoea, &c. (all ages)	{ M. F. }	1	.	.	1	.
30	Appendicitis	{ M. F. } 2	1
31 (1)	Cirrhosis of liver	{ M. F. }
31 (2)	Other diseases of liver, &c.	{ M. F. } 1	1	2	.	1	.
32 (2)	Other digestive diseases	{ M. F. } 3	1	2	1	2	.
33	Acute and chronic nephritis	{ M. F. } 6 4	1	1	.	2	1	1	1	.
34	Other diseases of genito-urinary system	{ M. F. } 5	4	3	.
35	Puerperal sepsis	F.
36	Other puerperal causes	F.	2
37	Diseases of skin and locomotor system { M. F. }	1	1	.	.
38	Congenital debility, premature birth, { M. malformation, &c. { F. }	2 3 3	2
39	Old age	{ M. F. } 4 7	1	4	2
40	Suicide	{ M. F. } 2	1	.	.	.	1	.	7	3
42	Other violence (41)	{ M. F. } 3 2	1	.	.	.	1	.	.	.	2	.	1	1
43	Causes ill-defined or unknown	{ M. F. } 2 1	2	1	2	1	.

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.	CAUSES OF DEATH.	PERTH COUNTY (excluding Perth Burgh).												GREENOCK BURGH.												
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes	1,140	61	8	5	34	35	50	75	137	315	305	107	1,108	156	54	19	16	52	48	90	97	138	234	161	43
	Males	510	30	4	2	20	18	21	36	67	149	130	29	607	93	26	13	7	28	29	45	59	72	143	78	14
	Females	630	31	4	3	14	17	29	39	70	166	175	78	501	63	28	6	9	24	19	45	38	66	91	83	29
1	Typhoid fever (including typhoid).	M. { F. {	1	1	1
4	Measles	M. { F. {	2	.	2
5	Scarlet fever	M. { F. {	1	.	.	.	1	.	1
6	Whooping-cough	M. { F. {	2	1	12	7	5
7	Diphtheria	M. { F. {	3	1	4	.	4	1
8	Influenza	M. { F. {	7	1	.	.	.	12	2	.	.	.	2	.	2	1	.	3	2	1
14 (1)	Cerebro-spinal fever	M. { F. {	2
14 (2)	Other epidemic diseases (2, 3, 9)*	M. { F. {	1	1	.	2	1
10	Tuberculosis of respiratory system	M. { F. {	15	.	.	.	2	3	2	3	1	1	.	28	.	.	.	1	10	8	7	4	2	.	.	.
11	Other tuberculous diseases	M. { F. {	8	1	.	1	1	1	2	1	2	1	.	5	1	2	1	1	1
14 (3)	Other infectious and parasitic diseases (12, 13)	M. { F. {	3	1	2	4	1	.	.	.	1
15	Cancer, malignant disease	M. { F. {	74	.	.	.	1	3	5	20	27	14	4	69	1	3	6	19	23	14	2
18	Diabetes mellitus	M. { F. {	3	3	1	2	.	6	1	.	.	.	1	1	5	1
20	Other general diseases, chronic poisonings (16, 17, 19)	M. { F. {	5	1	.	1	2	1	3	4	1	1	.	11	.	1	.	.	1	2	1	3	2	4	1	.
22	Cerebral hæmorrhage, &c.	M. { F. {	56	1	.	5	26	24	1	47	1	.	3	4	8	23	8	2
23	Other diseases of nervous system and sense organs (21)	M. { F. {	11	3	.	1	2	1	3	3	1	2	.	27	7	3	1	2	2	2	1	3	3	2	1	.
			19	4	1	5	.	19	4	1	.	1	1	2	1	4	1	.	1	(n)
			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	.	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 97 137
25	Other circulatory diseases	{ M. F. } 20 22
26	Bronchitis	{ M. F. } 12 19
27	Pneumonia (all forms)	{ M. F. } 13 24	2 3
28	Other respiratory diseases	{ M. F. } 12 15	1
32 (1)	Gastric and duodenal ulcer	{ M. F. } 8 7
29	Diarrhoea, &c. (all ages)	{ M. F. } 3 1	1
30	Appendicitis	{ M. F. } 8 5
31 (1)	Cirrhosis of liver	{ M. F. } 2 1
31 (2)	Other diseases of liver, &c.	{ M. F. } 6 4
32 (2)	Other digestive diseases	{ M. F. } 15 4	1
33	Acute and chronic nephritis	{ M. F. } 24 20
34	Other diseases of genito-urinary system	{ M. F. } 17 8
35	Puerperal sepsis	F. 3
36	Other puerperal causes	F. 4
37	Diseases of skin and locomotor system	{ M. F. } 1 3
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 23 16	23 15
39	Old age	{ M. F. } 18 40
40	Suicide	{ M. F. } 6 4
42	Other violence (41)	{ M. F. } 33 20
43	Causes ill-defined or unknown	{ M. F. } 7 14

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

CAUSES OF DEATH.		PAISLEY BURGH.													PORT-GLASGOW BURGH.																									
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.															
International Nos.	Short List.	1,200	47	20	24	47	53	80	114	166	243	224	42	274	37	17	2	1	9	12	18	34	82	67	39	6	274	37	17	2	1	9	12	18	34	82	67	39	6	
	All Causes—Both Sexes	587	28	9	15	19	26	40	57	86	126	90	14	135	20	6	1	1	3	6	9	20	16	38	16	6	135	20	6	1	1	3	6	9	20	16	38	16	6	
	Males	613	19	11	9	28	40	57	80	117	134	28	139	17	11	1	1	1	6	6	9	14	16	29	23	6	139	17	11	1	1	6	6	9	14	16	29	23	6	
	Females																																							
1	Typhoid fever (including typhoid).	1					1																																	
4	Measles													3	1	2											3	1	2											
5	Scarlet fever	1	1	2																																				
6	Whooping-cough	2	2											4	1	3											4	1	3											
7	Diphtheria	6	3	2										8	1	3											2	1	3											
8	Influenza	9		1	1	1	2	2	3				10	16													4													
14 (1)	Cerebro-spinal fever	2		1																																				
14 (2)	Other epidemic diseases (2, 3, 9) *	2												2																										
10	Tuberculosis of respiratory system { F.	26	1	1	3	7	7		8	1	2			32													8													
11	Other tuberculous diseases { F.	5			2	1	1							2													6													
14 (3)	Other infectious and parasitic diseases (12, 13) { F.	1			1				1					1													1													
15	Cancer, malignant disease { F.	68				3	2	7	8	14	19	10	1	12													22													
18	Diabetes mellitus { F.	5				1								5													5													
20	Other general diseases, chronic poisonings (16, 17, 19) { F.	10	1	2	2	1	1	5	1	2	3	3		3												3														
22	Cerebral hæmorrhage, &c. { F.	54												54												12														
23	Other diseases of nervous system and sense organs (21) { F.	19	3	1		3	2	3	2	2	1	1		19	3											6														
(a)		20	8			1		3	1				(c)	20	1										(e)	6														

(x)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. } 108 102
25	Other circulatory diseases	{ M. F. } 14 15
26	Bronchitis	{ M. F. } 14 25
27	Pneumonia (all forms)	{ M. F. } 71 48	16 16	12 8	1 .	1 .	1 .	3 4	7 4	8 3	10 2	11 4	. 6	1 .
28	Other respiratory diseases	{ M. F. } 9 14	1 1	1 2	2 1	1 1	1 1	3 5	1 2
32 (1)	Gastric and duodenal ulcer	{ M. F. } 6 3	1 1	1 1	1 1
29	Diarrhea, &c. (all ages)	{ M. F. } 12 10	8 7	2 3
30	Appendicitis	{ M. F. } 4 3	1 .	. .	1	1 1
31 (1)	Cirrhosis of liver	{ M. F. } 1 1	1
31 (2)	Other diseases of liver, &c.	{ M. F. } 1 5	1
32 (2)	Other digestive diseases	{ M. F. } 7 6	1	2	1 2	1 2	1 .	1 .	1 .
33	Acute and chronic nephritis	{ M. F. } 25 18	2 .	1 .	1 .	3 1	. .	2 2	2 3	2 2	8 6	6 2	. .
34	Other diseases of genito-urinary system	{ M. F. } 13 6	1 1	1 1	1 1	1 .	4 1	6 1	1 .
35	Puerperal sepsis	F. 7	4 .	2 .	1
36	Other puerperal causes	F. 7	1 .	4 .	2
37	Diseases of skin and locomotor system { M. F. }	{ M. F. } 6 2	1 .	. .	2 .	. .	1	2 1	1 .	. .
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 42 21	42 21
39	Old age	{ M. F. } 6 20	1 2	3 10	2 8
40	Suicide	{ M. F. } 5 5	1 2	1 2	2 1	1 2	1 2
42	Other violence (41)	{ M. F. } 23 21	1 3	3 1	2 1	4 1	. .	1 .	3 .	1 1	2 3	4 6	2 3	2 .
43	Causes ill-defined or unknown	{ M. F. } 9 4	1	1 .	7 2	1 .	. .

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

CAUSES OF DEATH.		RENFREW COUNTY (excluding Large Burghs).														ROSS AND CROMARTY COUNTY.													
		All Ages.	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over.	All Ages.	-1	1-5	5-10	10-15	15-25	25-35	35-45	45-55	55-65	65-75	75 and over.				
International Nos.	Short List.	1,339	119	39	20	11	42	45	71	124	232	316	253	67	43	18	7	10	29	31	43	67	116	226	284	126			
	All Causes—Both Sexes . . .	680	63	18	14	7	19	22	36	73	125	171	105	27	23	7	2	7	16	15	15	32	60	117	128	57			
	Males . . .	659	56	21	6	4	23	23	35	51	107	145	148	40	20	11	5	3	13	16	28	35	56	109	156	69			
1	Typhoid fever (including typhoid) . . .	1	1			
4	Measles . . .	1	1	1	1	.			
5	Scarlet fever . . .	2	.	2	.	.	1	1	.	.	.	2			
6	Whooping-cough . . .	3	1	1	1	1			
7	Diphtheria . . .	4	.	1	3	1			
8	Influenza . . .	3	2	.	1	.	1	.	1	1	3	2	3	1	1	1	.	1	1	1			
14 (1)	Cerebro-spinal fever . . .	2	3	1	1			
14 (2)	Other epidemic diseases (2, 3, 9)* . . .	2	1	1	.	.	2	1			
10	Tuberculosis of respiratory system . . .	22	2	1	1	.	1	4	4	5	6	3	2	9	6	5	3	3	6	1	1	.			
11	Other tuberculous diseases . . .	8	.	2	.	3	1	1	1	.	1	.	.	.	1	2	1	1	1	1	1	1	2	.	.	.			
14 (3)	Other infectious and parasitic diseases (12, 13) . . .	2	.	.	.	1	.	.	1	1			
15	Cancer, malignant disease . . .	93	2	3	5	25	34	13	1	2	1	2	3	8	17	19	18			
18	Diabetes mellitus . . .	7	1	.	.	1	3	9	1	1	.	1	.	.	.	1	1			
20	Other general diseases, chronic poisonings (16, 17, 19) . . .	15	1	1	1	1	1	1	2	5	2	3	1	.	1	1	1	.	1	5	1	1	3	1	1	2			
22	Cerebral hæmorrhage, &c. . .	58	1	1	5	13	23	12	6	.	1	.	.	.	1	.	4	5	10	18	5			
23	Other diseases of nervous system and sense organs (21) . . .	73	2	3	.	1	1	1	.	1	9	25	26	7	.	2	.	.	1	1	1	4	3	1	2	10			
		13	2	2	.	1	1	1	3	1	1	1	.	1	1	2	.	1	1	1	1	4	2	1	2	2			
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)			

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)		
24	Heart disease	{ M. 149 F. 141 }	.	.	1	1	1	1	1	5	16	32	58	4	84	1	4	5	29	84	11
25	Other circulatory diseases	{ M. 15 F. 17 }	2	1	1	2	4	3	107	2	4	11	26	49	10
26	Bronchitis	{ M. 27 F. 31 }	2	1	2	2	6	7	1	9	1	1	2	5	2	3	2
27	Pneumonia (all forms)	{ M. 67 F. 25 }	10	4	1	1	6	6	6	12	7	11	4	.	17	2	1	.	.	.	2	2	2	4	2	2	3
28	Other respiratory diseases	{ M. 5 F. 11 }	2	1	1	4	1	1	1	2	4	1	1	1	1	1	.	.
32 (1)	Gastric and duodenal ulcer	{ M. 8 F. 1 }	2	3	.	3	.	.	6	1	1	2	2	1	1
29	Diarrhoea, &c. (all ages)	{ M. 3 F. 10 }	2	6	1	1	1	1	.	3	2	1	1	1	.	.
30	Appendicitis	{ M. 6 F. 3 }	.	.	2	1	1	.	.	1	1	1	1	.	1	1	1
31 (1)	Cirrhosis of liver	{ M. 1 F. 3 }	1	1	1	1	.	1	1	.	.	.
31 (2)	Other diseases of liver, &c.	{ M. 1 F. 6 }	1	1	2	1	1	.	1	1	1	.	1
32 (2)	Other digestive diseases	{ M. 5 F. 7 }	.	1	.	.	1	.	2	1	1	1	1	.	12	1	1	4	3	7	.	.
33	Acute and chronic nephritis	{ M. 24 F. 22 }	.	1	.	.	1	1	2	3	7	5	4	.	14	2	2	4	6	2	1
34	(Other diseases of genito-urinary system	{ M. 18 F. 4 }	.	.	1	.	.	.	1	1	10	7	2	2	16	2	2	4	6	2	1
35	Puerperal sepsis	{ M. 3 F. }	2	1	.	.	7	3	5	13	1	1	4	6	1
36	Other puerperal causes	{ M. 6 F. }	1	4	1	5
37	Diseases of skin and locomotor system { M. 5 F. 8 }	.	1	1	1	1	.	.	1	1	2	1	1	.	2	1	1	.	1	.	.
38	Constitutional debility, premature birth, { M. 34 F. 40 } malformation, &c.	33	1	.	.	1	13	13
39	Old age	{ M. 13 F. 29 }	2	12	15	48	3	21	19
40	Suicide	{ M. 4 F. 2 }	1	1	.	.	2	1	.	.	65	1	1	1	2	.	.
42	Other violence (41)	{ M. 26 F. 17 }	1	4	3	2	5	3	2	1	1	1	3	1	16	2	1	3	1	4	2
43	Causes ill-defined or unknown	{ M. 19 F. 4 }	.	1	.	1	.	.	1	1	7	7	2	.	26	1	1	3	12	7	2

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.			CAUSES OF DEATH.			ROXBURGH COUNTY.											SELKIRK COUNTY.											
						All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-
All Causes—Both Sexes			584	28	8	4	3	15	18	20	31	90	167	153	47	312	17	6	4	1	7	4	11	24	40	94	89	15
Males			280	19	6	4	1	10	11	6	17	41	83	69	17	147	9	5	1	1	3	2	5	12	18	48	39	4
Females			304	9	2	4	2	5	7	14	14	49	84	84	30	165	8	1	3	.	4	2	6	12	22	46	50	11
1		Typhoid fever (including typhoid)
4		Measles	1	.	.	.	1	1
5		Scarlet fever
6		Whooping-cough	1	1	.	1	1	1
7		Diphtheria	1	.	.	.	1	2
8		Influenza	8	1	.	.	.	1	.	1	.	2	1	3	2	1	1
14 (1)		Cerebro-spinal fever	1	1
14 (2)		Other epidemic diseases (2, 3, 9)*	1	1	2	1	.	.	.
10		Tuberculosis of respiratory system	3	1	1	1	.	.	1	.	2	2	1	.	.	1	1
11		Other tuberculous diseases	3	.	1	1	1	1	1	.	1	1	1
14 (3)		Other infectious and parasitic diseases (12, 13)	1
15		Cancer, malignant disease	27	9	2	10	10	6	1	18	1	.	2	4	8	3	1
18		Diabetes mellitus	51	12	15	9	4	20	4	5	4	.
20		Other general diseases, chronic poisonings (16, 17, 19)	2	1	1	.	1	2	1	1	.	2	4	2	.	.	.	1	.	2	1	3	1	.
22		Cerebral hæmorrhage, &c.	6	3	.	5	15	12	1	8	1	1	7	4	.
23		Other diseases of nervous system and sense organs (21)	36	9	16	15	1	13	8	14	1	.
(a)			41	4	1	.	27	3	1	.	.
			8	.	.	2	.	1	1	.	1	4	1	.	1	5	1	1
			7
			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.		CAUSES OF DEATH.	FALKIRK BURGH.														STIRLING BURGH.													
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
		All Causes—Both Sexes . . .	474	41	21	5	5	21	30	31	39	80	103	86	12	334	41	14	6	1	12	9	18	26	51	75	62	19		
		Males . . .	263	29	13	4	4	8	18	21	21	51	56	38	4	153	19	7	2	1	8	4	7	15	22	39	21	8		
		Females. . .	211	12	8	1	5	13	12	10	18	29	47	48	8	181	22	7	4	.	4	5	11	11	29	36	41	11		
1		Typhoid fever (including Paratyphoid). . . {M. F.}		
4		Measles . . . {M. F.}		
5		Scarlet fever . . . {M. F.}	2	.	1	1	2		
6		Whooping-cough . . . {M. F.}	1	.	1		
7		Diphtheria . . . {M. F.}	3	2	1	1	5	1	3		
8		Influenza . . . {M. F.}	8	1	.	.	.	1	2	1	1	1	2	1	.	1	6	1	.	.	1	5	.	.		
14 (1)		Cerebro-spinal fever . . . {M. F.}	1	.	.	1	1		
14 (2)		Other epidemic diseases (2, 3, 9)* . {M. F.}	4	1	1	1	1	.	1	1		
10		Tuberculosis of respiratory system . {M. F.}	8	.	.	.	1	8	2	1	2	3	1	.	.	9	.	.	.	3	1	1	2	1	1	.	.	.		
11		Other tuberculous diseases . . . {M. F.}	3	1	1	.	1	.	.	1	4	1		
14 (3)		Other infectious and parasitic diseases (12, 13) . . . {M. F.}	2	1		
15		Cancer, malignant disease . . . {M. F.}	29	1	1	1	3	7	10	6	.	19	.	.	.	1	.	1	1	3	5	8	3	1		
18		Diabetes mellitus . . . {M. F.}	2	1	.	1	2	1	1	.	1	3	1		
20		Other general diseases, chronic poisonings (16, 17, 19) . {M. F.}	9	1	2	.	.	.	2	1	1	1	2	.	5	6	2	2	1	1	1	.	.		
22		Cerebral hæmorrhage, &c. . . {M. F.}	22	2	1	5	8	7	1	12	3	7	1	1		
23		Other diseases of nervous system and sense organs (21) . . . {M. F.}	6	.	1	.	.	1	1	2	.	1	1	2	.	3	4	1	.	1	.	1		
(a)			7	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
24	Heart disease	{ M. F. }	47 41	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
25	Other circulatory diseases	{ M. F. }	5 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	10 12	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia (all forms)	{ M. F. }	29 10	4 4	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	2 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhoea, &c. (all ages)	{ M. F. }	5 3	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	5 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver, &c.	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	5 4	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Acute and chronic nephritis	{ M. F. }	3 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	4 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	F.	2	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F.	5	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and locomotor system	{ M. F. }	4 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	17 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	7 13	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	4	1	1	1	1	1	1	1	1	1	1	1
42	Other violence (41)	{ M. F. }	11 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Causes ill-defined or unknown	{ M. F. }	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos.	CAUSES OF DEATH, Short List.	STIRLING COUNTY (excluding Large Burghs).														SUTHERLAND COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
	All Causes—Both Sexes	1,300	145	62	33	25	54	64	72	100	182	287	47	266	13	3	.	4	10	11	13	15	31	58	73	35			
	Males	683	90	36	15	10	24	33	43	45	100	133	24	124	6	2	.	2	8	3	6	6	16	27	32	16			
	Females	617	55	26	18	15	30	31	29	55	82	134	23	142	7	1	.	2	2	8	7	9	15	31	41	19			
1	Typhoid fever (including typhoid) {M. F.}	1	1			
4	Measles {M. F.}	1 2	1 .	. .	1			
5	Scarlet fever {M. F.}	2 12	. .	2 6	3 1	1 1	. .	1			
6	Whooping-cough {M. F.}	5 3	2 3			
7	Diphtheria {M. F.}	12 14	2 .	5 6	2 2	3 2	1	1			
8	Influenza {M. F.}	8 14	1 .	1 .	. .	1 1	1 .	. .	2 2	1 6	3 .	9 9	1	1 .	3 .	1 1	1 1	. .	1 2	1 .	1 3	1 .			
14(1)	Cerebro-spinal fever {M. F.}	2 .	1	1			
14(2)	Other epidemic diseases (2, 3, 9)* . . . {M. F.}	6 2	1 .	1	1 .	1 1	2			
10	Tuberculosis of respiratory system . . . {M. F.}	22 22	1 .	1 .	. .	1 2	2 5	4 6	5 4	1 3	1 1	2 .	. .	9 9	2 2	2 4	2 2	. .	1 1			
11	Other tuberculous diseases {M. F.}	8 9	1 4	3	1 3	1 1	. .	1 1	2			
14(3)	Other infectious and parasitic diseases (12, 13) {M. F.}	2 6	1 2	1 .	2 3	1 .	4 4	23 17	28 28	1 .	14 19			
15	Cancer, malignant disease {M. F.}	79 79	1 .	4 2	15 16	17 17	28 28	1 .	14 19	1 .	. .	2 3	4 5	5 5	3 2	1 .			
18	Diabetes mellitus {M. F.}	4 13	1 .	1 .	1 .	6 6	4 4	. .	3			
20	Other general diseases, chronic poisonings (16, 17, 19) . . . {M. F.}	8 25	1 1	. .	1 .	1 3	1 .	1 .	2 .	3 4	4 4	6 6	1 .	1 3	1 .	. .	1 1	1 .	. .			
22	Cerebral hæmorrhage, &c. {M. F.}	47 55	1 .	2 .	. .	4 .	8 14	11 18	2 .	8 8	1 .	1 1	4 5	3 1	. .			
23	Other diseases of nervous system and sense organs (21) {M. F.}	18 16	4 1	1 .	1 .	2 2	2 2	2 1	1 .	3 2	4 4	1 2	. .	7 5	1 1	2 1	2 1	2 1	2 .	(a)			

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }	117 112	1 3	2 3	5 6	7 8	20 13	44 26	29 48	29 46	4 6	27 29	4 6	1 1	5 6	27 29	4 6	1 1	27 29	4 6	1 1	5 6	27 29	4 6
25	Other circulatory diseases	{ M. F. }	22 8	1 1	1 1	1 1	1 1	2 2	11 6	5 6	1 1	5 6	27 29	4 6	1 1	5 6	27 29	4 6	1 1	5 6	27 29	4 6	1 1	5 6	27 29
26	Bronchitis	{ M. F. }	36 25	7 2	1 1	1 1	1 1	3 3	12 10	8 10	2 2	4 4	27 29	4 6	1 1	5 6	27 29	4 6	1 1	5 6	27 29	4 6	1 1	5 6	27 29
27	Pneumonia (all forms)	{ M. F. }	60 34	14 8	7 4	1 1	4 3	9 8	7 3	2 4	1 1	7 3	27 29	4 6	1 1	5 6	27 29	4 6	1 1	5 6	27 29	4 6	1 1	5 6	27 29
28	Other respiratory diseases	{ M. F. }	11 11	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (1)	Gastric and duodenal ulcer	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
29	Diarrhoea, &c. (all ages)	{ M. F. }	9 12	7 7	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
30	Appendicitis	{ M. F. }	8 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
31 (2)	Other diseases of liver, &c.	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
32 (2)	Other digestive diseases	{ M. F. }	13 10	2 1	4 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
33	Acute and chronic nephritis	{ M. F. }	15 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
34	Other diseases of genito-urinary system	{ M. F. }	20 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
35	Puerperal sepsis	F.	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
36	Other puerperal causes	F.	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
37	Diseases of skin and locomotor system { M. F. }	{ M. F. }	11 5	1 1	2 1	2 1	1 1	2 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	44 27	43 26	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
39	Old age	{ M. F. }	36 33	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
40	Suicide	{ M. F. }	6 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
42	Other violence (41)	{ M. F. }	43 17	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
43	Causes ill-defined or unknown	{ M. F. }	6 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1935.

International Nos. Short List.	CAUSES OF DEATH.	WEST LOTHIAN COUNTY.													WIGTOWN COUNTY.												
		All Ages.	1- -	1- 1	5- 5	10- 10	15- 15	25- 25	35- 35	45- 45	55- 55	65- 65	75- 75	85 and over.	All Ages.	1- 1	1- 1	5- 5	10- 10	15- 15	25- 25	35- 35	45- 45	55- 55	65- 65	75- 75	85 and over.
	All Causes—Both Sexes	936	93	37	18	8	41	51	90	144	243	141	23		432	43	21	5	9	12	9	17	67	84	110	28	
	Males	508	57	17	13	7	21	27	56	78	130	74	6		208	26	9	2	6	8	3	8	28	48	48	13	
	Females	428	36	20	5	1	20	24	34	66	113	67	17		224	17	12	3	4	6	18	9	39	36	62	15	
1	Typhoid fever (including typhoid)																										
4	Measles	6	2	3	1																						
5	Scarlet fever	6		2	4		1								4		3	1									
6	Whooping-cough	6	4												1	1											
7	Diphtheria	3		1	1				1						4	2											
8	Influenza	11						2	3						2				1								1
14 (1)	Cerebro-spinal fever	1		1																							
14 (2)	Other epidemic diseases (2, 3, 9) *	3							2						2												
10	Tuberculosis of respiratory system	17		1			3	5	4	2	1				8				1	2	3		1				
11	Other tuberculous diseases	5		3											4	2			1								
14 (3)	Other infectious and parasitic diseases (12, 13)	2							2						2												
15	Cancer, malignant disease	60						1	7	14	22	14	8	1	22		1										1
18	Diabetes mellitus	3						1	1	5		6			3												
20	Other general diseases, chronic poisonings (16, 17, 19)	10	1				2	3	1	1	2	2	1		4												
22	Cerebral hæmorrhage, &c.	42					1		2	13	14	11	1		27												1
23	Other diseases of nervous system and sense organs (21)	9	1	1	1			2	4	3		3	1		3	2											1
		11													4												

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

International Nos. Short List.		CAUSES OF DEATH.	ZETLAND COUNTY.											85 and over.	
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-		75-
		All Causes—Both Sexes	321	8	4	.	3	10	20	13	24	32	76	87	44
		Males	142	3	2	.	2	4	9	8	8	16	38	40	12
		Females	179	5	2	.	1	6	11	5	16	16	38	47	32
1		Typhoid fever (including Paratyphoid) . . { M. F.}
4		Measles { M. F.}	4 7	.	1	.	1	2	2	.	.	1	.	.	1
5		Scarlet fever { M. F.}
6		Whooping-cough { M. F.}
7		Diphtheria { M. F.}
8		Influenza { M. F.}	1	1	.	.
14 (1)		Cerebro-spinal fever { M. F.}
14 (2)		Other epidemic diseases (2, 3, 9)* . . { M. F.}
10		Tuberculosis of respiratory system . . { M. F.}	11 11	1 1	4 3	2 3	1 1	3 2	1	.	.
11		Other tuberculous diseases { M. F.}	4 3	1 1	1 1	.	1 1	1	.	.	.
14 (3)		Other infectious and parasitic diseases (12, 13) { M. F.}	1	1
15		Cancer, malignant disease { M. F.}	17 28	1	1	5	8 14	5 2	2 5
18		Diabetes mellitus { M. F.}	2	1	1
20		Other general diseases, chronic poisonings { M. F.} (16, 17, 19)	4 6	.	1	.	.	.	1	.	5	1	1	1	.
22		Cerebral haemorrhage, &c. . . . { M. F.}	11 20	2 5	5 7	4 7	1
23		Other diseases of nervous system and sense organs (21)	8 2	1	1	2	1	3	1 1	.

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
24	Heart disease	{ M. F. }
25	Other circulatory diseases	{ M. F. }
26	Bronchitis	{ M. F. }
27	Pneumonia (all forms)	{ M. F. }
28	Other respiratory diseases	{ M. F. }
32 (1)	Gastric and duodenal ulcer	{ M. F. }
29	Diarrhoea, &c. (all ages)	{ M. F. }
30	Appendicitis	{ M. F. }
31 (1)	Cirrhosis of liver	{ M. F. }
31 (2)	Other diseases of liver, &c.	{ M. F. }
32 (2)	Other digestive diseases	{ M. F. }
33	Acute and chronic nephritis	{ M. F. }
34	Other diseases of genito-urinary system	{ M. F. }
35	Puerperal sepsis	F.
36	Other puerperal causes	F.
37	Diseases of skin and locomotor system	{ M. F. }
38	Congenital debility, premature birth, mal-formation, &c.	{ M. F. }
39	Old age	{ M. F. }
40	Suicide	{ M. F. }
42	Other violence (41)	{ M. F. }
43	Causes ill-defined or unknown	{ M. F. }

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

International Nos. Short List.		SCOTLAND.	ABERDEEN COUNTY.					Marginal Index Numbers.
			Aberdeen County.†	Aberdeen B.	Ballater B.	Ellon B.	Fraserburgh B.	
	Population (Estimated) - - -	4,952,510	322,124	175,373	1,245	1,374	10,229	1
	Total Births Registered (including Illegitimate)	87,928	5,991	3,329	21	25	198	2
	" Corrected for Transfers	87,928	5,925	3,157	21	27	206	3
	" " Male - -	44,965	3,089	1,636	7	11	113	4
	" " Female -	42,963	2,836	1,521	14	16	93	5
	" " Illegitimate	5,777	558	201	1	2	16	6
	Marriages Registered - -	37,997	2,593	1,755	8	29	84	7
	Deaths Registered - - -	65,331	4,465	2,793	12	18	142	8
	" Corrected for Transfers	65,331	4,336	2,373	18	21	121	9
	" " Male - -	32,822	2,126	1,154	8	11	64	10
	" " Female -	32,509	2,210	1,219	10	10	57	11
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	45	7	7	-	-	-	12
4	Measles - - - - -	141	33	28	-	-	1	13
5	Scarlet fever - - - - -	199	30	11	-	-	1	14
6	Whooping-cough - - - - -	567	17	7	-	-	1	15
7	Diphtheria - - - - -	513	62	32	-	-	4	16
8	Influenza - - - - -	1,459	86	35	-	-	3	17
14 (1)	Cerebro-spinal fever - - - - -	114	6	2	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	281	18	8	-	-	1	19
10	Tuberculosis of respiratory system - -	2,812	107	71	-	1	-	20
11	Other tuberculous diseases - - - - -	834	58	28	-	-	4	21
14 (3)	Other infectious and parasitic dis. (12, 13)	281	33	21	-	-	1	22
15	Cancer, malignant disease - - - - -	7,793	513	296	3	3	10	23
18	Diabetes mellitus - - - - -	740	33	19	-	1	2	24
20	Other general dis., chronic poisonings (16, 17, 19)	1,547	88	44	-	-	5	25
22	Cerebral hæmorrhage, &c. - - - - -	6,480	543	289	3	6	13	26
23	Other dis. of nerv. syst. and sense org. (21)	1,680	110	71	-	-	2	27
24	Heart disease - - - - -	12,525	894	445	4	4	26	28
25	Other circulatory diseases - - - - -	1,444	119	71	-	-	1	29
26	Bronchitis - - - - -	3,079	179	100	-	-	11	30
27	Pneumonia (all forms) - - - - -	4,602	347	219	2	-	7	31
28	Other respiratory diseases - - - - -	910	59	24	1	-	2	32
32 (1)	Gastric and duodenal ulcer - - - - -	626	45	30	1	-	-	33
29	Diarrhœa, &c. (all ages) - - - - -	937	28	14	-	-	2	34
30	Appendicitis - - - - -	480	24	13	-	1	1	35
31 (1)	Cirrhosis of liver - - - - -	160	13	8	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	387	23	16	-	-	1	37
32 (2)	Other digestive diseases - - - - -	1,070	74	32	-	-	2	38
33	Acute and chronic nephritis - - - - -	1,759	99	54	-	1	4	39
34	Other dis. of genito-urinary system -	1,054	83	43	-	-	2	40
35	Puerperal sepsis - - - - -	227	21	7	-	-	1	41
36	Other puerperal causes - - - - -	327	11	5	-	-	-	42
37	Diseases of skin and locomotor system -	401	33	17	-	-	1	43
38	Congen. debil., prem. birth, malform., &c.	3,449	217	123	1	2	8	44
39	Old age - - - - -	2,584	91	51	-	-	-	45
40	Suicide - - - - -	467	36	27	-	-	2	46
42	Other violence (41) - - - - -	2,238	153	78	3	1	2	47
43	Causes ill-defined or unknown - - -	1,119	43	27	-	1	-	48
	ALL CAUSES - - -	65,331	4,336	2,373	18	21	121	49
	AGES AT DEATH.							
	Under 1 - - - - -	6,754	485	286	2	2	16	50
	1-4 - - - - -	2,202	183	118	-	-	8	51
	5-9 - - - - -	918	83	38	-	-	3	52
	10-14 - - - - -	726	49	29	-	-	-	53
	15-24 - - - - -	2,256	115	63	-	1	1	54
	25-34 - - - - -	2,759	160	83	1	2	7	55
	35-44 - - - - -	3,555	201	122	-	-	4	56
	45-54 - - - - -	5,653	286	171	1	1	12	57
	55-64 - - - - -	9,922	623	366	2	1	15	58
	65-74 - - - - -	14,587	921	505	9	7	23	59
	75-84 - - - - -	12,572	951	477	2	6	28	60
	85 and over - - - - -	3,425	279	115	1	1	4	61
	Not stated - - - - -	2	-	-	-	-	-	62
	ALL AGES - - -	65,331	4,336	2,373	18	21	121	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Including portion of Aberdeen Burgh in Kincardine County.

Marginal Index Numbers.	ABERDEEN COUNTY—(continued).								ANGUS COUNTY.				
	Huntly B.	Inverurie B.	Kintore B.	Old Meldrum B.	Peterhead B.	Rosehearty B.	Turriff B.	Landward.	Angus County.	Arbroath B.	Brechin B.	Carnoustie B.	Dundee B.
1	3,929	4,640	783	1,010	13,021	1,155	2,475	106,889	273,573	17,988	6,891	4,813	178,157
2	76	60	15	27	244	19	44	1,933	4,613	259	91	44	3,370
3	70	80	16	27	251	20	42	2,008	4,547	268	91	42	3,195
4	35	42	5	13	122	8	27	1,070	2,353	151	46	21	1,642
5	35	38	11	14	129	12	15	938	2,194	117	45	21	1,553
6	9	12	3	3	18	1	4	288	339	19	7	3	240
7	43	33	8	5	88	8	23	509	2,193	163	43	17	1,588
8	60	42	3	19	127	17	35	1,197	3,757	266	107	62	2,432
9	59	53	6	21	165	21	39	1,439	3,671	270	103	73	2,346
10	24	26	3	7	89	8	14	718	1,685	114	42	27	1,077
11	35	27	3	14	76	13	25	721	1,986	156	61	46	1,269
12	-	-	-	-	-	-	-	-	2	-	-	-	-
13	-	1	-	-	2	-	-	1	14	-	-	-	13
14	1	-	-	-	-	1	-	16	15	1	1	-	1
15	-	-	-	-	-	-	1	8	23	-	-	-	12
16	4	1	-	-	4	1	-	16	40	1	4	1	16
17	3	-	-	-	2	-	1	42	40	6	-	3	18
18	-	1	-	-	-	-	-	3	2	-	-	-	2
19	-	-	-	-	2	-	-	7	14	1	-	-	9
20	-	-	-	-	2	-	-	33	165	11	2	2	119
21	1	-	-	-	6	-	-	19	46	2	-	1	39
22	1	-	1	-	1	-	-	8	18	-	-	-	15
23	10	8	1	4	18	2	3	155	476	37	15	10	305
24	-	1	-	-	-	-	1	9	36	1	2	-	23
25	-	2	-	-	5	-	3	29	70	6	1	4	41
26	8	6	1	4	20	1	5	187	380	37	11	9	218
27	1	2	-	1	4	-	1	28	73	3	-	-	54
28	7	13	2	4	34	9	11	335	837	63	29	12	545
29	-	-	-	-	4	2	1	40	98	5	1	4	67
30	2	2	-	-	1	2	1	60	149	18	1	-	106
31	6	2	1	3	13	2	-	92	206	11	5	1	152
32	1	1	-	-	1	-	-	29	47	3	1	-	32
33	-	1	-	-	3	-	-	10	32	5	1	-	14
34	-	1	-	-	3	-	1	7	30	2	2	-	22
35	-	-	-	-	1	-	-	8	42	2	-	-	28
36	-	-	-	-	1	-	-	4	9	1	-	-	5
37	1	-	-	-	-	-	-	5	25	-	-	-	18
38	2	-	-	1	3	-	1	33	48	4	2	-	29
39	-	1	-	1	5	-	-	33	77	12	3	2	42
40	1	1	-	-	6	-	-	30	63	2	6	1	34
41	1	1	-	-	-	-	-	11	6	1	1	-	4
42	-	-	-	-	2	-	-	4	21	1	1	-	14
43	-	1	-	1	1	-	-	12	23	1	-	-	17
44	1	3	-	1	9	-	1	68	183	7	6	-	127
45	4	2	-	-	4	-	3	27	159	8	5	22	76
46	-	-	-	-	1	-	1	5	49	6	1	-	34
47	3	2	-	1	7	1	3	52	122	11	2	1	83
48	1	-	-	-	-	-	1	13	31	1	-	-	12
49	59	53	6	21	165	21	39	1,439	3,671	270	103	73	2,346
50	4	4	-	4	23	2	2	140	305	16	8	-	218
51	4	3	-	-	10	1	-	39	104	4	4	-	77
52	2	-	-	-	7	1	-	32	59	2	2	1	31
53	-	1	1	-	-	1	1	16	42	-	1	-	20
54	2	1	-	-	4	-	1	42	99	2	1	-	73
55	-	3	-	-	4	-	1	59	139	10	2	1	97
56	1	2	-	-	5	-	1	66	202	17	5	1	139
57	1	1	-	2	14	1	3	79	266	13	7	9	185
58	4	9	2	2	23	3	3	193	543	34	12	11	374
59	12	14	1	6	34	2	10	298	859	79	28	16	531
60	20	12	2	6	29	7	13	349	840	71	25	22	501
61	9	3	-	1	12	3	4	126	213	22	8	12	100
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	59	53	6	21	165	21	39	1,439	3,671	270	103	73	2,346

International Nos. Short List.		ANGUS COUNTY—(continued).					ARGYLL COUNTY.		Marginal Index Numbers.
		Forfar B.	Kirriemuir B.	Monifieth B.	Montrose B.	Landward.	Argyll County.	Campbeltown B.	
	Population (Estimated) - - -	9,817	3,382	3,118	10,265	39,142	61,786	6,484	1
	Total Births Registered (including Illegitimate)	137	42	15	123	532	786	122	2
	" " Corrected for Transfers	142	43	25	128	613	861	125	3
	" " " Male - -	69	22	9	75	318	434	62	4
	" " " Female - -	73	21	16	53	295	427	63	5
	" " " Illegitimate	8	1	-	10	51	93	21	6
	" Marriages Registered - -	106	37	16	61	162	275	45	7
	" Deaths Registered - -	150	44	37	169	490	980	109	8
	" " Corrected for Transfers	157	54	43	167	458	1,016	101	9
	" " " Male - -	73	28	16	69	239	501	43	10
	" " " Female - -	84	26	27	98	219	515	58	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	1	1	-	-	12
4	Measles - - - - -	-	-	-	1	-	1	-	13
5	Scarlet fever - - - - -	1	-	-	2	9	2	-	14
6	Whooping-cough - - - - -	1	-	1	1	8	4	1	15
7	Diphtheria - - - - -	5	1	-	1	11	-	-	16
8	Influenza - - - - -	2	-	-	1	10	23	4	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	1	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	1	3	4	-	19
10	Tuberculosis of respiratory system -	5	1	1	8	16	34	4	20
11	Other tuberculous diseases - - -	1	-	-	1	2	6	1	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	-	1	2	2	1	22
15	Cancer, malignant disease - - -	16	8	4	22	59	141	15	23
18	Diabetes mellitus - - - - -	5	-	-	-	5	12	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	3	-	1	6	8	25	3	25
22	Cerebral hæmorrhage, &c. - - -	21	9	4	23	48	114	10	26
23	Oth. dis. of nerv. syst. and sense org. (21)	2	1	-	2	11	22	3	27
24	Heart disease - - - - -	39	11	8	31	99	233	19	28
25	Other circulatory diseases - - -	5	2	2	5	7	26	-	29
26	Bronchitis - - - - -	7	1	3	6	7	32	6	30
27	Pneumonia (all forms) - - - -	4	2	1	12	18	30	7	31
28	Other respiratory diseases - - -	2	2	1	1	5	12	1	32
32 (1)	Gastric and duodenal ulcer - - -	2	-	1	2	7	9	3	33
29	Diarrhœa, &c. (all ages) - - -	1	-	-	-	3	6	2	34
30	Appendicitis - - - - -	1	-	1	1	9	7	2	35
31 (1)	Cirrhosis of liver - - - - -	2	-	-	1	-	4	1	36
31 (2)	Other diseases of liver, &c. - - -	1	1	1	-	4	6	1	37
32 (2)	Other digestive diseases - - - -	2	-	4	3	4	20	1	38
33	Acute and chronic nephritis - - -	7	1	-	3	7	43	2	39
34	Other dis. of genito-urinary system -	1	6	1	2	10	17	-	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	3	-	41
36	Other puerperal causes - - - -	-	1	1	-	3	4	1	42
37	Diseases of skin and locomotor system	1	-	2	-	2	3	1	43
38	Congen. debil., prem. birth, malform., &c.	4	3	2	6	28	26	5	44
39	Old age - - - - -	5	1	2	15	25	78	3	45
40	Suicide - - - - -	4	-	-	-	4	5	-	46
42	Other violence (41) - - - - -	6	2	-	4	13	28	1	47
43	Causes ill-defined or unknown - -	1	1	2	4	10	33	2	48
	ALL CAUSES - - -	157	54	43	167	458	1,016	101	49
	AGES AT DEATH.								
	Under 1 - - - - -	9	3	2	10	39	45	10	50
	1-4 - - - - -	2	-	2	1	14	11	3	51
	5-9 - - - - -	3	-	2	3	15	5	1	52
	10-14 - - - - -	4	1	-	3	13	9	2	53
	15-24 - - - - -	4	-	4	1	14	24	1	54
	25-34 - - - - -	7	-	-	4	18	33	4	55
	35-44 - - - - -	8	2	1	5	24	27	4	56
	45-54 - - - - -	11	4	2	8	27	65	9	57
	55-64 - - - - -	19	5	7	23	58	138	11	58
	65-74 - - - - -	38	24	9	43	91	256	24	59
	75-84 - - - - -	39	10	10	50	112	288	22	60
	85 and over - - - - -	13	5	4	16	33	115	10	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	157	54	43	167	458	1,016	101	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ARGYLL COUNTY—(continued).						AYR COUNTY.						
	Dunoon B.	Inveraray B.	Lochgilphead B.	Oban B.	Tobermory B.	Landward.	Ayr County.	Ardrossan B.	Ayr B.	Cumnock and Holmhead B.	Darvel B.	Galston B.	Girvan B.
1	7,842	464	1,059	5,888	770	39,279	289,442	7,302	39,935	3,899	3,272	4,835	5,219
2	96	1	17	83	10	457	5,185	92	862	82	27	52	100
3	105	6	19	81	11	514	5,212	147	675	89	39	61	89
4	58	1	10	32	7	264	2,695	74	335	40	20	36	53
5	47	5	9	49	4	250	2,517	73	340	49	19	25	36
6	11	-	1	8	-	52	314	9	48	5	-	5	12
7	38	4	3	47	4	134	1,975	42	310	39	32	45	35
8	141	5	9	119	13	584	3,554	54	695	34	49	58	76
9	138	6	16	85	14	656	3,704	76	515	45	56	62	84
10	64	1	5	48	4	336	1,872	39	264	21	27	34	37
11	74	5	11	37	10	320	1,832	37	251	24	29	28	47
12	-	-	-	-	-	-	2	-	-	-	-	-	-
13	-	-	-	-	-	1	1	-	-	-	-	-	-
14	-	-	-	-	-	2	17	-	3	-	-	-	-
15	-	-	-	-	-	3	18	1	1	-	-	-	1
16	-	-	-	-	-	-	67	3	5	5	2	1	1
17	1	-	1	2	-	15	92	-	5	-	2	4	1
18	-	-	-	-	-	1	12	-	-	-	-	-	-
19	1	1	-	-	-	2	15	-	1	-	-	-	-
20	4	-	3	1	-	22	116	2	12	-	4	-	5
21	1	-	-	1	-	3	44	1	7	1	-	1	-
22	-	-	-	-	-	1	7	-	-	-	-	-	-
23	22	-	3	12	1	88	412	11	63	2	4	6	8
24	2	-	-	-	-	9	55	2	8	3	1	-	2
25	3	1	-	3	1	14	88	2	16	-	4	2	3
26	17	-	-	13	3	71	391	4	54	2	5	7	8
27	2	-	1	4	1	11	108	1	15	5	1	2	2
28	35	2	2	20	1	154	690	16	112	13	11	16	12
29	4	-	-	-	1	21	76	2	8	-	-	-	-
30	4	-	1	1	-	20	138	2	19	1	3	3	4
31	4	-	-	-	-	19	223	2	43	1	4	2	6
32	2	-	-	3	-	6	57	2	3	-	3	2	1
33	-	-	-	1	-	5	27	-	2	1	-	-	-
34	-	-	-	1	-	3	63	4	6	1	-	2	4
35	1	-	-	1	-	3	39	-	3	-	-	1	1
36	1	-	-	-	-	2	11	1	2	-	-	-	-
37	2	-	-	-	-	3	27	1	2	-	1	1	-
38	3	-	1	5	-	10	70	4	10	2	4	-	1
39	5	-	1	3	-	32	118	3	15	-	1	1	7
40	-	-	-	1	-	16	56	1	9	1	2	-	2
41	1	-	-	2	-	-	5	-	-	-	-	-	-
42	-	1	-	-	-	2	22	-	5	-	-	1	-
43	-	-	-	-	-	2	24	1	4	-	-	-	1
44	8	-	-	1	1	11	239	5	32	5	1	2	4
45	5	-	-	7	5	58	158	3	21	-	3	3	2
46	1	-	-	1	-	3	22	1	2	-	-	1	1
47	3	-	2	1	-	21	135	-	20	1	-	2	3
48	6	1	1	1	-	22	59	1	7	1	-	2	4
49	138	6	16	85	14	656	3,704	76	515	45	56	62	84
50	10	-	-	3	1	21	394	11	45	9	4	5	8
51	1	-	-	2	-	5	128	3	11	2	1	1	3
52	1	-	-	1	-	2	72	4	7	1	1	1	1
53	-	-	-	1	-	6	56	2	6	2	-	1	2
54	2	1	1	2	-	17	127	1	21	1	1	3	2
55	4	-	2	5	-	18	155	5	25	1	1	2	2
56	1	-	1	3	1	17	209	6	31	-	5	5	1
57	7	-	1	7	2	39	311	7	36	3	3	5	8
58	21	1	1	12	1	91	531	8	78	8	9	11	16
59	43	2	5	17	4	161	810	15	118	7	20	18	16
60	36	2	2	22	3	201	728	11	115	8	10	9	22
61	12	-	3	10	2	78	183	3	22	3	1	1	3
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	138	6	16	85	14	656	3,704	76	515	45	56	62	84

International Nos. Short List.		AYR COUNTY—(continued).							Marginal Index Numbers.
		Irvine B.	Kilmarnock B	Kilwinning B.	Largs B.	Maybole B.	Newmilns and Greenholm B.	Prestwick B.	
	Population (Estimated) - - -	12,619	39,751	5,444	5,527	4,444	3,936	8,791	1
	Total Births Registered (including Illegitimate)	163	853	391	40	96	37	114	2
	„ „ Corrected for Transfers	223	748	102	52	100	44	132	3
	„ „ „ Male - -	129	395	57	32	46	19	63	4
	„ „ „ Female - -	94	353	45	20	54	25	69	5
	„ „ „ Illegitimate	8	32	6	-	7	1	8	6
	„ Marriages Registered - -	76	304	54	29	28	24	35	7
	„ Deaths Registered - -	135	589	56	77	48	44	112	8
	„ „ Corrected for Transfers	151	553	62	86	66	50	137	9
	„ „ „ Male - -	77	277	28	41	33	25	59	10
	„ „ „ Female - -	74	276	34	45	33	25	78	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	-	-	-	-	-	13
5	Scarlet fever - - - - -	1	4	1	1	1	-	-	14
6	Whooping-cough - - - - -	-	6	-	-	-	-	-	15
7	Diphtheria - - - - -	3	9	1	-	1	-	2	16
8	Influenza - - - - -	4	21	-	2	1	-	2	17
14 (1)	Cerebro-spinal fever - - - - -	1	4	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	1	1	1	1	-	1	-	19
10	Tuberculosis of respiratory system - -	4	20	3	-	1	1	9	20
11	Other tuberculous diseases - - - -	3	5	-	1	1	-	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	-	1	-	-	-	22
15	Cancer, malignant disease - - - -	16	66	6	10	5	5	20	23
18	Diabetes mellitus - - - - -	1	5	-	-	-	-	2	24
20	Other general dis., chronic poisonings (16, 17, 19)	4	14	-	2	2	1	3	25
22	Cerebral hæmorrhage, &c. - - - -	21	64	7	11	6	7	16	26
23	Oth. dis. of nerv. syst. and sense org. (21)	4	15	3	1	2	1	2	27
24	Heart disease - - - - -	27	90	8	15	12	10	34	28
25	Other circulatory diseases - - - -	1	23	-	2	1	2	7	29
26	Bronchitis - - - - -	1	24	4	4	6	3	2	30
27	Pneumonia (all forms) - - - - -	9	41	5	3	5	3	10	31
28	Other respiratory diseases - - - -	1	9	2	5	-	3	2	32
32 (1)	Gastric and duodenal ulcer - - - -	1	3	-	-	1	-	1	33
29	Diarrhœa, &c. (all ages) - - - -	8	7	-	1	1	-	1	34
30	Appendicitis - - - - -	1	12	1	-	1	-	1	35
31 (1)	Cirrhosis of liver - - - - -	-	4	-	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - -	-	3	1	1	-	1	4	37
32 (2)	Other digestive diseases - - - - -	2	10	-	3	-	-	2	38
33	Acute and chronic nephritis - - - -	3	14	4	5	4	3	2	39
34	Other dis. of genito-urinary system -	3	5	1	2	3	1	4	40
35	Puerperal sepsis - - - - -	-	1	-	-	-	-	-	41
36	Other puerperal causes - - - - -	-	2	-	-	-	1	-	42
37	Diseases of skin and locomotor system	1	3	-	-	1	-	-	43
38	Congen. debil., prem. birth, malform. &c.	9	38	4	1	10	4	6	44
39	Old age - - - - -	14	13	7	9	1	-	1	45
40	Suicide - - - - -	1	2	-	2	-	-	1	46
42	Other violence (41) - - - - -	3	10	1	2	-	2	1	47
43	Causes ill-defined or unknown - - -	3	5	2	1	-	1	2	48
	ALL CAUSES - - -	151	553	62	86	66	50	137	49
	AGES AT DEATH.								
	Under 1 - - - - -	19	61	8	2	13	5	9	50
	1-4 - - - - -	4	28	5	2	3	-	1	51
	5-9 - - - - -	7	11	-	-	2	1	3	52
	10-14 - - - - -	2	9	-	1	-	-	1	53
	15-24 - - - - -	5	18	3	-	4	-	1	54
	25-34 - - - - -	6	15	1	2	1	2	6	55
	35-44 - - - - -	13	30	5	2	3	1	6	56
	45-54 - - - - -	8	47	7	5	4	2	15	57
	55-64 - - - - -	23	97	7	11	8	10	14	58
	65-74 - - - - -	33	109	12	20	16	12	37	59
	75-84 - - - - -	23	95	11	32	10	13	36	60
	85 and over - - - - -	8	33	3	9	2	4	8	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	151	553	62	86	66	50	137	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	AYR COUNTY—(continued).				BANFF COUNTY.									
	Salcoats B.	Stewarton B.	Troon B.	Landward.	Banff County.	Aberchirder B.	Banff B.	Buckie B.	Charlestown of Aberlour B.	Cullen B.	Dufftown B.	Findochty B.	Keith B.	Macduff B.
1	10,130	2,825	8,630	122,883	55,218	889	3,471	8,856	1,167	1,753	1,452	1,742	4,482	3,362
2	118	46	78	2,034	1,005	19	80	184	12	27	28	25	73	65
3	172	50	89	2,400	1,038	23	53	176	11	25	28	24	84	79
4	90	25	52	1,229	552	12	31	103	6	12	11	14	46	42
5	82	25	37	1,171	486	11	22	73	5	13	17	10	38	37
6	9	-	4	160	126	5	3	16	2	1	3	1	15	12
7	83	28	33	778	291	6	39	63	7	2	5	10	25	14
8	64	38	80	1,345	678	14	87	99	22	22	18	15	74	36
9	110	48	117	1,486	728	15	53	109	20	19	18	18	70	44
10	62	23	54	771	371	9	23	59	9	10	9	7	39	19
11	48	25	63	715	357	6	30	50	11	9	9	11	31	25
12	-	-	1	1	-	-	-	-	-	-	-	-	-	-
13	-	-	-	1	1	-	-	-	-	-	-	1	-	-
14	-	-	-	6	2	-	-	-	-	-	-	1	-	-
15	-	-	-	9	1	-	-	-	-	-	-	-	-	-
16	4	-	1	29	2	-	-	-	-	-	-	-	1	-
17	3	1	4	42	26	1	1	7	-	3	-	-	3	3
18	1	-	-	6	-	-	-	-	-	-	-	-	-	-
19	2	1	-	6	2	-	-	-	-	-	-	-	2	-
20	4	2	10	39	24	2	2	3	-	-	-	-	4	3
21	-	-	2	22	13	-	2	1	-	1	-	1	1	1
22	-	1	-	5	2	-	-	-	-	-	-	-	-	-
23	15	2	11	162	90	-	3	21	4	2	3	2	3	3
24	3	2	3	23	6	-	-	1	-	-	-	1	2	1
25	3	-	-	32	21	-	2	2	1	-	2	1	3	1
26	10	4	11	154	75	1	4	11	1	1	-	1	11	3
27	5	-	1	48	20	-	2	2	-	1	2	1	-	2
28	19	15	22	258	138	3	8	13	9	4	3	4	16	6
29	-	1	3	26	22	-	1	4	1	-	1	1	3	2
30	1	1	1	59	44	2	8	11	2	1	-	-	3	4
31	3	3	5	78	33	2	9	5	-	-	-	-	2	1
32	2	-	3	19	7	-	1	-	-	-	-	-	1	-
33	-	-	3	15	14	-	-	-	-	1	1	1	1	1
34	2	2	1	23	7	-	1	1	-	-	-	-	-	-
35	4	1	1	12	5	1	1	1	-	-	-	-	1	-
36	-	-	-	4	2	-	-	-	-	-	-	-	-	-
37	2	-	1	9	1	-	-	-	-	-	-	-	-	1
38	1	2	3	26	16	1	-	2	-	-	1	-	-	1
39	4	4	3	45	24	1	2	2	-	1	-	1	6	1
40	1	-	3	18	15	1	-	2	1	1	-	-	1	1
41	-	-	2	2	3	-	-	-	-	-	-	-	1	-
42	2	-	1	10	2	-	-	1	-	-	-	-	-	-
43	2	1	2	8	4	-	2	-	-	-	-	-	1	-
44	5	2	3	108	39	-	3	12	-	2	1	-	3	2
45	3	2	6	70	22	-	-	3	-	-	3	1	-	3
46	3	-	1	7	5	-	1	-	-	-	-	-	1	1
47	5	1	7	77	26	-	-	3	1	-	1	1	-	1
48	1	-	2	27	14	-	-	1	-	1	-	-	-	2
49	110	48	117	1,486	728	15	53	109	20	19	18	18	70	44
50	8	5	3	179	68	-	9	13	-	2	1	-	6	5
51	4	1	-	59	27	-	2	4	1	1	-	3	2	3
52	1	1	1	30	8	-	-	1	-	-	-	1	2	1
53	5	1	3	21	5	-	-	2	-	-	-	-	2	-
54	4	1	6	56	23	-	1	3	-	-	1	1	1	2
55	7	3	5	71	27	1	3	4	-	-	-	-	1	-
56	7	2	10	82	29	-	3	2	-	-	1	1	4	4
57	10	2	11	138	53	1	6	9	-	3	1	3	6	5
58	19	8	16	188	89	5	6	19	3	4	-	3	7	1
59	23	11	23	320	164	3	10	29	7	-	6	4	10	4
60	16	13	33	271	173	4	9	20	6	6	6	1	22	14
61	6	-	6	71	62	1	4	3	3	3	2	1	7	5
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	110	48	117	1,486	728	15	53	109	20	19	18	18	70	44

International Nos. Short List.		BANFF COUNTY— (continued).			BERWICK COUNTY.				Marginal Index Numbers.
		Portnockie B.	Portsoy B.	Landward.	Berwick County.	Coldstream B.	Duns B.	Eyemouth B.	
	Population (Estimated) - - -	1,632	1,730	24,682	26,882	1,256	1,839	2,250	1
	Total Births Registered (including Illegitimate)	30	34	428	295	9	26	32	2
	„ „ Corrected for Transfers	31	35	469	320	8	20	29	3
	„ „ „ Male - -	17	17	241	167	2	13	14	4
	„ „ „ Female - -	14	18	228	153	6	7	15	5
	„ „ „ Illegitimate	1	5	62	23	1	-	1	6
	„ Marriages Registered - -	7	13	100	130	8	6	13	7
	„ Deaths Registered - - -	19	17	255	275	21	24	22	8
	„ „ Corrected for Transfers	25	23	314	357	21	26	25	9
	„ „ „ Male - - -	18	13	156	169	7	12	15	10
	„ „ „ Female - - -	7	10	158	188	14	14	10	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	-	-	-	-	-	13
5	Scarlet fever - - - - -	-	-	1	-	-	-	-	14
6	Whooping-cough - - - - -	-	-	1	1	-	-	-	15
7	Diphtheria - - - - -	-	1	-	-	-	-	-	16
8	Influenza - - - - -	1	-	7	5	-	-	-	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	1	-	-	-	19
10	Tuberculosis of respiratory system -	1	1	8	8	-	-	-	20
11	Other tuberculous diseases - - - -	1	-	5	2	-	-	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	2	2	-	1	-	22
15	Cancer, malignant disease - - - -	2	-	47	45	5	4	5	23
18	Diabetes mellitus - - - - -	-	-	1	5	1	-	-	24
20	Other general dis., chronic poisonings (16, 17, 19)	2	-	7	14	-	2	1	25
22	Cerebral hæmorrhage, &c. - - - -	5	3	34	44	4	4	4	26
23	Oth. dis. of nerv. syst. and sense org. (21)	1	3	6	7	-	1	1	27
24	Heart disease - - - - -	1	5	66	86	3	9	7	28
25	Other circulatory diseases - - - -	-	1	8	9	1	-	-	29
26	Bronchitis - - - - -	2	-	11	13	2	1	1	30
27	Pneumonia (all forms) - - - - -	-	2	12	12	1	1	-	31
28	Other respiratory diseases - - - -	-	-	5	7	1	-	-	32
32 (1)	Gastric and duodenal ulcer - - - -	1	-	8	5	1	-	1	33
29	Diarrhœa, &c. (all ages) - - - - -	-	1	4	-	-	-	-	34
30	Appendicitis - - - - -	-	-	1	6	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	-	-	2	1	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - -	-	-	-	3	-	1	-	37
32 (2)	Other digestive diseases - - - - -	-	-	11	7	-	-	-	38
33	Acute and chronic nephritis - - - -	1	1	8	15	1	2	-	39
34	Other dis. of genito-urinary system -	-	-	8	5	-	-	-	40
35	Puerperal sepsis - - - - -	-	-	2	1	-	-	-	41
36	Other puerperal causes - - - - -	-	-	1	-	-	-	-	42
37	Diseases of skin and locomotor system	-	-	1	4	-	-	1	43
38	Congen. debil., prem. birth, malform. &c.	3	1	12	18	-	-	-	44
39	Old age - - - - -	1	3	8	13	-	-	3	45
40	Suicide - - - - -	-	-	2	2	-	-	-	46
42	Other violence (41) - - - - -	2	1	16	9	1	-	-	47
43	Causes Ill-defined or Unknown - - -	1	-	9	7	-	-	1	48
	ALL CAUSES - - -	25	23	314	357	21	26	25	49
	AGES AT DEATH.								
	Under 1 - - - - -	4	3	25	27	-	2	-	50
	1-4 - - - - -	-	1	10	4	-	-	-	51
	5-9 - - - - -	-	-	3	2	-	-	1	52
	10-14 - - - - -	-	-	1	1	-	-	-	53
	15-24 - - - - -	2	2	10	8	-	-	1	54
	25-34 - - - - -	1	3	14	9	-	-	1	55
	35-44 - - - - -	3	-	11	14	1	1	-	56
	45-54 - - - - -	-	-	19	21	-	4	-	57
	55-64 - - - - -	2	2	37	54	5	5	6	58
	65-74 - - - - -	8	4	79	89	3	7	7	59
	75-84 - - - - -	5	4	76	94	9	3	8	60
	85 and over - - - - -	-	4	29	34	3	4	1	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	25	23	314	357	21	26	25	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	BERWICK COUNTY— (continued).		BUTE COUNTY.				CAITHNESS COUNTY.				CLACKMANNAN COUNTY.		
	Lander B.	Landward.	Bute County.	Millport B.	Rothsay B.	Landward.	Caithness County.	Thurso B.	Wick B.	Landward.	Clackmannan County.	Alloa B.	Alva B.
1	627	20,910	16,302	1,547	7,926	6,829	25,969	3,065	7,683	15,221	32,388	13,385	3,892
2	4	224	196	13	114	69	488	42	197	249	482	214	39
3	4	259	207	15	111	81	485	41	176	268	523	224	56
4	-	138	111	6	61	44	262	19	96	147	272	120	26
5	4	121	96	9	50	37	223	22	80	121	251	104	30
6	-	21	15	1	11	3	53	3	14	36	28	9	3
7	3	100	73	2	48	23	164	24	94	46	237	116	32
8	12	196	253	37	120	96	396	38	114	244	347	149	46
9	14	271	247	22	117	108	415	45	125	245	407	180	58
10	5	130	110	8	50	52	197	22	57	118	187	90	22
11	9	141	137	14	67	56	218	23	68	127	220	90	36
12	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	1	1	-
15	-	1	1	1	-	-	-	-	-	-	-	-	-
16	-	-	2	1	1	-	2	1	-	1	4	3	1
17	-	5	2	-	1	1	20	-	5	15	14	8	2
18	-	-	1	-	1	-	-	-	-	-	3	2	-
19	-	1	2	1	-	1	-	-	-	-	1	1	-
20	-	8	7	1	4	2	11	2	1	8	16	10	3
21	-	2	1	-	-	1	1	-	1	-	3	2	-
22	-	1	1	1	-	-	2	-	1	1	2	-	-
23	2	29	28	3	14	11	52	8	19	25	43	22	4
24	-	4	4	-	2	2	6	-	5	1	6	4	-
25	-	11	16	3	11	2	11	1	4	6	9	6	1
26	2	30	36	5	16	15	42	6	10	26	40	19	4
27	2	3	6	-	4	2	9	-	6	3	11	4	1
28	5	62	47	-	20	27	81	8	20	53	86	26	18
29	-	8	2	-	2	-	14	2	1	11	11	5	-
30	-	9	7	1	4	2	18	1	7	10	19	9	2
31	1	9	6	-	4	2	12	2	6	4	27	14	3
32	-	6	3	-	2	1	7	1	1	5	3	3	-
33	-	3	5	1	-	4	-	-	-	-	1	1	-
34	-	-	1	-	-	1	10	4	2	4	6	4	1
35	1	5	1	-	1	-	4	-	1	3	3	2	-
36	-	1	-	-	-	-	-	-	-	-	-	-	-
37	-	2	3	-	2	1	4	1	1	2	2	2	-
38	-	7	6	-	5	1	10	1	3	6	10	2	2
39	-	12	10	1	4	5	5	-	5	-	5	4	-
40	-	5	7	-	4	3	8	-	3	5	4	1	-
41	-	1	-	-	-	-	-	-	-	-	2	1	-
42	-	-	1	-	-	1	2	-	1	1	-	-	-
43	-	3	1	-	1	-	4	2	1	1	2	1	-
44	-	18	6	2	1	3	17	2	6	9	17	8	4
45	1	9	10	1	3	6	31	1	7	23	35	7	12
46	-	2	1	-	-	1	1	-	1	-	3	-	-
47	-	8	10	-	4	6	17	1	6	10	10	4	-
48	-	6	13	-	6	7	14	1	1	12	8	4	-
49	14	271	247	22	117	108	415	45	125	245	407	180	58
50	-	25	6	2	1	3	35	7	13	15	38	18	4
51	-	4	4	2	1	1	4	1	1	2	4	3	-
52	-	1	2	-	1	1	4	1	1	2	3	2	1
53	-	1	1	-	1	-	7	2	3	2	8	4	1
54	-	7	7	-	3	4	13	1	4	8	17	7	3
55	-	8	7	1	3	3	17	3	4	10	8	6	1
56	-	12	11	3	5	3	8	1	4	3	25	13	1
57	-	17	18	1	7	10	24	2	3	19	31	15	2
58	2	36	37	1	26	10	47	5	21	21	52	24	11
59	2	70	63	5	27	31	102	8	36	58	98	45	10
60	6	68	68	5	34	29	112	12	27	73	95	34	16
61	4	22	23	2	8	13	42	2	8	32	28	9	8
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	14	271	247	22	117	108	415	45	125	245	407	180	58

International Nos. Short List.		CLACKMANNAN COUNTY—(contd).			DUNBARTON COUNTY.				Marginal Index Numbers.
		Dollar B.	Tillicoultry B.	Landward.	Dunbarton County.	Clydebank B.	Cove and Kil- creggan B.	Dunbarton B.	
	Population (Estimated) - - -	1,486	3,044	10,581	153,516	48,449	877	22,001	1
	Total Births Registered (including Illegitimate)	5	39	185	2,352	793	1	380	2
	„ „ Corrected for Transfers	9	42	192	2,641	906	3	395	3
	„ „ „ Male - -	5	24	97	1,321	443	1	207	4
	„ „ „ Female - -	4	18	95	1,320	463	2	188	5
	„ „ „ Illegitimate	2	3	11	135	35	-	24	6
	„ Marriages Registered - -	7	21	61	943	364	2	106	7
	„ Deaths Registered - - -	13	41	98	1,479	317	14	269	8
	„ „ Corrected for Transfers	18	47	104	1,829	563	16	275	9
	„ „ „ Male - -	9	19	47	924	297	4	142	10
	„ „ „ Female - -	9	28	57	905	266	12	133	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	-	2	-	-	-	13
5	Scarlet fever - - - - -	-	-	-	4	1	-	-	14
6	Whooping-cough - - - - -	-	-	-	21	1	-	10	15
7	Diphtheria - - - - -	-	-	-	16	7	-	3	16
8	Influenza - - - - -	-	2	2	40	8	1	7	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	1	2	1	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	5	3	-	-	19
10	Tuberculosis of respiratory system - - -	-	2	1	102	49	1	13	20
11	Other tuberculous diseases - - - - -	-	-	1	21	10	-	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	1	1	5	3	-	1	22
15	Cancer, malignant disease - - - - -	3	4	10	206	61	3	28	23
18	Diabetes mellitus - - - - -	-	-	2	24	7	-	3	24
20	Other general dis., chronic poisonings (16, 17, 19)	-	1	1	53	16	1	7	25
22	Cerebral hæmorrhage, &c. - - - - -	1	4	12	215	63	4	41	26
23	Oth. dis. of nerv. syst. and sense org. (21)	-	3	3	41	17	-	3	27
24	Heart disease - - - - -	6	8	28	329	86	2	50	28
25	Other circulatory diseases - - - - -	-	4	2	27	6	-	2	29
26	Bronchitis - - - - -	-	1	7	86	19	1	22	30
27	Pneumonia (all forms) - - - - -	1	4	5	107	44	-	7	31
28	Other respiratory diseases - - - - -	-	-	-	23	6	-	4	32
32 (1)	Gastric and duodenal ulcer - - - - -	-	-	-	26	7	1	3	33
29	Diarrhoea &c. (all ages) - - - - -	-	-	1	30	12	-	7	34
30	Appendicitis - - - - -	-	1	-	11	3	-	2	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	2	2	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	-	-	-	14	1	-	3	37
32 (2)	Other digestive diseases - - - - -	2	-	4	39	16	-	4	38
33	Acute and chronic nephritis - - - - -	-	-	1	44	14	-	8	39
34	Other dis. of genito-urinary system - - -	1	-	2	33	7	-	3	40
35	Puerperal sepsis - - - - -	-	-	1	7	3	-	-	41
36	Other puerperal causes - - - - -	-	-	-	9	3	-	2	42
37	Diseases of skin and locomotor system - -	-	-	1	6	3	-	1	43
38	Congen. debil., prem. birth, malform. &c.	-	-	5	114	37	-	23	44
39	Old age - - - - -	2	10	4	79	16	1	10	45
40	Suicide - - - - -	2	-	1	13	6	-	3	46
42	Other violence (41) - - - - -	-	1	5	56	17	1	4	47
43	Causes ill-defined or unknown - - - - -	-	1	3	17	8	-	1	48
	ALL CAUSES - - -	18	47	104	1,829	563	16	275	49
	AGES AT DEATH.								
	Under 1 - - - - -	-	6	10	199	69	-	37	50
	1-4 - - - - -	-	-	1	67	20	-	14	51
	5-9 - - - - -	-	-	-	31	14	-	3	52
	10-14 - - - - -	-	-	3	13	2	-	1	53
	15-24 - - - - -	1	-	6	77	37	-	6	54
	25-34 - - - - -	-	-	1	81	31	1	13	55
	35-44 - - - - -	-	3	8	110	41	-	12	56
	45-54 - - - - -	1	4	9	189	65	1	23	57
	55-64 - - - - -	3	3	11	269	68	1	42	58
	65-74 - - - - -	7	12	24	414	126	8	74	59
	75-84 - - - - -	4	15	26	311	79	5	43	60
	85 and over - - - - -	2	4	5	68	11	-	7	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	18	47	104	1,829	563	16	275	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	DUNBARTON COUNTY— (continued).				DUMFRIES COUNTY.								
	Helensburgh B.	Kirkintilloch B.	Milngavie B.	Landward.	Dumfries County.	Annan B.	Dumfries B.	Langholm B.	Lochmaben B.	Lockerbie B.	Moffat B.	Sanquhar B.	Landward.
1	8,814	12,445	5,650	55,280	81,883	3,995	23,352	2,432	1,058	2,636	2,004	1,819	44,587
2	79	218	65	816	1,389	54	482	28	20	21	50	34	700
3	94	237	80	926	1,357	53	412	27	17	29	21	35	763
4	51	115	42	462	695	23	214	13	13	19	9	20	384
5	43	122	38	464	662	30	198	14	4	10	12	15	379
6	3	9	6	58	156	5	41	3	4	4	-	5	94
7	36	95	28	312	676	37	216	8	3	17	7	19	369
8	99	145	39	596	1,235	39	420	47	17	44	35	17	616
9	117	163	56	639	1,143	48	333	49	19	47	34	20	593
10	62	72	29	318	560	25	163	15	10	21	16	12	298
11	55	91	27	321	583	23	170	34	9	26	18	8	295
12	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	2	-	-	-	-	-	-	-	-	-
14	-	1	-	2	-	-	-	-	-	-	-	-	-
15	-	3	1	6	4	-	1	-	-	-	-	-	3
16	-	4	-	2	7	1	2	-	-	1	-	-	3
17	4	4	-	16	16	-	2	-	-	1	2	1	10
18	-	1	-	-	-	-	-	-	-	-	-	-	-
19	-	1	-	1	4	-	1	-	-	-	-	-	3
20	4	6	4	25	35	2	16	-	-	-	-	-	17
21	1	-	1	9	15	-	3	-	-	-	-	-	12
22	1	-	-	-	7	2	3	-	-	-	-	-	2
23	14	17	10	73	149	3	47	9	1	8	3	1	77
24	4	2	-	8	11	-	2	-	-	1	-	1	7
25	2	4	2	21	25	1	8	3	-	-	-	-	13
26	17	13	11	66	129	7	40	5	2	7	9	3	56
27	6	6	2	7	34	1	11	2	-	3	-	-	17
28	20	27	7	137	299	14	79	12	10	9	12	9	154
29	2	1	2	14	20	3	4	-	-	1	1	-	11
30	4	12	2	26	41	4	13	2	-	1	1	-	20
31	5	10	3	38	52	-	19	5	1	-	-	-	27
32	4	1	-	8	16	-	3	-	-	3	1	-	9
33	5	3	-	7	5	-	4	-	-	1	-	-	-
34	2	2	-	7	9	-	2	-	-	-	-	1	6
35	1	1	-	4	7	-	2	1	1	-	-	-	3
36	-	-	-	-	3	-	2	-	1	-	-	-	-
37	3	-	1	6	1	-	-	-	-	-	-	-	1
38	2	3	-	14	18	1	4	-	2	-	-	-	11
39	-	6	-	16	37	2	3	1	-	2	-	1	28
40	1	3	1	18	16	1	7	-	-	1	-	-	7
41	1	2	-	1	1	-	-	-	-	-	-	-	1
42	1	-	-	3	8	1	2	-	-	1	-	-	4
43	-	2	-	-	12	-	5	1	-	-	-	-	6
44	4	6	2	42	52	2	15	-	-	1	-	1	33
45	5	14	4	29	39	1	15	5	-	2	1	-	15
46	-	1	1	2	6	1	2	1	-	-	-	-	2
47	3	4	1	26	45	1	11	1	-	1	3	2	26
48	1	3	1	3	20	-	5	1	1	3	1	-	9
49	117	163	56	639	1,143	48	333	49	19	47	34	20	593
50	5	18	5	65	102	4	34	1	1	3	1	1	57
51	1	10	-	22	21	-	5	-	1	-	1	-	14
52	1	2	-	11	8	-	4	-	-	1	-	-	3
53	4	2	2	2	7	1	3	-	-	-	-	-	3
54	4	6	1	23	34	3	10	1	-	1	-	-	19
55	4	2	3	27	46	2	15	1	-	-	1	1	26
56	4	12	4	37	48	-	13	1	-	-	1	1	32
57	17	12	6	65	85	2	33	3	-	6	1	-	40
58	16	28	8	106	179	13	43	11	5	7	1	3	96
59	28	30	12	136	278	10	82	15	2	13	14	7	135
60	21	29	10	124	258	8	72	12	7	12	11	6	130
61	12	12	5	21	77	5	19	4	3	4	3	1	38
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	117	163	56	639	1,143	48	333	49	19	47	34	20	593

International Nos. Short List.		EAST LOTHIAN COUNTY.							Marginal Index Numbers.
		East Lothian County.	Cockenzie and Port Seton B.	Dunbar B.	East Linton B.	Haddington B.	North Ber- wick B.	Prestonpans B.	
	Population (Estimated) - - - -	47,935	2,684	3,782	918	4,690	3,262	2,628	1
	Total Births Registered (including Illegitimate)	721	26	75	17	88	18	45	2
	" " Corrected for Transfers	817	40	71	17	75	27	65	3
	" " Male - -	424	27	37	13	36	18	29	4
	" " Female - -	393	13	34	4	39	9	36	5
	" " Illegitimate	50	3	7	-	2	3	-	6
	" Marriages Registered - -	268	18	28	7	24	16	19	7
	" Deaths Registered - -	477	22	56	15	77	41	22	8
	" " Corrected for Transfers	556	29	58	9	62	48	35	9
	" " Male - -	281	17	26	5	30	21	14	10
	" " Female - -	275	12	32	4	32	27	21	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	1	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	-	-	-	-	-	13
5	Scarlet fever - - - - -	2	-	-	-	-	-	-	14
6	Whooping-cough - - - - -	-	-	-	-	-	-	-	15
7	Diphtheria - - - - -	2	-	-	-	1	-	1	16
8	Influenza - - - - -	14	-	1	-	2	4	-	17
14 (1)	Cerebro-spinal fever - - - - -	2	-	-	-	-	-	1	18
14 (2)	Other epidemic diseases (2, 3, 9) *	2	-	-	-	-	-	-	19
10	Tuberculosis of respiratory system - -	19	-	1	-	1	1	-	20
11	Other tuberculous diseases - - - -	10	-	-	-	1	3	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	3	-	1	-	-	-	1	22
15	Cancer, malignant disease - - - -	71	5	6	4	9	8	7	23
18	Diabetes mellitus - - - - -	6	2	1	-	-	1	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	13	2	1	-	-	-	-	25
22	Cerebral hæmorrhage, &c. - - - -	85	5	14	2	11	4	3	26
23	Oth. dis. of nerv. syst. and sense org. (21)	13	-	2	-	1	4	-	27
24	Heart disease - - - - -	98	7	7	1	15	12	6	28
25	Other circulatory diseases - - - -	16	-	2	1	3	1	-	29
26	Bronchitis - - - - -	20	-	4	-	2	-	1	30
27	Pneumonia (all forms) - - - - -	16	1	-	-	1	1	3	31
28	Other respiratory diseases - - - -	6	-	1	-	-	-	-	32
32 (1)	Gastric and duodenal ulcer - - - -	2	-	-	-	1	-	-	33
29	Diarrhœa, &c. (all ages) - - - -	6	-	-	-	-	-	1	34
30	Appendicitis - - - - -	3	-	-	-	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	1	-	-	-	-	-	1	36
31 (2)	Other diseases of liver, &c. - - - -	4	-	-	-	2	-	-	37
32 (2)	Other digestive diseases - - - -	9	-	1	-	-	-	-	38
33	Acute and chronic nephritis - - - -	15	1	2	-	2	2	2	39
34	Other dis. of genito-urinary system -	11	-	2	-	-	3	-	40
35	Puerperal sepsis - - - - -	1	-	-	-	-	-	1	41
36	Other puerperal causes - - - - -	4	-	1	-	1	1	-	42
37	Diseases of skin and locomotor system	6	1	-	-	1	-	1	43
38	Congen. debil., prem. birth, malform., &c.	32	1	3	-	3	1	1	44
39	Old age - - - - -	20	2	4	-	1	1	1	45
40	Suicide - - - - -	4	-	-	-	-	1	-	46
42	Other violence (41) - - - - -	27	1	3	1	4	-	2	47
43	Causes ill-defined or unknown - - -	12	1	1	-	-	-	1	48
	ALL CAUSES - - - -	556	29	58	9	62	48	35	49
	AGES AT DEATH.								
	Under 1 - - - - -	50	2	3	-	3	1	4	50
	1-4 - - - - -	9	-	-	-	1	-	2	51
	5-9 - - - - -	9	-	-	1	-	-	1	52
	10-14 - - - - -	7	-	-	-	1	1	-	53
	15-24 - - - - -	9	1	-	-	1	-	-	54
	25-34 - - - - -	21	2	1	-	3	1	1	55
	35-44 - - - - -	40	1	3	-	3	1	5	56
	45-54 - - - - -	44	2	6	-	4	4	4	57
	55-64 - - - - -	100	6	11	2	15	10	9	58
	65-74 - - - - -	115	9	14	3	18	14	3	59
	75-84 - - - - -	118	6	16	2	9	10	5	60
	85 and over - - - - -	34	-	4	1	4	6	1	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - - -	556	29	58	9	62	48	35	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	EAST LOTHIAN (Co. - (contd.)).		FIFE COUNTY.											
	Tranent B.	Landward.	Fife County.	Auchtermuchty B.	Buckhaven and Methil B.	Burntisland B.	Cowdenbeath B.	Craik B.	Culross B.	Cupar B.	Dunfermline B.	Elie and Farsferry B.	Falkland B.	Inverkeithing B.
1	4,932	25,039	282,169	1,244	18,205	5,441	12,693	1,054	536	4,818	36,212	983	874	3,348
2	97	355	4,686	7	369	59	200	7	5	63	747	3	14	45
3	106	416	4,780	8	397	78	236	7	8	68	569	3	18	51
4	54	210	2,401	5	197	44	127	2	4	40	278	2	11	28
5	52	206	2,379	3	200	34	109	5	4	28	291	1	7	23
6	1	34	269	-	21	6	13	2	-	2	23	-	-	-
7	42	114	1,996	8	137	19	84	13	7	50	346	9	8	14
8	32	212	3,074	25	158	46	86	18	6	70	489	11	12	21
9	55	260	3,358	28	195	62	125	17	7	70	424	12	14	36
10	34	134	1,669	15	106	36	67	10	4	29	198	4	7	19
11	21	126	1,689	13	89	26	58	7	3	41	226	8	7	17
12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	15	-	-	-	-	-	-	-	-	-	-	1
14	-	2	9	-	2	1	-	-	-	1	-	-	-	-
15	-	-	17	-	1	-	-	-	-	2	1	-	-	-
16	-	-	19	-	2	-	1	-	-	-	2	-	1	-
17	-	7	83	1	7	1	1	-	1	-	12	-	-	-
18	1	-	7	-	1	-	-	-	-	-	3	-	-	-
19	2	-	16	-	1	1	1	-	-	1	1	-	-	-
20	5	11	94	1	8	2	7	1	-	1	16	1	1	4
21	3	3	27	-	1	-	3	-	-	1	3	-	-	-
22	-	1	16	-	1	-	-	-	-	-	2	-	-	-
23	4	28	405	6	25	4	10	3	1	4	49	3	1	5
24	-	1	40	-	2	2	1	-	-	2	5	1	1	-
25	2	8	90	-	7	1	-	1	-	2	14	-	-	-
26	6	40	384	2	15	8	10	3	1	7	47	4	1	1
27	1	5	98	2	13	1	1	1	-	2	18	-	-	-
28	8	42	651	6	36	12	21	3	1	24	92	2	3	3
29	-	9	77	2	6	-	2	2	-	3	7	-	-	1
30	2	11	135	1	4	1	10	1	1	1	19	1	1	4
31	1	9	154	2	4	6	8	-	1	1	19	-	-	1
32	1	4	61	1	3	1	1	-	-	-	9	-	1	1
33	-	1	30	1	1	1	1	-	-	-	6	-	-	1
34	1	4	29	-	-	-	-	-	-	-	1	-	-	1
35	1	2	29	-	1	1	3	-	-	1	2	-	-	-
36	-	-	6	-	-	-	-	-	-	-	1	-	-	-
37	1	1	37	-	3	1	3	-	-	-	3	-	-	-
38	-	8	58	-	5	2	1	1	-	1	8	-	-	-
39	-	6	110	-	11	-	6	-	-	4	20	-	-	1
40	-	6	44	-	1	1	-	-	-	-	5	-	-	-
41	-	-	15	-	1	-	-	-	-	1	1	-	-	2
42	-	1	13	-	1	-	1	-	-	2	-	-	-	-
43	1	2	30	-	2	-	2	1	-	-	5	-	1	1
44	6	17	184	1	11	3	8	-	1	4	16	-	1	3
45	-	11	143	-	7	7	9	-	-	-	12	-	-	4
46	1	2	32	-	1	1	3	-	-	-	4	-	-	1
47	3	13	151	1	10	3	7	-	-	3	16	-	2	1
48	4	5	44	1	1	1	4	-	-	2	5	-	-	-
49	55	260	3,358	28	195	62	125	17	7	70	424	12	14	36
50	7	30	303	1	21	4	9	-	1	5	32	-	1	5
51	1	5	115	-	10	2	4	-	-	2	9	-	1	-
52	2	5	41	-	5	1	3	-	-	1	6	-	-	1
53	1	4	40	-	5	1	1	1	-	-	2	-	-	-
54	2	5	107	-	9	3	8	-	1	1	12	-	1	1
55	2	11	119	1	15	-	4	-	-	3	9	1	1	1
56	7	20	152	2	13	3	11	-	-	4	19	-	1	-
57	5	19	293	1	19	6	11	2	-	6	53	1	1	2
58	7	40	523	6	34	8	17	5	-	6	72	3	-	9
59	7	47	805	5	43	12	28	3	3	17	107	3	6	12
60	13	57	704	9	20	12	25	6	2	20	82	3	1	4
61	1	17	156	3	1	10	4	-	-	5	21	1	1	1
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	55	260	3,358	28	195	62	125	17	7	70	424	12	14	36

International Nos. Short List.	FIFE COUNTY—(continued).								Marginal Index Numbers.
		Kilrenny and Anstruther B.	Kinghorn B.	Kirkcaldy B.	Ladybank and Monkston B.	Leslie B.	Leven B.	Lochgelly B.	
	Population (Estimated) - - -	3,357	1,947	44,622	1,176	2,497	7,932	9,416	1
	Total Births Registered (including Illegitimate)	26	21	848	12	27	120	137	2
	„ „ Corrected for Transfers	33	25	704	16	34	128	156	3
	„ „ „ Male - -	16	17	366	7	22	57	77	4
	„ „ „ Female - -	17	8	338	9	12	71	79	5
	„ „ „ Illegitimate	2	-	45	2	1	9	8	6
	„ Marriages Registered - -	21	13	399	1	24	43	78	7
	„ Deaths Registered - - -	48	13	517	12	31	70	65	8
	„ „ Corrected for Transfers	59	20	540	11	35	87	91	9
	„ „ „ Male - -	29	9	260	7	15	29	59	10
	„ „ „ Female - -	30	11	280	4	20	58	32	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	-	1	1	-	-	-	-	13
5	Scarlet fever - - - - -	-	-	1	-	-	-	-	14
6	Whooping-cough - - - - -	-	-	2	-	-	-	1	15
7	Diphtheria - - - - -	-	-	1	-	-	-	4	16
8	Influenza - - - - -	1	1	9	-	2	3	3	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	5	-	-	1	3	19
10	Tuberculosis of respiratory system - -	-	-	14	-	-	-	3	20
11	Other tuberculous diseases - - - - -	-	-	3	-	-	-	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	-	2	-	-	-	1	22
15	Cancer, malignant disease - - - - -	8	3	74	-	4	10	11	23
18	Diabetes mellitus - - - - -	-	-	4	-	-	2	-	24
20	Other general dis., chronic poisonings (16, 17, 19)	1	-	18	-	1	2	1	25
22	Cerebral hæmorrhage, &c. - - - - -	13	2	80	2	3	9	6	26
23	Oth. dis. of nerv. syst. and sense org. (21)	2	1	11	1	-	1	3	27
24	Heart disease - - - - -	17	2	89	2	7	14	14	28
25	Other circulatory diseases - - - - -	2	-	10	2	-	3	2	29
26	Bronchitis - - - - -	-	-	28	-	4	3	4	30
27	Pneumonia (all forms) - - - - -	1	1	20	-	1	7	5	31
28	Other respiratory diseases - - - - -	1	2	10	-	-	3	-	32
32 (1)	Gastric and duodenal ulcer - - - - -	-	-	7	-	-	2	-	33
29	Diarrhœa, &c. (all ages) - - - - -	-	-	7	-	-	-	3	34
30	Appendicitis - - - - -	-	1	2	-	1	1	1	35
31 (1)	Cirrhosis of liver - - - - -	-	-	2	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	-	1	9	-	-	1	1	37
32 (2)	Other digestive diseases - - - - -	1	1	7	1	-	-	3	38
33	Acute and chronic nephritis - - - - -	2	1	16	1	1	4	8	39
34	Other dis. of genito-urinary system - -	2	-	9	-	1	3	1	40
35	Puerperal sepsis - - - - -	-	-	1	-	1	2	-	41
36	Other puerperal causes - - - - -	-	-	-	-	-	1	-	42
37	Diseases of skin and locomotor system -	-	-	7	-	-	-	-	43
38	Congen. debil., prem. birth, malform. &c.	-	1	30	-	-	7	5	44
39	Old age - - - - -	1	-	30	2	4	4	2	45
40	Suicide - - - - -	2	1	7	-	-	-	2	46
42	Other violence (41) - - - - -	3	1	18	-	3	3	3	47
43	Causes ill-defined or unknown - - -	2	-	6	-	2	1	1	48
	ALL CAUSES - - -	59	20	540	11	35	87	91	49
	AGES AT DEATH.								
	Under 1 - - - - -	1	1	45	-	1	7	10	50
	1-4 - - - - -	-	1	14	-	-	1	5	51
	5-9 - - - - -	1	-	5	-	-	-	2	52
	10-14 - - - - -	-	1	6	-	1	-	4	53
	15-24 - - - - -	1	1	18	-	2	1	2	54
	25-34 - - - - -	-	1	22	-	-	4	3	55
	35-44 - - - - -	2	1	19	1	-	3	3	56
	45-54 - - - - -	7	3	55	1	2	7	9	57
	55-64 - - - - -	5	2	71	3	5	9	22	58
	65-74 - - - - -	20	3	138	1	8	26	19	59
	75-84 - - - - -	15	4	121	3	16	26	12	60
	85 and over - - - - -	7	2	26	2	-	3	-	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	59	20	540	11	35	87	91	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	FIFE COUNTY—(continued).								INVERNESS COUNTY.				
	Markinch B.	Newburgh B.	Newport B.	Pittenweem B.	St. Andrews B.	St. Monance B.	Tayport B.	Landward.	Inverness County.	Fort-William B.	Inverness B.	Kingussie B.	Landward.
1	2,169	2,202	3,287	1,649	8,566	1,685	3,319	102,937	81,790	2,706	23,196	1,023	54,865
2	27	19	31	21	103	14	43	1,718	1,251	40	457	11	743
3	37	30	25	19	98	13	53	1,966	1,269	47	377	13	832
4	20	14	15	10	46	6	29	961	617	17	170	4	426
5	17	16	10	9	52	7	24	1005	652	30	207	9	406
6	3	-	1	-	4	-	2	125	100	1	34	1	64
7	22	10	15	9	46	4	19	597	469	31	295	9	134
8	14	21	42	17	103	21	50	1,108	1,379	37	528	15	799
9	25	34	55	20	101	25	59	1,206	1,295	33	403	15	844
10	12	18	27	7	44	16	22	620	625	18	181	6	420
11	13	16	28	13	57	9	37	586	670	15	222	9	424
12	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	12	5	-	2	1	2
14	1	-	-	-	-	-	-	3	2	-	1	-	1
15	-	-	-	-	1	-	-	9	5	-	2	-	3
16	1	-	-	-	-	-	-	7	2	-	-	-	2
17	-	1	-	1	2	-	2	35	48	-	11	-	37
18	-	-	-	-	-	-	-	3	-	-	-	-	-
19	-	-	-	-	-	-	-	2	3	-	1	-	2
20	-	3	-	1	2	1	-	28	62	2	13	1	46
21	2	-	-	-	1	-	1	12	23	1	10	-	12
22	1	-	-	-	1	-	-	8	3	-	-	-	3
23	3	6	8	-	15	5	9	138	146	5	50	-	91
24	1	1	-	-	2	-	-	16	8	-	2	-	6
25	1	-	3	1	1	-	1	35	29	3	8	1	17
26	3	1	11	1	17	4	9	124	126	-	49	1	76
27	1	-	1	-	3	1	1	34	45	1	17	1	26
28	3	12	10	7	28	5	16	222	226	9	82	5	130
29	-	-	1	-	-	1	-	33	29	-	12	-	17
30	-	1	2	-	3	1	4	41	43	2	17	1	23
31	1	1	-	-	8	-	-	67	82	1	25	1	55
32	1	-	-	1	-	1	2	23	14	-	6	-	8
33	-	-	-	-	1	-	-	9	17	-	5	-	12
34	-	1	-	1	-	-	-	15	6	-	3	-	3
35	-	-	1	-	1	-	2	11	13	-	3	-	10
36	-	-	-	-	1	1	-	1	1	-	-	-	1
37	-	1	-	1	1	-	-	12	6	-	3	-	3
38	1	2	2	-	4	1	-	17	22	-	7	1	14
39	-	-	2	-	3	-	6	24	34	5	10	-	19
40	-	1	4	-	3	-	-	13	18	-	6	-	12
41	-	-	-	-	-	-	-	6	-	-	-	-	-
42	-	-	-	-	-	1	1	6	9	1	3	-	5
43	-	-	1	-	1	1	-	8	3	-	-	-	3
44	1	1	1	-	-	-	3	87	45	-	15	-	30
45	4	-	2	4	-	-	1	55	130	2	16	1	111
46	-	-	1	-	-	-	-	9	6	-	3	-	3
47	-	1	4	2	2	2	-	66	51	1	11	1	38
48	-	1	1	-	-	-	1	15	33	-	10	-	23
49	25	34	55	20	101	25	59	1,206	1,295	33	403	15	844
50	2	1	1	1	-	-	4	150	80	-	37	-	43
51	-	2	-	1	2	-	1	60	32	2	14	1	15
52	-	-	-	-	-	-	-	16	16	-	3	-	13
53	-	-	1	-	1	1	-	15	13	-	1	1	11
54	1	1	1	-	2	-	-	41	39	3	8	-	28
55	1	-	1	1	1	1	2	47	49	1	14	-	34
56	3	2	1	1	5	2	-	56	66	2	16	1	47
57	3	3	2	-	6	-	4	89	95	2	38	1	54
58	1	8	16	1	18	8	11	183	144	2	55	2	85
59	4	9	14	1	31	8	13	271	290	11	94	7	178
60	9	7	13	9	27	3	21	234	325	6	102	2	215
61	1	1	5	5	8	2	3	44	146	4	21	-	121
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	25	34	55	20	101	25	59	1,206	1,295	33	403	15	844

International Nos. Short List.		KINCARDINE COUNTY.						Marginal Index Numbers.
		Kincardine County.†	Banchory B.	Inverbervie B.	Laurencekirk B.	Stonehaven B.	Landward.	
	Population (Estimated) - - - -	26,894	1,715	1,012	1,347	4,166	18,654	1
	Total Births Registered (including Illegitimate)	407	14	12	20	48	313	2
	„ „ Corrected for Transfers	446	20	11	21	43	351	3
	„ „ „ Male - -	219	8	8	10	24	169	4
	„ „ „ Female - -	227	12	3	11	19	182	5
	„ „ „ Illegitimate	42	-	-	1	3	38	6
	„ Marriages Registered - - -	154	14	17	9	29	85	7
	„ Deaths Registered - - -	323	29	12	26	67	189	8
	„ „ Corrected for Transfers	373	33	16	33	64	227	9
	„ „ „ Male - -	181	11	9	16	31	114	10
	„ „ „ Female - -	192	22	7	17	33	113	11
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	12
4	Measles - - - - -	1	1	-	-	-	-	13
5	Scarlet fever - - - - -	3	-	-	2	-	1	14
6	Whooping-cough - - - - -	1	-	-	-	-	1	15
7	Diphtheria - - - - -	7	-	-	-	-	7	16
8	Influenza - - - - -	8	-	-	-	3	5	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	2	-	-	1	-	1	19
10	Tuberculosis of respiratory system - -	8	-	-	-	2	6	20
11	Other tuberculous diseases - - - -	5	-	-	-	2	3	21
14 (3)	Other infectious and parasitic dis. (12, 13)	4	-	1	1	-	2	22
15	Cancer, malignant disease - - - -	37	1	3	5	4	24	23
18	Diabetes mellitus - - - - -	2	-	1	-	-	1	24
20	Other general dis., chronic poisonings (16, 17, 19)	7	-	-	1	2	4	25
22	Cerebral hæmorrhage, &c. - - - -	34	4	2	2	11	15	26
23	Oth. dis. of nerv. syst. and sense org. (21)	12	2	1	-	2	7	27
24	Heart disease - - - - -	82	8	4	10	12	48	28
25	Other circulatory diseases - - - -	10	1	1	1	-	7	29
26	Bronchitis - - - - -	19	2	-	1	2	14	30
27	Pneumonia (all forms) - - - - -	13	-	1	1	3	8	31
28	Other respiratory diseases - - - -	4	-	-	-	-	4	32
32 (1)	Gastric and duodenal ulcer - - - -	4	1	-	-	1	2	33
29	Diarrhoea, &c. (all ages) - - - -	4	-	-	1	-	3	34
30	Appendicitis - - - - -	2	-	-	-	-	2	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - -	4	-	-	-	2	2	37
32 (2)	Other digestive diseases - - - - -	5	-	-	-	1	4	38
33	Acute and chronic nephritis - - - -	10	3	-	-	1	6	39
34	Other dis. of genito-urinary system -	7	-	-	1	2	4	40
35	Puerperal sepsis - - - - -	1	-	-	-	-	1	41
36	Other puerperal causes - - - - -	-	-	-	-	-	-	42
37	Diseases of skin and locomotor system	6	1	-	-	1	4	43
38	Congen. debil., prem. birth, malform., &c.	22	1	-	3	3	15	44
39	Old age - - - - -	19	5	-	2	1	11	45
40	Suicide - - - - -	3	-	-	-	3	-	46
42	Other violence (41) - - - - -	18	2	2	-	5	9	47
43	Causes ill-defined or unknown - - -	9	1	-	1	1	6	48
	ALL CAUSES - - -	373	33	16	33	64	227	49
	AGES AT DEATH.							
	Under 1 - - - - -	34	2	-	5	4	23	50
	1-4 - - - - -	13	1	2	2	1	7	51
	5-9 - - - - -	5	-	-	-	-	5	52
	10-14 - - - - -	8	-	-	-	2	6	53
	15-24 - - - - -	14	-	-	-	3	11	54
	25-34 - - - - -	9	1	-	1	3	4	55
	35-44 - - - - -	11	1	-	-	3	7	56
	45-54 - - - - -	22	-	-	3	3	16	57
	55-64 - - - - -	41	3	3	2	6	27	58
	65-74 - - - - -	75	10	3	9	14	39	59
	75-84 - - - - -	89	9	7	6	17	50	60
	85 and over - - - - -	52	6	1	5	8	32	61
	Not stated - - - - -	-	-	-	-	-	-	62
	ALL AGES - - -	373	33	16	33	64	227	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

† Excluding portion of Aberdeen Burgh in Kincardine County.

Marginal Index Numbers.	KINROSS COUNTY.			KIRKCOUDBRIGHT COUNTY.							LANARK COUNTY.		
	Kinross County.	Kinross B.	Landward.	Kirkcudbright County.	Castle-Douglas B.	Dalbeattie B.	Gatehouse B.	Kirkcudbright B.	New Galloway B.	Landward.	Lanark County.	Airdrie B.	Biggar B.
1	7,306	2,518	4,788	30,487	3,114	3,090	879	2,335	337	20,732	1,625,880	26,609	1,283
2	105	41	64	546	66	54	16	39	2	369	32,798	744	6
3	126	44	82	583	69	56	15	43	3	397	32,100	570	9
4	64	24	40	302	40	29	7	18	2	206	16,274	289	4
5	62	20	42	281	29	27	8	25	1	191	15,826	281	5
6	9	4	5	71	5	7	1	2	-	56	1,827	25	1
7	46	19	27	195	25	28	8	19	2	113	14,232	224	10
8	135	33	102	404	69	29	14	34	4	254	22,157	243	14
9	112	40	72	477	58	43	17	36	5	318	21,488	317	28
10	53	18	35	221	26	19	8	14	1	153	11,302	191	17
11	59	22	37	256	32	24	9	22	4	165	10,186	126	11
12	-	-	-	-	-	-	-	-	-	-	26	-	-
13	-	-	-	-	-	-	-	-	-	-	19	-	-
14	1	1	-	-	-	-	-	-	-	-	54	1	-
15	-	-	-	-	-	-	-	-	-	-	335	3	-
16	-	-	-	9	-	-	-	-	-	9	163	3	-
17	-	-	-	12	2	-	-	3	-	7	477	3	2
18	-	-	-	-	-	-	-	-	-	-	55	1	-
19	-	-	-	-	-	-	-	-	-	-	111	3	-
20	-	-	-	15	-	3	2	2	-	8	1,204	9	-
21	-	-	-	4	-	1	-	-	-	3	334	7	-
22	-	-	-	1	-	-	-	-	-	1	86	1	-
23	21	6	15	64	5	4	3	7	-	45	2,363	50	4
24	1	-	1	10	2	1	-	1	-	6	242	5	-
25	2	2	-	16	2	3	1	1	-	9	456	8	2
26	9	4	5	59	7	2	6	4	1	39	1,785	27	3
27	7	3	4	19	1	2	-	2	-	14	522	8	-
28	24	9	15	98	15	8	3	7	2	63	3,720	48	8
29	2	1	1	14	2	3	-	1	-	8	382	4	2
30	3	2	1	18	-	4	-	1	-	13	1,262	14	-
31	3	2	1	24	4	3	-	3	1	13	2,014	21	3
32	5	2	3	6	1	1	-	-	-	4	288	8	-
33	1	-	1	8	-	2	-	1	-	5	198	3	-
34	-	-	-	5	3	-	-	-	-	2	471	4	-
35	1	-	1	9	1	2	-	1	-	5	151	2	2
36	-	-	-	1	-	-	-	-	-	1	55	2	-
37	-	-	-	1	-	1	-	-	-	-	98	2	-
38	3	-	3	3	-	-	-	-	-	3	297	5	-
39	8	1	7	9	3	-	-	-	-	6	516	7	-
40	2	1	1	10	2	-	-	1	-	7	293	-	-
41	-	-	-	-	-	-	-	-	-	-	102	-	-
42	-	-	-	-	-	-	-	-	-	-	110	5	-
43	-	-	-	-	-	-	-	-	-	-	109	3	-
44	7	2	5	25	4	2	-	-	-	19	1,301	23	-
45	1	-	1	14	3	-	-	-	-	11	611	20	2
46	2	-	2	1	-	-	-	-	1	-	140	3	-
47	7	4	3	16	1	1	2	1	-	11	666	9	-
48	2	-	2	6	-	-	-	-	-	6	472	5	-
49	112	40	72	477	58	43	17	36	5	318	21,488	317	28
50	9	3	6	36	6	2	-	2	-	26	2,857	43	-
51	4	2	2	7	-	1	1	-	1	4	914	9	-
52	-	-	-	6	-	-	-	-	-	6	327	2	-
53	-	-	-	7	1	-	1	-	-	5	255	2	-
54	4	2	2	11	2	-	2	-	-	7	872	12	-
55	-	-	-	23	2	3	-	3	-	15	1,045	17	1
56	10	4	6	18	2	-	-	2	1	13	1,326	27	2
57	10	4	6	35	2	6	1	1	1	24	2,142	27	2
58	18	4	14	67	9	7	1	7	1	42	3,485	58	5
59	18	9	9	113	16	12	4	8	-	73	4,457	64	8
60	29	9	20	125	17	9	5	13	1	80	3,130	43	5
61	10	3	7	29	1	3	2	-	-	23	676	13	5
62	-	-	-	-	-	-	-	-	-	-	1	-	-
	112	40	72	477	58	43	17	36	5	318	21,488	317	28

International Nos. Short List.		LANARK COUNTY—(continued).							Marginal Index Numbers.
		Coatbridge B.	Glasgow B.	Hamilton B.	Lanark B.	Motherwell & Wishaw B.	Rutherglen B.	Landward.	
	Population (Estimated) - - -	43,743	1,119,414	38,428	6,157	66,254	25,973	298,019	1
	Total Births Registered (including Illegitimate)	744	22,991	922	74	1,293	277	5,747	2
	" " Corrected for Transfers	919	22,106	854	86	1,299	371	5,886	3
	" " " Male - -	457	11,286	409	41	676	177	2,935	4
	" " " Female - -	462	10,820	445	45	623	194	2,951	5
	" " " Illegitimate	48	1,315	50	3	70	21	294	6
	" Marriages Registered - -	300	10,745	294	53	436	254	1,916	7
	" Deaths Registered - -	511	16,961	410	92	633	200	3,093	8
	" " Corrected for Transfers	566	15,530	468	102	759	316	3,402	9
	" " " Male - -	323	8,084	254	45	429	153	1,806	10
	" " " Female - -	243	7,446	214	57	330	163	1,596	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	15	-	-	-	2	9	12
4	Measles - - - - -	-	8	1	-	5	-	5	13
5	Scarlet fever - - - - -	3	37	1	-	2	-	10	14
6	Whooping-cough - - - - -	12	271	10	-	10	5	24	15
7	Diphtheria - - - - -	1	119	6	-	4	3	27	16
8	Influenza - - - - -	23	296	19	1	18	5	110	17
14 (1)	Cerebro-spinal fever - - - - -	2	39	2	-	2	-	9	18
14 (2)	Other epidemic diseases (2, 3, 9) *	6	84	-	-	2	-	16	19
10	Tuberculosis of respiratory system - -	30	965	25	3	39	16	117	20
11	Other tuberculous diseases - - - -	14	248	6	-	8	3	48	21
14 (3)	Other infectious and parasitic dis. (12, 13)	3	64	2	-	1	-	15	22
15	Cancer, malignant disease - - - -	61	1,655	50	14	80	47	402	23
18	Diabetes mellitus - - - - -	10	145	9	2	13	6	52	24
20	Other general dis., chronic poisonings (16, 17, 19)	11	318	9	-	22	9	77	25
22	Cerebral hæmorrhage, &c. - - - -	35	1,306	28	12	68	20	286	26
23	Oth. dis. of nerv. syst. and sense org. (21)	16	349	13	4	15	11	106	27
24	Heart disease - - - - -	110	2,604	75	26	146	59	644	28
25	Other circulatory diseases - - - -	4	283	6	-	10	15	58	29
26	Bronchitis - - - - -	29	927	31	3	45	18	195	30
27	Pneumonia (all forms) - - - - -	43	1,619	37	3	53	22	213	31
28	Other respiratory diseases - - - -	3	201	8	1	8	4	55	32
32 (1)	Gastric and duodenal ulcer - - - -	8	127	3	2	14	1	40	33
29	Diarrhoea, &c. (all ages) - - - -	10	368	8	-	16	6	59	34
30	Appendicitis - - - - -	4	107	4	-	7	2	23	35
31 (1)	Cirrhosis of liver - - - - -	1	43	1	-	3	-	5	36
31 (2)	Other diseases of liver, &c. - - - -	4	67	3	1	3	1	17	37
32 (2)	Other digestive diseases - - - - -	3	209	5	-	10	9	56	38
33	Acute and chronic nephritis - - - -	10	361	9	4	14	10	101	39
34	Other dis. of genito-urinary system - -	6	220	7	1	8	8	43	40
35	Puerperal sepsis - - - - -	2	75	3	-	5	1	16	41
36	Other puerperal causes - - - - -	7	80	2	-	4	2	10	42
37	Diseases of skin and locomotor system	2	72	4	1	1	1	25	43
38	Congen. debil., prem. birth, malform., &c.	38	927	31	3	46	8	225	44
39	Old age - - - - -	23	359	25	13	29	7	133	45
40	Suicide - - - - -	1	112	1	-	5	3	15	46
42	Other violence (41) - - - - -	20	458	14	6	33	5	121	47
43	Causes ill-defined or unknown - - -	11	392	10	2	10	7	35	48
	ALL CAUSES - - -	566	15,530	468	102	759	316	3,402	49
	AGES AT DEATH.								
	Under 1 - - - - -	70	2,166	73	4	86	25	390	50
	1-4 - - - - -	29	670	25	2	30	9	140	51
	5-9 - - - - -	6	228	12	-	13	6	60	52
	10-14 - - - - -	9	190	4	-	10	1	39	53
	15-24 - - - - -	21	636	21	2	32	7	141	54
	25-34 - - - - -	26	769	25	5	39	9	154	55
	35-44 - - - - -	38	989	26	4	46	16	178	56
	45-54 - - - - -	53	1,588	34	8	76	41	314	57
	55-64 - - - - -	81	2,496	84	17	113	58	573	58
	65-74 - - - - -	125	3,165	90	23	164	79	739	59
	75-84 - - - - -	93	2,183	60	26	122	47	551	60
	85 and over - - - - -	15	449	14	11	28	18	123	61
	Not stated - - - - -	-	1	-	-	-	-	-	62
	ALL AGES - - -	566	15,530	468	102	759	316	3,402	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	MIDLOTHIAN COUNTY.								MORAY COUNTY.			
	Midlothian County.	Bonnyrigg and Lasswade B.	Dalkeith B.	Edinburgh B.	Loanhead B.	Musselburgh B.	Penicuik B.	Landward.	Moray County.	Burghead B.	Elgin B.	Forres B.
1	550,646	4,982	7,670	460,877	4,068	17,452	3,946	51,651	41,058	1,302	9,004	4,348
2	8,987	83	106	7,725	78	170	76	749	721	19	152	68
3	8,548	97	130	7,037	81	260	82	861	709	19	137	70
4	4,450	52	55	3,686	37	118	42	460	352	9	71	32
5	4,098	45	75	3,351	44	142	40	401	357	10	66	38
6	573	2	10	486	1	10	1	63	74	1	11	8
7	4,885	25	57	4,291	35	130	27	320	281	2	112	47
8	7,896	44	67	7,106	45	145	33	456	548	19	145	55
9	7,147	67	97	6,132	53	209	51	538	572	24	102	75
10	3,518	27	54	3,024	18	101	27	267	263	11	49	28
11	3,629	40	43	3,108	35	108	24	271	309	13	53	47
12	2	1	-	1	-	-	-	-	-	-	-	-
13	12	-	-	11	-	-	-	1	-	-	-	-
14	6	-	-	5	-	-	-	1	1	-	-	-
15	42	1	-	37	1	-	-	3	1	-	-	-
16	24	2	-	14	-	4	-	4	2	-	-	-
17	177	1	3	155	1	2	2	13	19	1	4	2
18	8	-	-	6	-	-	1	1	-	-	-	-
19	36	1	-	33	-	1	-	1	1	-	-	-
20	303	1	5	265	1	12	2	17	10	2	-	5
21	85	1	1	70	-	3	-	10	6	-	-	-
22	47	-	1	42	-	1	-	3	3	-	-	1
23	927	10	13	806	5	23	6	64	72	3	10	10
24	77	-	2	64	-	2	2	7	4	-	2	-
25	193	5	2	163	1	5	1	16	13	-	5	2
26	706	11	10	599	6	23	7	50	74	3	18	10
27	183	1	3	157	-	4	1	17	15	3	2	2
28	1,471	7	22	1,280	7	45	6	104	103	6	16	9
29	175	-	2	142	5	5	2	19	22	1	5	2
30	313	2	5	272	2	11	-	21	27	2	4	2
31	500	5	4	444	3	12	3	29	31	-	6	11
32	119	-	1	104	-	2	-	12	4	-	-	-
33	76	-	-	66	-	2	2	6	8	-	1	1
34	84	1	1	75	-	2	1	4	7	-	1	-
35	44	-	-	43	-	-	1	-	1	-	-	-
36	18	-	-	13	-	1	1	3	1	-	1	-
37	50	-	-	45	1	2	-	2	3	-	-	-
38	149	1	2	131	2	3	2	8	8	1	1	-
39	222	1	3	186	2	13	4	13	14	-	2	3
40	133	2	-	115	-	2	-	14	15	-	3	2
41	21	-	2	11	-	-	2	6	-	-	-	-
42	30	1	-	26	1	-	1	1	8	-	1	1
43	43	-	-	39	1	1	-	2	4	-	1	-
44	287	3	5	237	6	10	-	26	28	-	6	3
45	237	5	4	200	2	3	-	23	31	-	8	6
46	68	-	-	66	-	1	-	1	1	-	-	-
47	244	2	5	190	5	11	4	27	21	2	2	1
48	35	2	1	19	1	3	-	9	14	-	3	2
49	7,147	67	97	6,132	53	209	51	538	572	24	102	75
50	581	6	9	490	8	16	-	52	43	-	5	8
51	175	1	2	150	1	3	1	17	4	-	2	1
52	81	2	-	64	2	4	1	8	1	-	-	-
53	58	1	1	49	1	1	-	5	5	-	-	-
54	212	4	6	167	2	13	1	19	20	2	1	3
55	314	6	4	258	4	11	4	27	20	1	1	3
56	371	2	4	318	1	12	4	30	22	2	5	3
57	655	5	9	565	4	21	9	42	41	-	13	6
58	1,205	10	22	1,053	6	33	7	74	70	5	12	8
59	1,684	13	19	1,458	12	48	10	124	133	3	28	15
60	1,418	12	14	1,216	8	38	13	117	159	6	24	20
61	392	5	7	343	4	9	1	23	54	5	11	8
62	1	-	-	1	-	-	-	-	-	-	-	-
63	7,147	67	97	6,132	53	209	51	538	572	24	102	75

International Nos. Short List.		MORAY COUNTY— (continued).				NAIRN COUNTY.			Marginal Index Numbers.
		Grantown-on-Spey B.	Lossiemouth B.	Rothies B.	Landward.	Nairn County.	Nairn B.	Landward.	
	Population (Estimated) - - -	1,487	4,010	1,270	19,637	8,227	4,278	3,949	1
	Total Births Registered (including Illegitimate)	19	77	26	360	142	38	104	2
	" Corrected for Transfers	21	78	27	357	138	66	72	3
	" " Male - -	10	35	11	184	67	38	29	4
	" " Female - -	11	43	16	173	71	28	43	5
	" " Illegitimate	1	7	3	43	12	6	6	6
	Marriages Registered - -	8	27	9	76	48	44	4	7
	Deaths Registered - - -	18	38	21	252	126	62	64	8
	" Corrected for Transfers	22	49	24	276	131	70	61	9
	" " Male - -	9	22	14	130	62	28	34	10
	" " Female - -	13	27	10	146	69	42	27	11
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	12
4	Measles - - - - -	-	-	-	-	-	-	-	13
5	Scarlet fever - - - - -	-	-	-	1	-	-	-	14
6	Whooping-cough - - - - -	-	-	-	1	-	-	-	15
7	Diphtheria - - - - -	-	2	-	-	-	-	-	16
8	Influenza - - - - -	-	-	-	12	6	5	1	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	1	-	1	-	1	19
10	Tuberculosis of respiratory system - -	-	-	2	1	4	2	2	20
11	Other tuberculous diseases - - - - -	-	-	2	4	1	1	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	-	1	-	1	1	-	1	22
15	Cancer, malignant disease - - - - -	4	5	1	39	21	14	7	23
18	Diabetes mellitus - - - - -	-	-	-	2	1	1	-	24
20	Other general dis., chronic poisonings (16, 17, 19)	1	3	-	2	4	3	1	25
22	Cerebral hæmorrhage, &c. - - - - -	4	6	2	31	13	8	5	26
23	Oth. dis. of nerv. syst. and sense org. (21)	-	-	-	8	4	3	1	27
24	Heart disease - - - - -	3	10	8	51	21	9	12	28
25	Other circulatory diseases - - - - -	3	1	-	10	5	2	3	29
26	Bronchitis - - - - -	2	-	1	16	10	2	8	30
27	Pneumonia (all forms) - - - - -	-	1	-	13	6	5	1	31
28	Other respiratory diseases - - - - -	-	1	1	2	3	1	2	32
32 (1)	Gastric and duodenal ulcer - - - - -	-	2	-	4	-	-	-	33
29	Diarrhoea, &c. (all ages) - - - - -	-	1	-	5	-	-	-	34
30	Appendicitis - - - - -	-	-	-	1	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -	-	-	-	-	-	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	-	1	-	2	-	-	-	37
32 (2)	Other digestive diseases - - - - -	-	2	2	2	1	-	1	38
33	Acute and chronic nephritis - - - - -	1	2	-	6	2	1	1	39
34	Other dis. of genito-urinary system - -	1	1	1	7	2	2	-	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	-	-	41
36	Other puerperal causes - - - - -	2	1	-	3	1	1	-	42
37	Diseases of skin and locomotor system -	-	-	-	3	1	1	-	43
38	Congen. debil., prem. birth, malform., &c.	-	5	1	13	10	3	7	44
39	Old age - - - - -	1	1	-	15	9	5	4	45
40	Suicide - - - - -	-	-	-	1	-	-	-	46
42	Other violence (41) - - - - -	-	3	1	12	3	-	3	47
43	Causes ill-defined or unknown - - -	-	-	1	8	1	1	-	48
	ALL CAUSES - - -	22	49	24	276	131	70	61	49
	AGES AT DEATH.								
	Under 1 - - - - -	-	7	2	21	15	7	8	50
	1-4 - - - - -	-	-	-	1	1	1	-	51
	5-9 - - - - -	-	-	-	1	-	-	-	52
	10-14 - - - - -	-	2	-	3	1	-	1	53
	15-24 - - - - -	-	1	2	11	1	1	-	54
	25-34 - - - - -	1	2	2	10	6	3	3	55
	35-44 - - - - -	1	5	-	6	6	3	3	56
	45-54 - - - - -	1	4	3	14	9	3	6	57
	55-64 - - - - -	3	3	3	36	9	6	3	58
	65-74 - - - - -	5	14	3	65	36	20	16	59
	75-84 - - - - -	8	9	5	87	31	18	13	60
	85 and over - - - - -	3	2	4	21	16	8	8	61
	Not stated - - - - -	-	-	-	-	-	-	-	62
	ALL AGES - - -	22	49	24	276	131	70	61	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ORKNEY COUNTY.				PEEBLES COUNTY.				PERTH COUNTY.				
	Orkney County.	Kirkwall B.	Stromness B.	Landward.	Peebles County.	Innerleithen B.	Peebles B.	Landward.	Perth County.	Aberfeldy B.	Abernethy B.	Alyth B.	Auchterarder B.
1	22,056	3,584	1,573	16,899	14,541	2,333	5,843	6,365	120,799	1,527	601	1,720	2,254
2	297	53	20	224	165	14	110	41	1,724	19	4	53	31
3	303	43	20	240	184	29	79	76	1,763	17	5	24	31
4	153	20	13	120	92	11	36	45	886	12	1	11	17
5	150	23	7	120	92	18	43	31	877	5	4	13	14
6	17	1	1	15	12	2	4	6	133	-	1	1	-
7	131	34	11	86	90	15	41	34	757	13	4	8	15
8	320	72	26	222	167	33	70	64	1,539	14	8	28	40
9	328	51	30	247	196	40	78	78	1,565	15	14	33	40
10	141	24	12	105	86	20	32	34	722	7	5	12	18
11	187	27	18	142	110	20	46	44	843	8	9	21	22
12	-	-	-	-	-	-	-	-	1	-	-	-	-
13	1	-	-	1	-	-	-	-	1	-	-	-	-
14	1	-	-	1	-	-	-	-	2	-	-	-	-
15	3	1	-	2	1	1	-	-	5	-	-	-	-
16	-	-	-	-	-	-	-	-	4	-	-	-	-
17	9	2	-	7	6	4	-	2	29	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-
19	1	-	-	1	-	-	-	-	2	-	-	-	-
20	8	1	-	7	6	-	4	2	49	-	-	1	-
21	5	-	2	3	2	-	-	2	16	-	-	-	-
22	1	1	-	-	1	-	1	-	6	-	-	-	-
23	39	6	5	28	29	6	13	10	233	2	2	7	11
24	3	-	-	3	-	-	-	-	12	-	-	-	-
25	10	-	2	8	5	1	1	3	30	-	-	1	-
26	36	3	2	31	21	6	7	8	186	7	2	2	7
27	8	-	2	6	5	-	4	1	43	-	-	-	1
28	63	13	6	44	54	8	25	21	299	1	3	10	6
29	3	-	2	1	5	1	2	2	52	-	1	-	3
30	15	3	3	9	5	2	3	-	51	-	1	-	1
31	8	-	1	7	2	-	1	1	51	-	1	1	1
32	3	-	1	2	3	1	-	2	38	1	-	-	1
33	2	1	1	-	4	2	-	2	18	-	-	-	-
34	1	-	-	1	-	-	-	-	12	-	-	-	-
35	1	-	-	1	2	1	-	1	14	-	-	1	1
36	-	-	-	-	-	-	-	-	5	-	-	-	-
37	3	-	-	3	1	-	-	1	14	-	1	-	-
38	4	1	-	3	3	1	1	1	30	1	-	-	1
39	6	1	-	5	10	4	2	4	54	1	-	1	-
40	4	-	-	4	5	-	1	4	33	-	1	1	-
41	1	-	-	1	-	-	-	-	3	-	-	-	-
42	-	-	-	-	-	-	-	-	10	-	-	2	-
43	-	-	-	-	-	-	-	-	9	-	-	-	-
44	7	2	-	5	5	-	5	-	62	1	-	1	2
45	48	6	-	42	11	2	1	8	75	1	1	-	1
46	1	1	-	-	2	-	2	-	15	-	1	-	1
47	12	3	2	7	5	-	3	2	68	-	-	4	3
48	21	6	1	14	3	-	2	1	33	-	-	1	-
49	328	51	30	247	196	40	78	78	1,565	15	14	33	40
50	8	2	-	6	10	2	5	3	100	1	-	2	3
51	4	1	-	3	-	-	-	-	16	-	-	-	1
52	-	-	-	-	-	-	-	-	12	-	-	-	1
53	2	-	1	1	-	-	-	-	11	-	-	-	-
54	10	1	1	8	8	1	4	3	44	-	-	3	2
55	3	1	-	2	5	-	3	2	58	1	-	2	3
56	13	3	2	8	5	-	1	4	77	-	1	-	2
57	28	3	5	20	13	2	4	7	114	-	1	1	4
58	41	6	7	28	38	7	18	13	218	1	2	2	4
59	74	11	6	57	63	16	24	23	397	5	3	7	9
60	99	14	6	79	44	9	16	19	392	7	5	8	9
61	46	9	2	35	10	3	3	4	126	-	2	8	2
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	328	51	30	247	196	40	78	78	1,565	15	14	33	40

International Nos. Short List.	PERTH COUNTY—(continued).									Marginal Index Numbers.
		Blaigowrie and Rattray B.	Callander B.	Coupar-Angus B.	Crieff B.	Doune B.	Dunblane B.	Perth B.	Landward.	
	Population (Estimated) - - -	4,764	1,522	1,970	5,269	839	2,749	35,353	62,231	1
	Total Births Registered (including Illegitimate)	66	16	28	58	8	28	742	671	2
	" " Corrected for Transfers	79	21	34	74	8	35	542	893	3
	" " Male - -	42	9	22	38	2	19	282	431	4
	" " Female - -	37	12	12	36	6	16	260	462	5
	" " Illegitimate	5	2	6	2	-	2	42	72	6
	Marriages Registered - -	37	5	11	39	12	19	377	217	7
	Deaths Registered - -	75	26	22	79	13	33	583	618	8
	" Corrected for Transfers	81	34	29	89	13	43	425	749	9
	" " Male - -	41	15	12	38	4	25	212	333	10
	" " Female - -	40	19	17	51	9	18	213	416	11
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	1	12
4	Measles - - - - -	-	-	-	-	-	-	-	1	13
5	Scarlet Fever - - - - -	-	-	-	-	-	-	-	2	14
6	Whooping-cough - - - - -	-	-	-	-	-	1	3	1	15
7	Diphtheria - - - - -	-	-	1	-	-	-	1	2	16
8	Influenza - - - - -	-	2	1	-	-	-	11	15	17
14 (1)	Cerebro-spinal fever - - - - -	-	-	-	-	-	-	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	-	-	-	-	-	-	1	1	19
10	Tuberculosis of respiratory system - -	2	1	-	6	-	-	21	18	20
11	Other tuberculous diseases - - - - -	-	-	-	-	-	1	3	12	21
14 (3)	Other infectious and parasitic dis. (12, 13)	1	-	-	1	-	-	2	2	22
15	Cancer, malignant disease - - - - -	8	6	2	15	1	5	58	116	23
18	Diabetes mellitus - - - - -	1	-	-	3	-	1	4	3	24
20	Other general dis., chronic poisonings (16, 17, 19)	-	-	1	1	1	2	10	14	25
22	Cerebral hæmorrhage, &c. - - - - -	7	4	4	4	4	5	48	92	26
23	Oth. dis. of nerv. syst. and sense org. (21)	2	2	1	1	-	1	13	22	27
24	Heart disease - - - - -	33	1	4	18	2	9	65	147	28
25	Other circulatory diseases - - - - -	1	3	1	1	-	3	10	29	29
26	Bronchitis - - - - -	3	1	2	1	1	1	20	20	30
27	Pneumonia (all forms) - - - - -	4	-	-	1	-	2	14	27	31
28	Other respiratory diseases - - - - -	-	-	1	9	-	-	11	15	32
32 (1)	Gastric and duodenal ulcer - - - - -	-	2	-	-	1	-	3	12	33
29	Diarrhoea, &c. (all ages) - - - - -	1	-	-	-	-	-	8	3	34
30	Appendicitis - - - - -	2	1	-	1	-	-	1	7	35
31 (1)	Cirrhosis of liver - - - - -	-	-	1	-	-	-	2	2	36
31 (2)	Other diseases of liver, &c. - - - - -	-	-	-	2	-	2	4	5	37
32 (2)	Other digestive diseases - - - - -	-	-	-	2	-	2	11	13	38
33	Acute and chronic nephritis - - - - -	6	1	1	5	-	-	10	29	39
34	Other dis. of genito-urinary system - -	1	-	-	4	-	1	8	17	40
35	Puerperal sepsis - - - - -	-	-	-	-	-	-	6	2	42
36	Other puerperal causes - - - - -	-	-	-	-	-	-	5	4	43
37	Diseases of skin and locomotor system	-	-	-	-	-	-	-	-	44
38	Congen. debil., prem. birth, malform., &c.	2	2	3	1	-	3	23	24	44
39	Old age - - - - -	4	4	5	7	1	1	17	33	45
40	Suicide - - - - -	-	-	1	-	-	2	5	5	46
42	Other violence (41) - - - - -	3	4	-	3	1	1	15	34	47
43	Causes ill-defined or unknown - - - -	-	-	-	3	1	-	12	16	48
	ALL CAUSES - - -	81	34	29	89	13	43	425	749	49
	AGES AT DEATH.									
	Under 1 - - - - -	3	2	3	1	-	4	39	42	50
	1-4 - - - - -	1	1	-	-	-	1	8	4	51
	5-9 - - - - -	-	1	1	-	-	-	4	5	52
	10-14 - - - - -	-	-	-	-	-	-	6	5	53
	15-24 - - - - -	2	3	-	-	-	1	10	23	54
	25-34 - - - - -	1	2	-	5	-	1	23	20	55
	35-44 - - - - -	-	2	1	4	2	1	27	37	56
	45-54 - - - - -	3	2	1	6	-	3	39	54	57
	55-64 - - - - -	10	2	3	18	-	8	81	87	58
	65-74 - - - - -	22	7	4	21	4	16	82	217	59
	75-84 - - - - -	30	11	9	28	7	6	87	185	60
	85 and over - - - - -	9	1	7	6	-	2	19	70	61
	Not stated - - - - -	-	-	-	-	-	-	-	-	62
	ALL AGES - - -	81	34	29	89	13	43	425	749	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	RENFREW COUNTY.									ROSS AND CROMARTY COUNTY.				
	Renfrew County.	Barrhead B.	Gourock B.	Greenock B.	Johnstone B.	Paisley B.	Port-Glasgow B.	Renfrew B.	Landward.	Ross and Cromarty County.	Cromarty B.	Dingwall B.	Fortrose B.	Invergordon B.
1	301,704	12,494	8,767	79,980	13,533	89,198	19,637	15,717	62,378	62,047	840	2,711	841	1,409
2	5,293	214	104	1,689	250	1,582	392	203	859	829	14	38	4	12
3	5,493	234	115	1,693	313	1,582	447	261	848	866	10	41	3	14
4	2,824	112	67	860	153	818	230	131	453	451	4	19	1	5
5	2,669	122	48	833	160	764	217	130	395	415	6	22	2	9
6	234	10	10	88	18	58	13	8	29	71	2	3	-	1
7	2,075	91	33	583	109	731	188	85	255	240	3	28	3	2
8	3,743	94	87	1,114	128	1,297	214	97	712	922	15	55	14	11
9	3,921	136	116	1,108	197	1,200	274	169	721	1,000	15	51	12	17
10	2,009	60	51	607	103	587	135	91	375	479	3	20	7	7
11	1,912	76	65	501	94	613	139	78	346	521	12	31	5	10
12	3	-	-	1	-	1	-	-	1	-	-	-	-	-
13	8	-	-	3	-	-	4	1	-	2	-	-	-	-
14	11	-	-	2	-	4	-	4	1	3	-	-	-	-
15	44	1	-	26	2	6	7	-	2	1	-	1	-	-
16	25	2	1	6	2	9	3	1	1	1	-	-	-	-
17	87	8	3	23	4	25	4	5	15	24	1	-	-	-
18	7	-	-	-	1	2	-	3	1	1	-	-	-	-
19	10	1	1	2	-	4	-	-	2	3	-	-	-	-
20	181	5	4	61	7	58	14	10	22	52	-	-	-	-
21	29	1	1	7	5	7	1	1	6	16	-	-	-	-
22	11	1	-	4	1	3	2	-	-	1	-	1	-	-
23	501	17	23	136	23	148	34	23	97	112	4	5	4	2
24	51	6	2	14	3	11	5	1	9	14	-	2	-	-
25	99	5	2	23	5	36	5	6	17	23	-	-	1	-
26	371	9	14	88	11	128	24	16	81	97	1	4	-	-
27	119	-	4	46	2	39	12	3	13	22	-	1	-	1
28	708	28	23	169	33	210	39	38	168	191	2	17	4	6
29	88	4	2	27	4	29	-	5	17	19	-	1	2	-
30	169	5	2	55	13	39	17	3	35	46	-	5	-	-
31	313	4	5	80	22	119	22	13	48	48	-	5	-	2
32	53	2	2	10	3	23	4	2	7	8	-	1	-	-
33	31	1	2	11	1	9	2	-	5	11	-	-	-	-
34	69	2	2	26	3	22	8	1	5	5	-	-	-	-
35	21	-	-	4	1	7	1	-	8	4	-	-	-	-
36	10	1	-	3	-	2	1	1	2	2	-	-	-	-
37	19	1	1	5	1	6	1	-	4	6	1	-	-	-
38	52	2	-	22	1	13	5	1	8	23	1	2	-	-
39	111	3	4	17	11	43	5	4	24	30	1	1	-	1
40	63	-	2	19	4	19	3	5	11	18	-	1	-	1
41	14	-	-	3	-	7	1	2	1	-	-	-	-	-
42	27	1	1	8	2	7	6	1	1	6	-	-	-	-
43	33	1	1	12	2	8	-	2	7	6	-	-	-	1
44	232	13	7	79	13	63	16	7	34	22	-	-	-	-
45	128	4	3	48	6	26	12	3	26	108	4	2	1	-
46	22	1	-	4	1	10	2	-	4	6	-	-	-	-
47	135	5	1	40	4	44	8	4	29	23	-	2	-	2
48	66	2	3	24	6	13	6	3	9	46	-	-	-	1
49	3,921	136	116	1,108	197	1,200	274	169	721	1,000	15	51	12	17
50	452	19	10	156	20	140	37	20	50	43	-	2	-	-
51	157	3	2	54	10	47	17	9	15	18	-	-	-	-
52	61	4	1	19	5	20	2	3	7	7	-	-	-	-
53	52	2	-	16	4	24	1	1	4	10	-	1	-	-
54	150	4	2	52	5	47	9	8	23	29	-	-	-	1
55	158	5	2	48	7	53	12	14	17	31	-	-	-	1
56	259	7	7	90	9	80	18	9	39	43	-	1	2	-
57	369	13	12	97	22	114	34	12	65	67	-	1	1	1
58	568	15	17	133	33	166	32	32	130	116	4	6	1	5
59	860	40	29	234	40	243	67	23	184	226	2	10	1	8
60	677	22	26	161	31	224	39	29	145	284	5	22	7	-
61	158	2	8	43	6	42	6	9	42	126	4	8	-	1
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	3,921	136	116	1,108	197	1,200	274	169	721	1,000	15	51	12	17

International Nos. Short List.				ROSS AND CROMARTY COUNTY—(contd.).			ROXBURGH COUNTY.			Marginal Index Numbers.
				Stornoway B.	Tain B.	Landward.	Roxburgh County.	Hawick B.	Jedburgh B.	
	Population (Estimated) - - -			4,333	1,435	50,478	46,294	17,283	3,309	1
	Total Births	Registered (including Illegitimate)		75	16	670	620	277	75	2
	"	"	Corrected for Transfers	67	16	715	651	233	71	3
	"	"	" Male - -	42	10	370	340	131	36	4
	"	"	" Female - -	25	6	345	311	102	35	5
	"	"	" Illegitimate - -	2	2	61	45	9	8	6
	"	Marriages	Registered - -	27	24	153	286	111	23	7
	"	Deaths	Registered - -	80	21	726	560	216	35	8
	"	"	Corrected for Transfers	48	31	826	584	230	43	9
	"	"	" Male - -	25	16	401	280	102	17	10
	"	"	" Female - -	23	15	425	304	128	26	11
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)			-	-	-	-	-	-	12
4	Measles - - - - -			-	-	2	1	-	-	13
5	Scarlet fever - - - - -			-	1	2	-	-	-	14
6	Whooping-cough - - - - -			-	-	-	2	1	-	15
7	Diphtheria - - - - -			-	-	1	1	1	-	16
8	Influenza - - - - -			1	-	22	12	2	-	17
14 (1)	Cerebro-spinal fever - - - - -			-	-	1	1	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *			-	1	2	2	-	-	19
10	Tuberculosis of respiratory system - -			4	3	45	7	2	-	20
11	Other tuberculous diseases - - - - -			1	2	13	6	3	1	21
14 (3)	Other infectious and parasitic dis. (12, 13)			-	-	-	1	-	-	22
15	Cancer, malignant disease - - - - -			7	5	85	78	33	4	23
18	Diabetes mellitus - - - - -			-	-	12	7	3	1	24
20	Other general dis., chronic poisonings (16, 17, 19)			-	-	22	12	3	1	25
22	Cerebral hæmorrhage, &c. - - - - -			3	2	87	77	20	6	26
23	Oth. dis. of nerv. syst. and sense org. (21)			1	-	19	15	5	1	27
24	Heart disease - - - - -			12	3	147	160	71	11	28
25	Other circulatory diseases - - - - -			-	-	16	24	9	1	29
26	Bronchitis - - - - -			2	-	39	22	15	-	30
27	Pneumonia (all forms) - - - - -			1	-	40	22	6	4	31
28	Other respiratory diseases - - - - -			1	2	4	10	5	1	32
32 (1)	Gastric and duodenal ulcer - - - - -			1	-	10	3	1	-	33
29	Diarrhœa, &c. (all ages) - - - - -			2	-	3	1	-	-	34
30	Appendicitis - - - - -			-	-	4	-	-	-	35
31 (1)	Cirrhosis of liver - - - - -			2	-	-	1	1	-	36
31 (2)	Other diseases of liver, &c. - - - - -			-	-	5	8	2	-	37
32 (2)	Other digestive diseases - - - - -			1	-	19	6	5	1	38
33	Acute and chronic nephritis - - - - -			3	-	24	22	12	2	39
34	Other dis. of genito-urinary system - -			-	2	14	16	3	1	40
35	Puerperal sepsis - - - - -			-	-	-	-	-	-	41
36	Other puerperal causes - - - - -			1	-	5	3	2	-	42
37	Diseases of skin and locomotor system			1	1	3	1	-	-	43
38	Congen. debil., prem. birth, malform., &c.			1	2	19	22	13	1	44
39	Old age - - - - -			1	2	98	17	4	3	45
40	Suicide - - - - -			-	-	6	1	1	-	46
42	Other violence (41) - - - - -			1	1	17	13	6	3	47
43	Causes ill-defined or unknown - - -			1	4	40	10	1	1	48
	ALL CAUSES - - -			48	31	826	584	230	43	49
	AGES AT DEATH.									
	Under 1	-	-	3	2	36	28	15	2	50
	1-4	-	-	1	1	16	8	4	2	51
	5-9	-	-	-	2	5	4	1	-	52
	10-14	-	-	1	-	8	3	1	-	53
	15-24	-	-	1	2	25	15	4	3	54
	25-34	-	-	1	1	28	18	6	2	55
	35-44	-	-	4	2	34	20	7	2	56
	45-54	-	-	7	1	56	31	11	2	57
	55-64	-	-	7	6	87	90	45	4	58
	65-74	-	-	11	9	185	167	67	13	59
	75-84	-	-	12	5	233	153	52	11	60
	85 and over	-	-	-	-	113	47	17	2	61
	Not stated	-	-	-	-	-	-	-	-	62
	ALL AGES - - -			48	31	826	584	230	43	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ROXBURGH COUNTY (continued).			SELKIRK COUNTY.				STIRLING COUNTY.					
	Kelso B.	Melrose B.	Landward.	Selkirk County.	Galashiels B.	Selkirk B.	Landward.	stirling County.	Bridge of Allan B.	Denny and Dunipace B.	Falkirk B.	Graugemouth B.	Kilsyth B.
1	3,873	2,093	19,736	22,611	13,170	5,692	3,749	171,532	2,903	5,751	37,813	12,641	8,281
2	46	16	206	278	156	99	23	3,086	29	93	771	144	137
3	51	20	276	265	147	72	46	3,087	31	108	616	208	176
4	25	10	138	134	80	32	22	1,605	16	55	336	106	80
5	26	10	138	131	67	40	24	1,482	15	53	280	102	96
6	3	-	25	11	5	3	3	187	-	10	23	7	9
7	21	9	122	137	87	41	9	1,182	14	44	288	88	58
8	62	42	205	277	170	79	28	2,163	25	55	597	104	52
9	55	20	236	312	194	82	36	2,108	37	73	474	139	87
10	28	13	120	147	91	36	20	1,099	16	34	263	67	46
11	27	7	116	165	103	46	16	1,009	21	39	211	72	41
12	-	-	-	-	-	-	-	1	-	-	-	-	-
13	-	-	1	1	1	-	-	3	-	1	-	-	-
14	-	-	-	-	-	-	-	18	2	1	2	3	1
15	-	-	1	2	2	-	-	10	-	2	2	-	2
16	-	-	-	2	2	-	-	35	-	3	3	4	5
17	2	1	7	3	3	-	-	42	-	-	13	4	1
18	-	-	1	-	-	-	-	4	-	-	1	-	-
19	1	-	1	2	2	-	-	13	-	-	4	-	1
20	-	-	5	4	4	-	-	78	-	6	24	4	1
21	-	1	1	2	1	1	-	26	-	1	4	4	-
22	1	-	-	-	-	-	-	10	-	-	-	-	-
23	7	3	31	38	22	10	6	245	5	9	54	16	12
24	1	1	1	6	3	-	3	28	-	1	7	4	1
25	-	-	8	13	5	6	2	59	2	1	15	2	2
26	11	2	38	40	25	14	1	182	3	7	48	10	3
27	1	-	8	6	3	1	2	54	-	2	13	4	5
28	12	4	62	75	49	18	8	377	5	5	88	23	18
29	1	2	11	9	6	2	1	50	4	1	13	1	3
30	2	-	5	15	8	3	4	98	-	5	22	12	5
31	2	1	9	8	4	3	1	152	-	10	39	8	5
32	1	1	2	2	1	1	-	28	1	3	5	1	-
33	-	-	2	5	3	1	1	13	-	1	5	-	-
34	-	-	1	2	1	1	-	34	-	1	8	4	-
35	-	-	-	5	3	1	1	19	1	-	5	3	1
36	-	-	-	2	2	-	-	6	-	-	3	-	-
37	1	-	5	2	1	1	-	5	-	-	1	-	-
38	-	-	-	4	2	2	-	39	1	1	9	1	3
39	2	-	6	14	9	2	3	40	-	2	5	4	-
40	1	2	9	4	4	-	-	42	-	1	6	4	1
41	-	-	-	-	-	-	-	13	-	-	2	1	1
42	-	-	1	1	1	-	-	15	-	-	5	-	1
43	-	-	1	-	-	-	-	25	1	-	6	1	1
44	-	1	7	10	5	5	-	112	1	2	21	5	5
45	4	1	5	25	17	6	2	110	8	1	20	9	3
46	-	-	-	2	1	-	1	12	1	-	4	1	2
47	2	-	2	5	3	2	-	89	2	3	14	6	3
48	3	-	5	3	1	2	-	21	-	3	3	-	1
49	55	20	236	312	194	82	36	2,108	37	73	474	139	87
50	1	1	9	17	11	6	-	227	1	5	41	11	12
51	-	-	2	6	2	1	3	97	1	6	21	10	10
52	-	-	3	4	3	-	1	44	-	2	5	5	1
53	-	-	2	1	-	1	-	31	-	2	5	3	2
54	-	-	8	7	6	-	1	87	2	3	21	5	3
55	1	1	8	4	1	3	-	103	2	4	30	6	6
56	4	-	7	11	9	2	-	121	2	3	31	8	9
57	4	1	13	24	16	8	-	165	3	8	39	9	3
58	8	2	31	40	23	13	4	313	4	12	80	22	14
59	15	6	66	94	54	25	15	465	6	13	103	24	17
60	16	6	68	89	63	17	9	377	11	14	86	32	10
61	6	3	19	15	6	6	3	78	5	1	12	4	-
62	-	-	-	-	-	-	-	-	-	-	-	-	-
63	55	20	236	312	194	82	36	2,108	37	73	474	139	87

International Nos. Short List.		STIRLING COUNTY— (continued).		SUTHERLAND COUNTY.			WEST LOTHIAN COUNTY.			Marginal Index Numbers.
		Stirling B.	Landward.	Sutherland County.	Dornoch B.	Landward.	West Lothian County.	Armadale B.	Bathgate B.	
	Population (Estimated) - - -	23,369	80,771	15,745	709	15,036	82,893	5,311	10,314	1
	Total Births Registered (including Illegitimate)	616	1,296	227	6	221	1,421	89	164	2
	„ „ Corrected for Transfers	442	1,506	247	7	240	1,575	98	182	3
	„ „ „ Male - -	231	781	123	3	120	789	57	83	4
	„ „ „ Female - -	211	725	124	4	120	786	41	99	5
	„ „ „ Illegitimate	28	110	17	-	17	64	2	7	6
	„ Marriages Registered - -	218	472	49	6	43	590	47	95	7
	„ Deaths Registered - -	465	865	252	6	246	749	39	73	8
	„ „ Corrected for Transfers	334	964	266	6	260	936	67	130	9
	„ „ „ Male - -	153	520	124	2	122	508	36	67	10
	„ „ „ Female - -	181	444	142	4	138	428	31	63	11
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	-	1	-	-	-	-	-	-	12
4	Measles - - - - -	-	2	-	-	-	9	-	-	13
5	Scarlet fever - - - - -	2	7	-	-	-	11	1	-	14
6	Whooping-cough - - - - -	-	4	-	-	-	6	-	-	15
7	Diphtheria - - - - -	6	14	1	-	1	8	-	-	16
8	Influenza - - - - -	7	17	18	1	17	16	2	1	17
14 (1)	Cerebro-spinal fever - - - - -	1	2	-	-	-	2	-	-	18
14 (2)	Other epidemic diseases (2, 3, 9) *	1	7	-	-	-	6	-	1	19
10	Tuberculosis of respiratory system - -	10	33	18	-	18	32	4	2	20
11	Other tuberculous diseases - - - - -	5	12	2	-	2	12	2	-	21
14 (3)	Other infectious and parasitic dis. (12, 13)	2	8	-	-	-	2	-	-	22
15	Cancer, malignant disease - - - - -	33	116	33	-	33	109	5	19	23
18	Diabetes mellitus - - - - -	4	11	3	-	3	17	-	2	24
20	Other general dis., chronic poisonings (16, 17, 19)	11	26	4	-	4	25	1	2	25
22	Cerebral hæmorrhage, &c. - - - - -	32	79	16	-	16	81	8	9	26
23	Oth. dis. of nerv. syst. and sense org. (21)	7	23	12	-	12	20	2	2	27
24	Heart disease - - - - -	60	178	56	4	52	186	16	32	28
25	Other circulatory diseases - - - - -	7	21	11	-	11	15	2	5	29
26	Bronchitis - - - - -	15	39	8	-	8	43	1	5	30
27	Pneumonia (all forms) - - - - -	19	71	10	-	10	67	2	12	31
28	Other respiratory diseases - - - - -	1	17	1	-	1	9	-	2	32
32 (1)	Gastric and duodenal ulcer - - - - -	2	5	3	-	3	14	3	4	33
29	Diarrhœa, &c. (all ages) - - - - -	5	16	1	-	1	7	1	-	34
30	Appendicitis - - - - -	2	7	3	1	2	6	-	3	35
31 (1)	Cirrhosis of liver - - - - -	2	1	1	-	1	1	-	-	36
31 (2)	Other diseases of liver, &c. - - - - -	1	3	1	-	1	10	-	1	37
32 (2)	Other digestive diseases - - - - -	7	17	3	-	3	20	-	3	38
33	Acute and chronic nephritis - - - - -	12	17	8	-	8	29	2	3	39
34	Other dis. of genito-urinary system - -	10	20	2	-	2	14	2	3	40
35	Puerperal sepsis - - - - -	1	8	-	-	-	5	-	1	41
36	Other puerperal causes - - - - -	3	6	-	-	-	5	1	-	42
37	Diseases of skin and locomotor system -	3	13	2	-	2	2	-	-	43
38	Congen. debil., prem. birth, malform., &c.	20	58	9	-	9	61	4	7	44
39	Old age - - - - -	21	48	31	-	31	33	1	6	45
40	Suicide - - - - -	-	4	-	-	-	2	-	1	46
42	Other violence (41) - - - - -	15	46	7	-	7	39	7	4	47
43	Causes ill-defined or unknown - - -	7	7	2	-	2	12	-	-	48
	ALL CAUSES - - - - -	334	964	266	6	260	936	67	130	49
	AGES AT DEATH.									
	Under 1 - - - - -	41	116	13	-	13	93	7	12	50
	1-4 - - - - -	14	35	3	-	3	37	-	1	51
	5-9 - - - - -	6	25	-	-	-	18	1	-	52
	10-14 - - - - -	1	18	4	1	3	8	2	1	53
	15-24 - - - - -	12	41	10	-	10	41	4	1	54
	25-34 - - - - -	9	46	11	1	10	51	5	8	55
	35-44 - - - - -	18	50	13	-	13	47	3	7	56
	45-54 - - - - -	26	77	15	-	15	90	8	16	57
	55-64 - - - - -	51	130	31	1	30	144	12	20	58
	65-74 - - - - -	75	227	58	-	58	243	15	39	59
	75-84 - - - - -	62	162	73	3	70	141	9	20	60
	85 and over - - - - -	19	37	35	-	35	23	1	5	61
	Not stated - - - - -	-	-	-	-	-	-	-	-	62
	ALL AGES - - - - -	334	964	266	6	260	936	67	130	63

* Including typhus fever, smallpox, dysentery, erysipelas, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	WEST LOTHIAN COUNTY— (continued).					WIGTOWN COUNTY.						ZETLAND COUNTY.		
	Bo'ness B.	Linlithgow B.	Queensferry B.	Whitburn B.	Landward.	Wigtown County.	Newton-Stewart B.	Stranraer B.	Whithorn B.	Wigtown B.	Landward.	Zetland County.	Lerwick B.	Landward.
1	10,273	3,615	1,877	2,985	48,518	29,770	1,978	6,971	980	1,297	18,544	21,043	4,100	16,943
2	180	48	36	79	825	602	32	141	17	25	387	240	43	197
3	192	62	47	83	911	618	35	142	16	26	399	244	42	202
4	102	32	25	45	445	320	17	74	4	10	215	127	18	109
5	90	30	22	38	466	298	18	68	12	16	184	117	24	93
6	9	1	2	-	43	103	4	15	2	3	79	16	5	11
7	111	28	19	18	272	222	19	65	7	10	121	114	41	73
8	83	32	20	21	481	391	26	122	21	17	205	310	69	241
9	113	53	25	35	513	432	33	101	25	20	253	321	56	265
10	68	23	8	16	290	208	17	53	12	5	121	142	27	115
11	45	30	17	19	223	224	16	48	13	15	132	179	29	150
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	9	-	-	-	-	-	-	11	1	10
14	-	1	-	1	8	4	-	-	-	-	4	-	-	-
15	1	-	-	-	5	2	-	-	-	-	2	-	-	-
16	1	-	-	-	7	6	-	2	-	1	3	-	-	-
17	2	1	1	-	9	4	-	1	1	-	2	1	-	1
18	-	-	-	1	1	-	-	-	-	-	-	-	-	-
19	1	-	-	-	4	4	-	1	-	-	3	-	-	-
20	5	2	1	2	16	11	-	6	-	-	5	22	7	15
21	1	1	-	3	5	6	-	-	-	-	6	7	-	7
22	-	-	-	-	2	2	-	1	-	-	1	1	1	-
23	6	8	4	2	65	49	5	13	5	3	23	45	7	38
24	2	-	1	1	11	8	2	1	1	-	4	2	-	2
25	3	1	-	3	15	14	-	3	-	-	11	10	-	10
26	10	4	3	2	45	58	9	9	5	1	34	31	3	28
27	3	-	2	1	10	7	1	1	-	-	5	10	4	6
28	21	8	1	4	104	79	6	18	3	5	47	63	12	51
29	2	-	-	-	6	9	-	3	2	1	3	3	1	2
30	9	5	1	1	21	19	2	5	1	-	11	12	1	11
31	8	6	2	1	36	12	2	1	1	1	7	11	2	9
32	2	-	-	-	5	-	-	-	-	-	-	4	1	3
33	-	-	-	1	6	4	1	1	1	-	1	5	3	2
34	3	-	-	-	3	3	-	-	-	-	3	-	-	-
35	-	1	-	-	2	3	-	2	-	-	1	-	-	-
36	-	-	-	-	1	4	-	1	-	-	3	-	-	-
37	1	2	-	1	5	5	-	-	-	-	5	1	-	1
38	5	1	1	-	10	6	1	1	-	-	4	7	1	6
39	7	-	-	2	15	13	2	4	-	-	7	5	4	1
40	2	1	1	1	4	6	-	4	-	-	2	5	-	5
41	-	-	-	-	4	-	-	-	-	-	-	2	1	1
42	2	1	-	-	1	3	-	1	-	-	2	2	-	2
43	-	-	-	-	2	4	1	-	-	-	3	1	-	1
44	10	5	1	5	29	33	-	8	1	5	19	5	-	5
45	1	2	4	2	17	29	-	8	3	2	16	34	1	33
46	-	1	-	-	-	2	-	-	-	-	2	2	1	1
47	5	1	1	1	20	17	1	4	1	1	10	10	4	6
48	-	1	1	-	10	6	-	2	-	-	4	9	1	8
49	113	53	25	35	513	432	33	101	25	20	253	321	56	265
50	12	5	2	5	50	43	-	8	1	4	30	8	1	7
51	3	4	1	4	24	21	-	4	-	3	14	4	1	3
52	2	-	-	1	14	5	1	1	-	-	3	-	-	-
53	-	1	-	-	4	9	-	1	-	-	8	3	1	2
54	3	2	1	3	27	12	1	2	2	-	7	10	2	8
55	11	3	-	2	22	9	1	3	-	-	5	20	6	14
56	8	1	2	1	25	27	1	8	3	-	15	13	4	9
57	12	6	1	2	45	17	1	5	1	1	9	24	8	16
58	18	7	5	5	77	67	8	23	1	2	33	32	6	26
59	25	14	5	10	135	84	10	18	2	3	51	76	9	67
60	17	9	5	-	81	110	9	23	11	5	62	87	13	74
61	2	1	3	2	9	28	1	5	4	2	16	44	5	39
62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	113	53	25	35	513	432	33	101	25	20	253	321	56	265

NOTES ON METEOROLOGICAL TABLES, 1935.

Up to and including the year 1930 tables giving monthly values for a large number of individual stations were printed *in extenso*. So far as possible the tables have now been reduced to summary form. More detailed information may be obtained from the Meteorological Office, Edinburgh, and from the following official publications :

The Monthly Weather Report of the Meteorological Office, price 1s. 3d. net each month.

The Weekly Weather Report of the Meteorological Office, published in an annual volume, price 15s. net.

The Book of Normals of Meteorological Elements of the British Isles, price 12s. 6d. complete, but obtainable in sections.

Averages of Temperature for the British Isles for periods ending 1930, price 9d. net.

Averages of Bright Sunshine for the British Isles for periods ending 1930, price 1s. net.

The observations of pressure in Table II have been reduced to mean sea-level, but not reduced for the value of gravity to Lat. 45°.

The Air Temperatures throughout are from standard thermometers exposed in the regulation "Stevenson Screen."

Averages or normals in the case of pressure and rainfall refer to the period 1881-1915. In the case of temperature and sunshine, percentages of and departures from normal are calculated with reference to the period 1901-30; all the absolute values of the District Averages given in Table I refer to the period 1881-1915 however.

In Table II the figures, except those for Absolute Extremes of Temperature and for Rain, are extracted from the Monthly Reports already published by the Registrar-General for Scotland and relate to the seven towns, Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock and Perth.

TABLE I.—DISTRICT VALUES of AIR TEMPERATURE, RAINFALL and SUNSHINE.

DISTRICT.	MONTH.	AIR TEMPERATURE.			RAINFALL.		SUN-SHINE.	NORMAL VALUES 1881-1915.			
		Highest.	Lowest.	Deviation from Average Daily Mean 1901-30.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Average Duration 1901-30.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
		YEAR 1935.						YEARS 1881-1915.			
		°F.	°F.	°F.	%		%	°F.	Inch.		Hours.
North Scotland.	Jan.	56	16	+1.6	92	+ 1	75	38.4	5.79	23	0.84
	Feb.	54	10	0.0	143	+ 3	99	38.3	4.57	21	1.89
	Mar.	59	20	+2.1	85	- 4	131	39.2	4.41	23	3.05
	Apl.	65	20	-0.6	105	- 1	78	42.9	3.23	19	4.55
	May	72	21	-0.5	51	- 8	118	48.1	2.80	19	5.36
	June	76	32	+0.6	126	+ 3	85	52.4	2.72	16	5.17
	July	78	34	+1.1	73	- 2	124	54.7	3.35	19	4.18
	Aug.	79	32	+2.0	129	- 2	84	54.6	4.18	21	3.69
	Sept.	67	27	+0.1	180	+ 5	92	51.8	3.78	19	3.49
	Oct.	58	24	-1.1	215	+ 6	66	46.4	5.00	22	2.50
	Nov.	60	23	+0.8	95	- 2	106	41.8	5.63	23	1.22
	Dec.	51	9	-2.8	62	- 3	170	39.1	6.18	24	0.61
	Year	79	9	+0.3	113	- 2	99	45.6	51.64	249	3.05
East Scotland.	Jan.	58	16	+1.8	69	- 4	99	37.2	2.57	17	1.37
	Feb.	57	10	+1.5	97	+ 3	92	37.4	2.24	16	2.50
	Mar.	62	16	+3.1	68	- 4	105	39.2	2.48	19	3.51
	Apl.	65	16	-0.3	188	+ 4	79	43.2	1.85	16	4.94
	May	70	22	-2.4	55	- 8	122	48.2	2.24	16	5.76
	June	84	29	+1.0	181	+ 6	75	53.7	2.13	14	6.03
	July	84	35	+2.2	55	- 3	142	56.4	2.87	17	5.09
	Aug.	84	32	+2.9	91	- 4	102	55.8	3.15	18	4.70
	Sept.	69	29	+0.3	161	+ 5	106	52.3	2.24	15	4.06
	Oct.	61	25	-1.0	160	+ 5	74	46.5	3.27	19	2.80
	Nov.	59	21	+0.1	145	+ 5	100	41.1	3.11	19	1.73
	Dec.	49	4	-2.9	74	- 2	124	37.9	3.11	19	1.04
	Year	84	4	+0.5	109	+ 2	101	45.7	31.26	205	3.63
West Scotland.	Jan.	55	19	+0.8	61	- 5	146	39.4	4.57	20	1.17
	Feb.	55	11	+1.2	146	+ 5	111	39.3	3.94	18	2.10
	Mar.	58	23	+2.7	52	- 4	89	40.7	3.58	19	3.51
	Apl.	66	25	+0.7	145	+ 1	87	44.7	2.76	16	5.15
	May	72	21	+0.2	30	- 9	148	49.7	2.91	16	6.16
	June	83	30	+1.5	167	+ 8	76	55.0	2.87	15	6.32
	July	82	35	+0.5	56	- 3	135	57.1	3.46	17	5.73
	Aug.	82	32	+1.6	68	- 3	96	56.6	4.41	18	4.99
	Sept.	70	30	0.0	191	+ 4	93	53.5	3.66	16	4.24
	Oct.	62	25	-1.3	219	+ 9	62	47.9	4.69	19	2.68
	Nov.	61	19	+0.2	126	+ 4	78	43.2	5.16	19	1.59
	Dec.	50	10	-4.2	63	- 3	166	40.6	5.63	22	0.96
	Year	83	10	+0.3	108	+ 2	103	47.3	47.64	215	3.67

TABLE II.—SUMMARY TABLE of mean Values of Air Pressure, Air Temperature and Wind Direction at seven Principal Towns, together with extremes of temperature for Scotland as a whole and generalised figures for rain in the British Isles.*

1935.	Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
	Mean.	Difference from Normal.	Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes.	
			A Maximum.	B Minimum.			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
	In.	In.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.
January ...	30·206	+0·309	45·0	35·9	40·5	+1·6	9·1	+0·4	58	16
February ...	29·901	-0·373	45·5	35·9	40·7	+1·8	9·6	+0·1	57	10
March ...	30·118	+0·288	49·0	38·6	43·8	+3·1	10·4	-0·6	62	16
April ...	29·763	-0·156	50·7	38·8	44·7	+0·4	11·9	-1·5	66	16
May ...	30·221	+0·244	56·4	41·2	48·8	-1·0	15·2	+1·0	72	21
June ...	29·809	-0·189	61·5	49·5	55·5	+0·8	12·0	-3·0	84	29
July ...	30·041	+0·112	67·4	51·8	59·6	+1·6	15·6	+1·5	84	34
August ...	29·938	+0·050	66·7	53·1	59·9	+2·7	13·6	+0·4	84	32
September ...	29·698	-0·250	59·8	48·0	53·9	+0·5	11·8	-1·2	70	27
October ...	29·621	-0·256	52·3	42·4	47·4	-0·5	9·9	-1·2	62	24
November ...	29·578	-0·272	46·9	37·6	42·3	+0·5	9·3	-0·3	61	19
December ...	29·583	-0·189	40·2	31·8	36·0	-3·3	8·4	-0·1	51	4
Means ...	29·873	-0·057	53·5	42·1	47·8	+0·7	11·4	-0·4	84	4

1935.	RAIN.				WIND.								
	Percentage of Normal.				No. of Observations—Total = 730.								
	Scotland.	England and Wales.	Ireland.	British Isles.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
	%	%	%	%									
January ...	81	65	45	65	4	3	1	1	3	15	21	9	5
February ...	126	158	125	144	3	3	3	3	4	22	11	4	3
March ...	71	38	53	49	1	7	10	7	5	14	12	2	4
April ...	144	186	116	162	6	8	12	7	3	3	7	11	3
May...	48	60	46	55	5	16	21	5	3	2	3	5	2
June ...	146	149	196	158	1	7	14	10	12	7	6	2	1
July...	75	30	36	41	1	4	4	4	5	13	22	6	3
August ...	87	80	75	81	2	4	6	5	7	12	17	4	5
September ...	172	210	196	198	3	2	6	3	9	14	15	5	3
October ...	183	129	119	139	4	2	5	2	7	17	18	6	1
November ...	114	179	132	154	1	3	15	8	6	13	6	3	5
December ...	72	100	72	88	7	2	7	4	3	6	15	8	10
Year ...	109	114	98	110	38	61	104	59	67	138	153	65	45

* In this Table the figures, except those for Absolute Extremes of Temperature and for Rain, are extracted from the Monthly Reports for 1935 already published by the Registrar-General for Scotland and refer only to some of the Principal Towns of Scotland. Those for the Absolute Extremes of Temperature refer to Scotland as a whole. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

TABLE III.—NUMBER OF HOURS BRIGHT SUNSHINE.

1935.	NUMBER OF HOURS.												YEAR.
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.
NORTH SCOTLAND—													
Baltasound ...	11	40	106	116	143	109	170	113	79	51	27	10	975
Lerwick ...	21	50	116	113	155	112	163	95	83	44	32	23	1007
Deerness ...	18	56	125	105	168	131	163	97	91	61	49	38	1102
Kirkwall ...	21	56	133	103	168	127	173	102	98	59	50	37	1127
Stornoway ...	23	52	150	137	274	175	148	83	117	56	53	54	1322
Skye, Duntulm ...	12	56	135	146	271	173	158	78	108	45	56	39	1277
Fortrose ...	33	72	148	121	197	146	215	135	111	54	59	43	1334
Dalwhinnie ...	26	37	115	112	230	128	192	101	80	30	23	18	1092
Fort Augustus ...	19	48	115	122	201	127	156	107	81	38	35	18	1067
Fort-William ...	19	38	103	120	243	145	151	74	73	26	32	7	1031
Inverness ...	28	62	137	94	197	148	215	130	109	55	53	30	1258
Onich ...	28	49	100	120	238	145	150	76	77	36	44	33	1096
EAST SCOTLAND—													
Nairn ...	30	71	151	109	194	151	219	132	123	61	71	41	1353
Forres ...	37	77	146	110	210	163	221	140	119	67	75	49	1414
Gordon Castle ...	28	71	133	115	193	141	215	133	110	67	65	31	1302
Banff ...	17	63	125	114	183	146	218	139	117	77	59	26	1284
Aberdeen (K.C.) ...	37	63	101	107	172	136	223	149	141	80	47	46	1302
Braemar ...	28	59	110	118	227	111	216	140	91	47	29	19	1195
Craibstone ...	40	70	112	111	197	149	240	151	156	87	54	50	1417
Stonehaven ...	35	49	(100)	117	191	148	232	151	139	81	53	57	1353
Arbroath ...	63	75	111	141	241	165	256	168	137	78	56	58	1549
Carnoustie ...	54	67	103	137	220	148	246	155	130	70	50	49	1429
Dundee (College Gardens) ...	59	72	103	123	233	126	228	140	122	67	58	57	1388
Montrose ...	59	73	93	138	211	161	233	157	147	77	55	59	1463
Perth ...	55	70	100	131	237	128	230	129	129	57	37	44	1347
Dunfermline ...	53	67	102	115	243	129	216	134	114	52	53	43	1321
Inchkeith ...	58	66	112	123	222	140	225	142	130	62	66	39	1385
Leuchars ...	70	76	123	137	225	137	244	145	138	73	64	60	1492
St. Andrews ...	66	72	113	130	219	148	249	151	142	75	66	62	1493
Balerno ..	49	61	113	118	249	172	243	153	135	66	73	46	1478
Boghall ...	52	57	110	104	219	136	227	142	131	64	63	54	1359
Edinburgh ...	58	68	119	114	216	139	224	147	134	73	76	54	1422
Dunbar ...	47	67	107	128	183	155	257	155	141	76	77	53	1446
North Berwick ...	46	63	107	132	205	157	253	147	128	60	71	39	1408
Peebles ...	31	44	82	103	237	143	214	132	97	43	52	36	1214
Marchmont ...	35	36	87	97	204	141	232	149	124	67	49	45	1266
WEST SCOTLAND—													
Dunoon (Ben More) ...	40	46	73	133	216	113	180	99	86	37	25	33	1081
Oban ...	40	57	107	145	264	176	171	109	116	45	43	62	1335
Tiree ...	36	75	123	190	305	228	214	125	161	73	31	54	1615
Rothsay ..	44	56	96	150	265	144	200	128	105	55	44	49	1336
Cardross ...	36	57	81	133	235	121	191	113	101	43	34	38	1183
Helensburgh ...	44	54	88	134	235	134	197	113	103	47	33	41	1223
Stirling ...	51	37	79	118	178	112	180	111	86	30	21	32	1035
Paisley ...	37	60	75	113	201	134	205	133	121	50	32	33	1194
Renfrew (Abbotsinch) ...	47	67	80	119	207	127	204	127	112	48	36	39	1213
Thorntonhall ...	46	50	104	119	222	141	204	125	121	50	47	45	1274
Carlisle (Law Junct.) ...	51	61	91	100	240	157	200	143	104	47	61	51	1306
Auchincruive ...	47	53	109	136	281	152	215	141	118	42	56	56	1406
Ayr ...	39	44	119	122	271	137	201	137	114	39	52	50	1325
Kilmarnock ...	43	51	99	134	266	149	214	128	116	43	55	34	1332
Prestwick ...	46	55	109	134	273	142	202	132	112	37	45	32	1319
Troon ...	48	56	109	139	261	148	223	145	115	(38)	44	53	1379
Turnberry ...	53	49	113	142	307	171	220	145	119	51	52	67	1489
Dumfries ...	58	45	92	119	267	147	229	126	118	58	49	50	1358
Eskdalemuir ...	56	46	87	97	268	118	217	131	92	51	40	60	1263
Ruthwell ...	44	42	96	112	230	116	177	110	99	56	48	21	1151

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and
Number of Days of RAIN at Selected Stations.

1935.	AMOUNTS.													Number of Days of Rain exceeding ·01 inch. YEAR.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	
NORTH SCOTLAND—	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
Baltasound ...	4·42	3·89	4·46	2·72	1·34	2·42	7·55	5·22	5·82	6·84	3·85	6·07	54·60	318
Lerwick ...	3·48	4·11	3·65	2·00	0·94	1·78	5·76	3·57	3·59	6·35	2·90	5·04	43·17	250
Deerness ...	4·86	2·98	2·77	2·99	0·53	1·53	3·20	3·80	4·61	6·46	5·20	3·94	42·87	249
Kirkwall ...	4·51	3·62	3·20	2·76	0·71	1·39	3·01	4·15	4·76	7·14	5·19	4·35	44·79	249
Skallary ...	4·37	5·11	2·36	3·33	1·00	2·78	2·72	4·71	4·00	6·79	5·84	4·17	47·18	258
Stornoway ...	5·03	4·58	3·77	2·31	1·66	2·66	2·44	3·63	6·76	7·53	3·32	2·77	46·46	253
Duntulm ...	5·69	4·44	3·34	2·71	1·42	4·07	3·41	5·45	5·75	7·56	3·93	2·58	50·35	253
Wick ...	3·57	2·57	1·93	2·86	0·56	0·92	2·61	2·93	4·09	4·56	4·56	3·08	34·24	227
Achnashellach ...	10·43	14·75	5·59	3·83	2·23	2·72	7·22	5·36	11·64	15·10	3·42	3·97	86·26	244
Fortrose ...	1·84	2·07	1·41	2·39	1·00	3·09	1·10	3·31	3·05	4·31	2·19	1·57	27·33	174
Dalwhinnie ...	3·12	7·11	3·26	3·17	0·71	4·00	1·10	3·38	7·74	10·75	5·46	2·30	52·10	228
Fort Augustus ...	2·48	7·22	2·33	1·67	0·64	2·72	0·97	3·29	6·35	7·13	3·73	1·55	40·08	201
Fort-William ...	7·87	14·10	5·30	3·16	0·93	6·18	3·93	6·96	11·66	15·22	7·30	4·60	87·21	237
Inverness ...	1·89	3·61	1·35	2·29	1·14	3·37	1·55	4·55	3·96	7·63	2·69	1·63	35·66	197
Onich ...	7·11	10·15	4·81	3·06	0·83	5·06	4·67	6·04	9·94	12·58	6·17	3·89	74·31	236
EAST SCOTLAND—														
Nairn ...	1·23	2·20	1·37	2·33	1·51	2·78	1·29	2·98	3·56	4·73	2·63	1·63	28·24	210
Forres ...	1·59	1·62	1·39	3·32	1·76	2·39	1·81	2·94	4·49	4·64	2·23	2·02	30·20	202
Gordon Castle ...	2·12	2·17	2·00	3·03	1·51	1·54	2·35	3·02	3·71	3·49	2·47	2·61	30·02	193
Banff ...	2·16	2·18	1·86	2·83	1·64	1·82	1·80	2·84	4·55	3·42	3·05	3·07	31·22	208
Aberdeen ...	1·69	1·76	2·06	4·14	1·60	4·23	2·91	2·38	4·24	3·14	4·26	3·19	35·60	201
Balmoral ...	2·23	2·81	1·65	5·14	1·41	3·01	0·63	2·14	3·64	5·59	4·92	1·56	34·73	240
Braemar ...	2·39	3·25	1·54	4·44	1·22	2·91	0·68	2·61	3·66	6·47	4·76	1·73	35·66	222
Craibstone ...	1·87	1·89	2·65	4·24	1·94	3·90	2·24	3·18	4·35	3·88	5·53	3·94	39·61	202
Logie Coldstone ...	1·96	2·04	1·29	4·15	1·91	3·05	3·03	4·10	3·99	2·21
Balmakewan ...	0·96	2·07	1·92	4·45	1·36	3·01	1·66	2·08	4·55	4·76	5·57	3·06	35·45	179
Arbroath ...	0·89	1·78	1·48	3·24	0·86	3·69	0·67	1·17	3·64	3·76	3·79	1·80	26·77	163
Carnoustie ...	0·93	1·46	1·37	2·86	0·82	3·38	1·10	1·63	3·17	3·09	3·65	1·69	25·15	181
Dundee (College Gardens) ...	1·00	1·65	1·44	3·25	0·75	3·61	1·54	2·29	3·67	3·82	4·01	2·06	29·09	188
Kettins ...	0·93	1·74	1·37	3·16	0·57	3·43	1·31	1·50	4·35	4·67	3·87	2·85	29·75	190
Montrose ...	1·05	1·77	1·53	2·72	1·16	3·67	0·98	1·63	3·48	3·50	4·10	2·13	27·72	165
Crieff ...	1·13	3·43	1·62	3·38	0·26	6·85	0·89	2·31	4·92	6·18	4·79	2·92	38·68	195
Perth ...	0·92	1·90	1·16	3·40	0·44	2·71	0·74	2·22	4·49	4·99	4·36	2·25	29·58	182
Cupar ...	0·91	1·63	1·30	2·79	0·66	3·33	0·93	2·69	3·24	4·36	4·91	2·00	28·75	185
Dunfermline ...	1·38	1·64	1·38	2·98	0·75	2·38	1·53	2·23	4·01	6·26	3·44	1·31	29·29	177
Inchkeith ...	1·22	0·88	0·93	2·29	0·47	1·94	0·73	2·10	2·97	3·87	3·17	1·13	21·70	166
Kirkcaldy ...	0·92	1·58	1·05	3·09	0·70	2·87	1·10	2·32	3·94	4·44	3·97	1·88	27·86	197
Leuchars ...	1·05	1·17	1·12	2·57	0·83	3·35	0·78	1·67	3·06	3·65	4·05	1·91	25·21	168
St. Andrews ...	0·96	1·40	1·28	2·69	0·84	3·27	0·78	1·64	3·47	3·53	3·96	1·97	25·79	184
Balerno ...	1·57	3·13	1·39	3·53	0·94	2·63	1·08	2·37	3·73	7·00	5·63	2·81	35·81	181
Boghall ...	1·26	2·62	1·07	3·72	0·98	2·39	0·74	2·48	3·80	6·87	4·72	1·26	31·91	195
Edinburgh (Blackford Hill)	1·26	1·71	0·91	2·97	0·93	2·15	0·62	2·53	3·24	6·38	3·80	1·13	27·63	193
Dunbar ...	1·12	0·99	1·33	2·64	0·67	2·50	0·94	2·57	1·64	4·20	2·53	1·33	22·46	179
North Berwick ...	0·79	1·02	1·22	3·05	0·93	2·32	0·97	3·02	1·90	3·69	2·68	1·51	23·10	173
Marchmont ...	1·81	1·83	1·51	3·22	1·03	4·11	1·27	3·16	2·61	4·43	3·75	1·80	30·53	212
West Linton ...	2·64	4·50	1·56	3·44	0·99	3·12	1·86	1·86	4·93	8·25	5·12	1·60	39·87	194
Peebles ...	1·86	3·35	1·24	3·13	1·27	2·70	2·45	2·31	3·41	6·46	4·32	1·87	34·37	177
Kelso (Broom- lands) ...	1·35	1·47	1·24	3·19	0·92	3·67	1·01	2·89	2·16	3·75	3·18	1·09	25·92	202
Wolfelee ...	2·27	3·22	1·16	3·02	1·06	4·01	1·47	3·35	3·73	6·02	4·08	1·92	35·31	190

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and Number of Days of RAIN at Selected Stations—*continued*.

1935.	AMOUNTS.													Number of Days of Rain exceeding .01 inch.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	YEAR.
VEST SCOTLAND—														
Ardtornish ...	7.69	8.67	4.25	4.79	1.50	4.56	4.91	6.34	10.24	13.23	7.93	6.98	80.89	236
Colonsay ...	3.89	5.42	2.02	3.30	1.36	3.05	2.75	5.04	8.65	10.04	5.44	4.70	55.66	258
Dunoon (Ben More)	6.30	11.90	3.87	6.70	1.38	6.83	4.10	3.79	10.44	18.11	9.85	7.39	90.66	246
Glenbranter ...	6.11	12.59	4.92	5.66	0.73	5.40	4.95	5.83	13.24	19.58	11.86	6.16	97.03	203
Oban ...	3.16	5.49	3.19	2.59	0.46	3.32	2.94	4.02	9.96	10.11	3.00	5.40	53.64	225
Rothsay ...	3.50	6.28	2.29	3.43	1.11	3.96	2.78	2.22	6.78	11.38	5.75	4.04	53.52	223
Tiree ...	2.88	4.07	2.22	3.14	0.98	2.12	2.17	5.04	5.09	7.25	7.07	3.74	45.77	238
Cardross...	2.39	5.86	1.78	3.50	0.57	3.23	1.82	2.68	6.61	9.89	5.10	3.65	47.08	209
Helensburgh ...	3.06	7.43	2.28	4.10	0.70	3.61	2.47	3.61	7.89	12.32	5.43	4.86	57.76	227
Stirling ...	1.24	3.47	1.21	3.48	0.19	3.88	0.58	2.12	5.81	8.30	3.47	2.78	36.53	184
Greenock ...	3.25	8.58	2.12	3.84	0.57	3.42	2.29	2.94	8.78	12.78	5.83	4.37	58.77	215
Paisley ...	1.81	4.52	1.83	3.37	0.60	4.47	1.56	1.59	6.70	8.88	4.63	3.20	43.16	204
Renfrew (Abbots-inch) ...	1.96	4.40	1.56	2.99	0.50	4.06	1.38	1.66	6.18	8.30	4.12	3.20	40.31	203
Dungavel ...	2.63	7.24	2.47	3.87	0.74	4.81	2.68	2.48	7.52	9.36	7.03	3.00	53.83	214
Glasgow (Univ.)	1.52	3.80	1.85	2.77	0.48	4.91	1.73	1.85	4.85	7.98	3.61	2.57	37.92	211
Thorntonhall ...	1.91	4.94	1.76	3.43	0.67	4.89	0.91	1.62	5.56	9.72	5.90	2.74	44.05	213
Auchincruive ...	1.96	4.49	1.90	2.34	0.65	3.26	1.09	2.22	4.35	6.96	4.07	2.98	36.27	210
Ayr ...	0.82	3.70	1.39	2.55	0.61	2.55	0.63	1.45	4.26	5.72	2.91	2.28	28.87	136
Colmonell ...	2.45	4.32	1.66	2.33	0.65	2.80	1.81	1.61	4.23	7.07	5.77	3.76	38.46	200
Kilmarnock ...	2.71	4.97	2.56	2.93	0.64	3.95	2.04	1.90	6.17	8.13	4.50	2.97	43.47	220
Prestwick ...	1.36	3.96	1.76	2.43	0.73	2.89	0.74	1.61	4.50	5.89	3.47	2.54	31.88	203
Troon ...	1.86	4.40	1.49	2.59	0.51	3.65	0.93	1.13	4.86	8.06	4.38	2.91	36.77	198
Turnberry ...	2.54	5.35	1.56	2.00	1.49	2.49	1.36	1.42	4.29	7.36	4.25	1.69	35.80	194
Dumfries ...	1.41	4.13	1.04	3.62	0.74	4.45	1.35	3.15	4.13	6.75	6.29	2.63	39.69	198
Eskdalemuir ...	3.22	7.78	2.58	5.79	1.16	5.29	2.54	5.04	7.25	10.38	5.98	2.94	59.95	230
Ruthwell ...	1.34	3.72	0.92	3.53	0.53	3.78	1.24	3.38	4.37	7.06	5.68	1.87	37.42	185
Thornhill ...	2.07	4.33	1.86	3.55	0.70	5.31	1.66	2.49	5.29	6.59	6.21	3.48	43.54	198

Printed under the authority of HIS MAJESTY'S STATIONERY OFFICE

By J. Skinner & Co., Ltd., Thistle Street, Edinburgh.

(13256.) Wt. 335/21. 375 8.36. J.S.&Co., Ltd. G. 157.



Note— The line ... indicates the boundaries of the Districts
named in Meteorological Tables I, III, & IV.

Ordnance Survey, 1936.

